

**Registered Nurses' Association of Ontario-
Nursing Best Practice Guidelines Program**

***Working with Families to Promote Safe Sleep for Infants 0-12 Months of Age
February 2014***

Bibliography of all Full-text Articles Screened for Inclusion

1. Included Articles

Abdulrazzaq, Y. M., Kendi, A. A., & Nagelkerke, N. (2008). Child care practice in the United Arab Emirates: The ESACCIPS study. *Acta Paediatrica, International Journal of Paediatrics*, 97, 590-595.

Abel, S., Park, J., Tipene-Leach, D., Finau, S., & Lennan, M. (2001). Infant care practices in New Zealand: A cross-cultural qualitative study. [References]. *Social Science & Medicine*, 1135-1148.

Alm, B., Mollborg, P., Erdes, L., Pettersson, R., Aberg, N., Norvenius, G. et al. (2006). SIDS risk factors and factors associated with prone sleeping in Sweden. *Archives of Disease in Childhood*, 91, 915-917.

Alm, B., Norvenius, S. G., Wennergren, G., Skjaerven, R., Oyen, N., Milerad, J. et al. (2001). Changes in the epidemiology of sudden infant death syndrome in Sweden 1973-1996. *Archives of Disease in Childhood*, 84, 24-30.

Alm, B., Wennergren, G., Norvenius, S. G., Skjaerven, R., Lagercrantz, H., Helweg-Larsen, K. et al. (2002). Breast feeding and the sudden infant death syndrome in Scandinavia, 1992-95. *Archives of Disease in Childhood*, 86, 400-402.

Alm, B., Wennergren, G., Norvenius, S. G., Skjaerven, R., Lagercrantz, H., Helweg-Larsen, K. et al. (2003). Vitamin A and sudden infant death syndrome in Scandinavia 1992-1995. *Acta Paediatrica, International Journal of Paediatrics*, 92, 162-164.

Anderson, E. S., Jackson, A., Wailoo, M. P., & Petersen, S. A. (2002). Child care decisions: Parental choice or chance? *Child: Care, Health and Development*, 28, 391-401.

Anderson, M. E., Johnson, D. C., & Batal, H. A. (2005). Sudden Infant Death syndrome and prenatal maternal smoking: Rising attributed risk in the Back to Sleep era. *BMC Medicine*, 3.

Arnestad, M., Andersen, M., Vege, A., & Rognum, T. O. (2001). Changes in the epidemiological pattern of sudden infant death syndrome in southeast Norway, 1984-1998: Implications for future prevention and research. *Archives of Disease in Childhood*, 85, 108-115.

Arntzen, A., Samuelsen, S. O., Daltveit, A. K., & Stoltenberg, C. (2006). Post-neonatal mortality in Norway 1969-95: A cause-specific analysis. *International Journal of Epidemiology*, 35, 1083-1089.

Aslam, H., Kemp, L., Harris, E., & Gilbert, E. (2009). Socio-cultural perceptions of sudden infant death syndrome among migrant Indian mothers: ORIGINAL ARTICLE. *Journal of Paediatrics and Child Health*, 45, 670-675.

Ateah, C. A. & Hamelin, K. J. (2008). Maternal bedsharing practices, experiences, and awareness of risks. [References]. *Journal of Obstetric, Gynecologic, & Neonatal Nursing: Clinical Scholarship for the Care of Women, Childbearing Families, & Newborns*, 274-281.

Bacon, C. J., Hall, D. B. M., Stephenson, T. J., & Campbell, M. J. (2008). How common is repeat sudden infant death syndrome? *Archives of Disease in Childhood*, 93, 323-326.

Ball, H. L. (2002). Reasons to bed-share: why parents sleep with their infants. *Journal of Reproductive & Infant Psychology*, 20, 207-221.

Ball, H. L. (2006). Caring for twin infants: sleeping arrangements and their implications. *Evidence Based Midwifery*, 4, 10-16.

Ball, H. L. (2007). Bed-sharing practices of initially breastfed infants in the first 6 months of life. *Infant & Child Development*, 16, 387-401.

Ball, H. L., Moya, E., Fairley, L., Westman, J., Oddie, S., & Wright, J. (2012). Bed- and sofa-sharing practices in a UK biethnic population. *Pediatrics*, 129(3), e673-e681.

Ball, H. L., Moya, E., Fairley, L., Westman, J., Oddie, S., & Wright, J. (2012). Infant care practices related to sudden infant death syndrome in South Asian and White British families in the UK. *Paediatric and perinatal epidemiology*, 26(1), 3-12.

Ball, H. L., Ward-Platt, M. P., Heslop, E., Leech, S. J., & Brown, K. A. (2006). Randomised trial of infant sleep location on the postnatal ward. *Archives of Disease in Childhood*, 91, 1005-1010.

Barnes-Josiah, D. L., Eurek, P., Huffman, S., Heusinkveld, J., Severe-Oforah, J., & Schwalberg, R. (2007). Effect of "This Side Up" T-shirts on infant sleep position. [References]. *Maternal and Child Health Journal*, 45-48.

Beal, S. M., Baghurst, P., & Antoniou, G. (2000). Sudden infant death syndrome (SIDS) in South Australia 1968-97. Part 2: The epidemiology of non-prone and non-covered SIDS infants. *Journal of Paediatrics and Child Health*, 36, 548-551.

Behm, I., Kabir, Z., Connolly, G., & Alpert, H. (2012). Increasing prevalence of smoke-free homes and decreasing rates of sudden infant death syndrome in the United States: an ecological association study. *Tobacco Control*, 21(1), 6-11.

Bennedesen, B. E., Mortensen, P. B., Olesen, A. V., & Henriksen, T. B. (2001). Congenital malformations, stillbirths, and infant deaths among children of women with schizophrenia. [References]. *Archives of General Psychiatry*, 674-679.

Blair, P. S. & Ball, H. L. (2004). The prevalence and characteristics associated with parent-infant bed-sharing in England. *Archives of Disease in Childhood*, 89, 1106-1110.

Blair, P. S., Mitchell, E. A., Heckstall-Smith, E. M. A., & Fleming, P. J. (2008). Head covering - A major modifiable risk factor for sudden infant death syndrome: A systematic review. *Archives of Disease in Childhood*, 93, 778-783.

Blair, P. S., Nadin, P., Cole, T. J., Fleming, P. J., Smith, I. J., Platt, M. W. et al. (2000). Weight gain and sudden infant death syndrome: Changes in weight z scores may identify infants at increased risk. *Archives of Disease in Childhood*, 82, 462-469.

Blair, P. S., Platt, M. W., Smith, I. J., & Fleming, P. J. (2006). Sudden infant death syndrome and sleeping position in pre-term and low birth weight infants: An opportunity for targeted intervention. *Archives of Disease in Childhood*, 91, 101-106.

Blair, P. S., Sidebotham, P., Evasion-Coombe, C., Edmonds, M., Heckstall-Smith, E. M. A., & Fleming, P. (2009). Hazardous cosleeping environments and risk factors amenable to change: Case-control study of SIDS in south west England. *BMJ*, 339, 911.

Blakely, T., Atkinson, J., Kiro, C., Blaiklock, A., & D'Souza, A. (2003). Child mortality, socioeconomic position, and one-parent families: Independent associations and variation by age and cause of death. *International Journal of Epidemiology*, 32, 410-418.

Brenner, R. A., Simons-Morton, B. G., Bhaskar, B., Revenis, M., Das, A., & Clemens, J. D. (2003). Infant-parent bed sharing in an inner-city population. *Archives of Pediatrics and Adolescent Medicine*, 157, 33-39.

Brotherton, J. M. L., Hull, B. P., Hayen, A., Gidding, H. F., & Burgess, M. A. (2005). Probability of coincident vaccination in the 24 or 48 hours preceding sudden infant death syndrome death in Australia. *Pediatrics*, 115, e643-e646.

Broussard, D., Sappenfield, W., & Goodman, D. (2012). The Black and White of Infant Back Sleeping and Infant Bed Sharing in Florida, 2004-2005. *Maternal & Child Health Journal*, 16(3), 713-724.

Bruckner, T. & Catalano, R. A. (2006). Economic Antecedents of Sudden Infant Death Syndrome. *Annals of Epidemiology*, 16, 415-422.

Bruckner, T. A. (2008). Economic Antecedents of Prone Infant Sleep Placement among Black Mothers. *Annals of Epidemiology*, 18, 678-681.

Bubnaitiene, V., Kalediene, R., & Kevalas, R. (2005). Case-control study sudden infant death syndrome in Lithuania, 1997-2000. *BMC Pediatrics*, 5.

Byard, R. W., Beal, S., Blackbourne, B., Nadeau, J. M., & Krous, H. F. (2001). Specific dangers associated with infants sleeping on sofas. *Journal of Paediatrics and Child Health*, 37, 476-478.

Byard, R. W., Elliott, J., & Vink, R. (2012). Infant gender, shared sleeping and sudden death. *Journal of paediatrics and child health*, 48(6), 517-519.

Cai, J., Hoff, G. L., Dew, P. C., Guillory, V. J., & Manning, J. (2005). Perinatal periods of risk: Analysis of fetal - Infant mortality rates in Kansas City, Missouri. *Maternal and Child Health Journal*, 9, 199-205.

Callaghan, A., Kendall, G., Lock, C., Mahony, A., Payne, J., Verrier, L. et al. (2005). Association between pacifier use and breast-feeding, sudden infant death syndrome, infection and dental malocclusion. [References]. *International Journal of Evidence-Based Healthcare*, 147-167.

Campbell, M. J., Julious, S. A., Peterson, C. K., & Tobias, A. (2001). Atmospheric pressure and sudden infant death syndrome in Cook County, Chicago. *Paediatric and Perinatal Epidemiology*, 15, 287-289.

Carlberg, M., Shapiro-Mendoza, C., & Goodman, M. (2012). Maternal and Infant Characteristics Associated With Accidental Suffocation and Strangulation in Bed in US Infants. *Maternal & Child Health Journal*, 16(8), 1594-1601.

Carpenter, R. G., Irgens, L. M., Blair, P. S., England, P. D., Fleming, P., Huber, J. et al. (2004). Sudden unexplained infant death in 20 regions in Europe: Case control study. *Lancet*, 363, 185-191.

Carroll-Pankhurst, C. & Mortimer, E. A., Jr. (2001). Sudden infant death syndrome, bedsharing, parental weight and age at death. *Pediatrics*, 107, 530-536.

Centers for Disease Control and Prevention (CDC). (2012). Suffocation deaths associated with use of infant sleep positioners--United States, 1997-2011. *MMWR Morbidity and mortality weekly report*, 61(46), 933-937.

Chianese, J., Ploof, D., Trovato, C., & Chang, J. C. (2009). Inner-City Caregivers' Perspectives on Bed Sharing With Their Infants. *Academic Pediatrics*, 9, 26-32.

Chong, D. S. Y., Yip, P. S. F., & Karlberg, J. (2004). Maternal smoking: An increasing unique risk factor for sudden infant death syndrome in Sweden. *Acta Paediatrica, International Journal of Paediatrics*, 93, 471-478.

- Chung, E. K., Hung, Y.-Y., Marchi, K., Chavez, G. F., & Braveman, P. (2003). Infant sleep position: Associated maternal and infant factors. *Ambulatory Pediatrics*, 3, 234-239.
- Chung-Park, M. S. (2012). Knowledge, opinions, and practices of infant sleep position among parents. *Military Medicine*, 177(2), 235-239.
- Coleman-Phox, K., Odouli, R., & Li, D.-K. (2008). Use of a fan during sleep and the risk of sudden infant death syndrome. *Archives of Pediatrics and Adolescent Medicine*, 162, 963-968.
- Colson, E. R., Bergman, D. M., Shapiro, E., & Leventhal, J. H. (2001). Position for newborn sleep: Association with parents' perceptions of their nursery experience. [References]. *Birth: Issues in Perinatal Care*, 249-253.
- Colson, ER, Joslin SC. Changing nursery practice gets inner-city infants in the supine position for sleep. *Arch Pediatr Adolesc Med. [Research Support, U.S. Gov't, P.H.S.]*. 2002 Jul;156(7):717-20.
- Colson, E. R., Levenson, S., Rybin, D., Calianos, C., Margolis, A., Colton, T. et al. (2006). Barriers to following the supine sleep recommendation among mothers at four centers for the Women, Infants, and Children Program. *Pediatrics*, 118, e243-e250.
- Colson, E. R., Rybin, D., Smith, L. A., Colton, T., Lister, G., & Corwin, M. J. (2009). Trends and factors associated with infant sleeping position: The national infant sleep position study, 1993-2007. *Archives of Pediatrics and Adolescent Medicine*, 163, 1122-1128.
- Colson, E. R., Stille, C. J., Payton, J., Bernstein, B., & Dworkin, P. (2000). Not yet 'back to sleep': sleep position for infants in two inner-city clinics... including commentary by Ferber R. *Ambulatory Child Health*, 6, 269-275.
- Conroy, S. & Marks, M. N. (2003). Maternal psychological vulnerability and early infant care in a sample of materially disadvantaged women. *Journal of Reproductive and Infant Psychology*, 21, 5-22.
- Corwin, M. J., Lesko, S. M., Heeren, T., Vezina, R. M., Hunt, C. E., Mandell, F. et al. (2003). Secular changes in sleep position during infancy: 1995-1998. *Pediatrics*, 111, 52-60.
- Cote, A., Bairam, A., Deschenes, M., & Hatzakis, G. (2008). Sudden infant deaths in sitting devices. *Archives of Disease in Childhood*, 93, 384-389.
- Cullen, A., Kiberd, B., McDonnell, M., Mehanni, M., Matthews, T. G., & O'Regan, M. (2000). Sudden infant death syndrome - Are parents getting the message? *Irish Journal of Medical Science*, 169, 40-43.
- Dattani N, Bhat R, Rafferty GF, Hannam S, Greenough A. Survey of sleeping position recommendations for prematurely born infants. *Eur J Pediatr*. 2011 Feb;170(2):229-32.

Dayie RA, Aronson SS, Jansen-McWilliams L, Kelleher KJ. Use of a statewide system to improve health and safety in child care facilities. *Ambul Pediatr.* [Research Support, Non-U.S. Gov't]. 2001 Mar-Apr;1(2):73-8.

Delzell JE, Jr., Phillips RL, Jr., Schnitzer PG, Ewigman B. Sleeping position: change in practice, advice, and opinion in the newborn nursery. *J Fam Pract.* [Research Support, Non-U.S. Gov't]. 2001 May;50(5):448.

De Jonge, G. A., Lanting, C. I., Brand, R., Ruys, J. H., Semmekrot, B. A., & Van Wouwe, J. P. (2004). Sudden infant death syndrome in child care settings in the Netherlands. *Archives of Disease in Childhood*, 89, 427-430.

Douglas, T. A., Buettner, P. G., & Whitehall, J. (2001). Maternal awareness of sudden infant death syndrome in North Queensland, Australia: An analysis of infant care practices. [References]. *Journal of Paediatrics and Child Health*, 441-445.

Fleming, P. J., Blair, P. S., Platt, M. W., Tripp, J., & Smith, I. J. (2003). Sudden infant death syndrome and social deprivation: Assessing epidemiological factors after post-matching for deprivation. *Paediatric and Perinatal Epidemiology*, 17, 272-280.

Fleming, P. J., Blair, P. S., Platt, M. W., Tripp, J., Smith, I. J., & Golding, J. (2001). The UK accelerated immunisation programme and sudden unexpected death in infancy: Case-control study. *British Medical Journal*, 322, 822-825.

Flick, L., Vemulapalli, C., Stulac, B. B., & Kemp, J. S. (2001). The influence of grandmothers and other senior caregivers on sleep position used by African American infants. *Archives of pediatrics & adolescent medicine*, 155, 1231-1237.

Freemantle, C. J., Read, A. W., de Klerk, N. H., McAullay, D., Anderson, I. P., & Stanley, F. J. (2006). Sudden infant death syndrome and unascertainable deaths: Trends and disparities among Aboriginal and non-Aboriginal infants born in Western Australia from 1980 to 2001 inclusive. *Journal of Paediatrics and Child Health*, 42, 445-451.

Fu, L. Y., Colson, E. R., Corwin, M. J., & Moon, R. Y. (2008). Infant Sleep Location: Associated Maternal and Infant Characteristics with Sudden Infant Death Syndrome Prevention Recommendations. *Journal of Pediatrics*, 153, 503-508.

Fu, L. Y., Moon, R. Y., & Hauck, F. R. (2010). Bed sharing among black infants and sudden infant death syndrome: Interactions with other known risk factors. *Academic Pediatrics*, 10, 376-382.

Fujita, T. (2002). Sudden infant death syndrome in Japan 1995-1998. *Forensic Science International*, 130, S71-S77.

Galler, J. R., Harrison, R. H., & Ramsey, F. (2006). Bed-sharing, breastfeeding and maternal moods in Barbados. [References]. *Infant Behavior & Development*, 526-534.

Geib, L. T. C., Aerts, D., & Nunes, M. L. (2006). Sleep practices and sudden infant death syndrome: A new proposal for scoring risk factors. [References]. *Sleep: Journal of Sleep and Sleep Disorders Research*, 1288-1294.

Gelfer, P., Cameron, R., Masters, K., & Kennedy, K. A. (2013). Integrating "Back to Sleep" recommendations into neonatal ICU practice. *Pediatrics*, 131(4), e1264-e1270

Getahun, D., Amre, D., Rhoads, G. G., & Demissie, K. (2004). Maternal and obstetric risk factors for sudden infant death syndrome in the United States. *Obstetrics and Gynecology*, 103, 646-652.

Getahun, D., Demissie, K., Lu, S.-E., & Rhoads, G. G. (2004). Sudden infant death syndrome among twin births: United States, 1995-1998. *Journal of Perinatology*, 24, 544-551.

Gilbert, R., Salanti, G., Harden, M., & See, S. (2005). Infant sleeping position and the sudden infant death syndrome: Systematic review of observational studies and historical review of recommendations from 1940 to 2002. *International Journal of Epidemiology*, 34, 874-887.

Glenn, L. L. & Quillin, S. I. M. (2007). Opposing effects of maternal and paternal socioeconomic status on neonatal feeding method, place of sleep, and maternal sleep time. [References]. *The Journal of Perinatal & Neonatal Nursing*, 165-172.

Graham J, Hendrix S, Schwalberg R. Evaluating the SIDS diagnosis process utilized by coroners in Mississippi. *J Forensic Nurs*. 2009;5(2):59-63.

Halloran, D. R. & Alexander, G. R. (2006). Preterm Delivery and Age of SIDS Death. *Annals of Epidemiology*, 16, 600-606.

Hauck, F. R., Herman, S. M., Donovan, M., Iyasu, S., Moore, C. M., Donoghue, E. et al. (2003). Sleep environment and the risk of sudden infant death syndrome in an urban population: The Chicago infant mortality study. *Pediatrics*, 111, 1207-1214.

Hauck, F. R., Moore, C. M., Herman, S. M., Donovan, M., Kalelkar, M., Christoffel, K. K. et al. (2002). The contribution of prone sleeping position to the racial disparity in sudden infant death syndrome: The Chicago infant mortality study. *Pediatrics*, 110, 772-780.

Hauck, F. R., Omojokun, O. O., & Siadaty, M. S. (2005). Do pacifiers reduce the risk of sudden infant death syndrome? A meta-analysis. *Pediatrics*, 116, e716-e723.

Hauck, F. R., Signore, C., Fein, S. B., & Raju, T. N. K. (2008). Infant sleeping arrangements and practices during the first year of life. *Pediatrics*, 122, S113-S120.

Hauck, F. R., Thomson, J. M. D., Tanable, K. O., Moon, R. Y., & Vennemann, M .M. (2011). Breastfeeding and reduced risk of Sudden Infant Death Syndrome: A meta-analysis. *Pediatrics*, 10.1542/peds.2010-3000.

Hauck, F.R., Tanabe KO. International trends in sudden infant death syndrome and other sudden unexpected deaths in infancy: Need for better diagnostic standardization. *Current Pediatric Reviews*. 2010;6:95-101.

Hill, S. A. R., Hjelmeland, B., Johannessen, N. M., Irgens, L. M., & Skjaerven, R. (2004). Changes in parental risk behaviour after an information campaign against sudden infant death syndrome (SIDS) in Norway. *Acta Paediatrica, International Journal of Paediatrics*, 93, 250-254.

Homer, C., Armari, E., & Fowler, C. (2012). Bed-sharing with infants in a time of SIDS awareness. *Neonatal, Paediatric & Child Health Nursing*, 15(2), 3-7.

Horsley, T., Clifford, T., Barrowman, N., Bennett, S., Yazdi, F., Sampson, M. et al. (2007). Benefits and harms associated with the practice of bed sharing a systematic review. *Archives of Pediatrics and Adolescent Medicine*, 161, 237-245.

Howard, L. M., Kirkwood, G., & Latinovic, R. (2007). Sudden infant death syndrome and maternal depression. *Journal of Clinical Psychiatry*, 68, 1279-1283.

Inbar, Z., Meibar, R., Shehada, S., Irena, V., Rubin, L., & Rishpon, S. (2005). "Back to sleep": Parents compliance with the recommendation on the most appropriate sleeping position of infants, Haifa District, Israel, 2001. [References]. *Preventive Medicine: An International Journal Devoted to Practice and Theory*, 765-768.

Issler, R. M. S., Marostica, P. J. C., & Giugliani, E. R. J. (2009). Infant sleep position: A randomized clinical trial of an educational intervention in the Maternity ward in Porto Alegre, Brazil. [References]. *Birth: Issues in Perinatal Care*, 115-121.

Iyasu, S., Randall, L. L., Welty, T. K., Hsia, J., Kinney, H. C., Mandell, F. et al. (2002). Risk factors for sudden infant death syndrome among Northern Plains Indians. [References]. *JAMA: Journal of the American Medical Association*, 2717-2723.

Jackson, A. & Moon, R. Y. (2008). An analysis of deaths in portable cribs and playpens: What can be learned? [References]. *Clinical Pediatrics*, 261-266.

Jonville-Bera, A.-P., Autret-Leca, E., Barbeillon, F., Paris-Llado, J., Pouplard, Ligny et al. (2001). Sudden unexpected death in infants under 3 months of age and vaccination status - A case-control study. *British Journal of Clinical Pharmacology*, 51, 271-276.

Joyner BL, Gill-Bailey C, Moon RY. Infant sleep environments depicted in magazines targeted to women of childbearing age. *Pediatrics*. 2009 Sep;124(3):e416-22.

Joyner, B. L., Oden, R. P., Ajao, T. I., & Moon, R. Y. (2010). Where should my baby sleep: A qualitative study of African American infant sleep location decisions. *Journal of the National Medical Association*, 102, 881-889.

Kahlert, C., Rudin, C., & Kind, C. (2007). Sudden infant death syndrome in infants born to HIV-infected and opiate-using mothers. *Archives of Disease in Childhood*, 92, 1005-1008.

Kahn, A., Bauche, P., Groswasser, J., Dramaix, M., & Scaillet, S. (2001). Maternal education and risk factors for sudden death in infants. *European Journal of Pediatrics*, 160, 505-508.

Kemp, L., Harris, E., & Chavez, R. (2006). Knowledge of sudden infant death syndrome prevention strategies in a multicultural, disadvantaged community. [References]. *Journal of Paediatrics and Child Health*, 441-444.

King-Hele, S. A., Abel, K. M., Webb, R. T., Mortensen, P. B., Appleby, L., & Pickles, A. R. (2007). Risk of sudden infant death syndrome with parental mental illness. [References]. *Archives of General Psychiatry*, 1323-1330.

Klonoff-Cohen, H. & Lam-Kruglick, P. (2001). Maternal and paternal recreational drug use and sudden infant death syndrome. *Archives of Pediatrics and Adolescent Medicine*, 155, 765-770.

Klonoff-Cohen, H. S., Srinivasan, I. P., & Edelstein, S. L. (2002). Prenatal and intrapartum events and sudden infant death syndrome. *Paediatric and Perinatal Epidemiology*, 16, 82-89.

Klonoff-Cohen, H., Lam, P. K., & Lewis, A. (2005). Outdoor carbon monoxide, nitrogen dioxide, and sudden infant death syndrome. *Archives of Disease in Childhood*, 90, 750-753.

Lahr, M. B., Rosenberg, K. D., & Lapidus, J. A. (2005). Bedsharing and maternal smoking in a population-based survey of new mothers. *Pediatrics*, 116, e530-e542.

Lahr, M. B., Rosenberg, K. D., & Lapidus, J. A. (2005). Health departments do it better: Prenatal care site and prone infant sleep position. *Maternal and Child Health Journal*, 9, 165-172.

Lahr, M. B., Rosenberg, K. D., & Lapidus, J. A. (2007). Maternal-infant bedsharing: Risk factors for bedsharing in a population-based survey of new mothers and implications for SIDS risk reduction. *Maternal and Child Health Journal*, 11, 277-286.

Li, D. K., Willinger, M., Petitti, D. B., Odouli, R., Liu, L., & Hoffman, H. J. (2006). Use of a dummy (pacifier) during sleep and risk of sudden infant death syndrome (SIDS): Population based case-control study. [References]. *BMJ: British Medical Journal*, 18-22.

Li, D.-K. & Wi, S. (2000). Maternal pre-eclampsia/eclampsia and the risk of sudden infant death syndrome in offspring. *Paediatric and Perinatal Epidemiology*, 14, 141-144.

Li, D.-K., Petitti, D. B., Willinger, M., McMahon, R., Odouli, R., Vu, H. et al. (2003). Infant sleeping position and the risk of sudden infant death syndrome in California, 1997-2000. *American Journal of Epidemiology*, 157, 446-455.

Luo, Z.-C., Senecal, S., Simonet, F., Guimond, E., Penney, C., & Wilkins, R. (2010). Birth outcomes in the inuit-inhabited areas of Canada. *CMAJ, Canadian Medical Association Journal*. 182, 235-242.

Luo, Z.-C., Wilkins, R., Platt, R. W., & Kramer, M. S. (2004). Risks of adverse pregnancy outcomes among Inuit and North American Indian women in Quebec, 1985-97. *Paediatric and Perinatal Epidemiology*, 18, 40-50.

Malloy, M. H. & Eschbach, K. (2007). Association of poverty with sudden infant death syndrome in metropolitan counties of the United States in the years 1990 and 2000. *Southern Medical Journal*, 100, 1107-1113.

Malloy, M.H, Freeman DH. Age at death, season, and day of death as indicators of the effect of the back to sleep program on sudden infant death syndrome in the United States, 1992-1999. *Arch Pediatr Adolesc Med. [Research Support, Non-U.S. Gov't]*. 2004 Apr;158(4):359-65.

Malloy, M. H. (2004). Sudden infant death syndrome among extremely preterm infants: United States 1997-1999. *Journal of Perinatology*, 24, 181-187.

Malloy, M. H. (2007). Size for gestational age at birth: Impact on risk for sudden infant death and other causes of death, USA 2002. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 92, F473-F478.

Markowitz, S. The effectiveness of cigarette regulations in reducing cases of Sudden Infant Death Syndrome. *J Health Econ*. 2008 Jan;27(1):106-33.

Matthews, T., McDonnell, M., McGarvey, C., Loftus, G., & O'Regan, M. (2004). A multivariate "time based" analysis of SIDS risk factors. *Archives of Disease in Childhood*, 89, 267-271.

McDonnell-Naughton, M., McGarvey, C., O'Regan, M., & Matthews, T. (2012). Maternal smoking and alcohol consumption during pregnancy as risk factors for sudden infant death. *Irish medical journal*, 105(4), 105-108.

McGarvey, C., McDonnell, M., Chong, A., O'Regan, M., & Matthews, T. (2003). Factors relating to the infant's last sleep environment in sudden infant death syndrome in the Republic of Ireland. *Archives of Disease in Childhood*, 88, 1058-1064.

McGarvey, C., McDonnell, M., Hamilton, K., O'Regan, M., & Matthews, T. (2006). An 8 year study of risk factors for SIDS: Bed-sharing versus non-bed-sharing. *Archives of Disease in Childhood*, 91, 318-323.

McKenna, J. J. & Volpe, L. E. (2007). Sleeping with baby: An Internet-based sampling of parental experiences, choices, perceptions, and interpretations in a Western industrialized context. [References]. *Infant and Child Development*, 359-385.

McKinney, C. M., Holt, V. L., Cunningham, M. L., Leroux, B. G., & Starr, J. R. (2008). Maternal and Infant Characteristics Associated with Prone and Lateral Infant Sleep Positioning in Washington State, 1996-2002. *Journal of Pediatrics*, 153, 194-198.

McMullen, S. L, Lipke B, LeMura C. Sudden infant death syndrome prevention: a model program for NICUS. *Neonatal Netw*. 2009 Jan-Feb;28(1):7-12.

Miller, L. H., Fraser, A., & Moy, R. (2008). How does cot death prevention advice influence parents' behaviour? *Child: Care, Health and Development*, 34, 613-618.

Minkovitz, C., Strobino, D., Hughart, N., Scharfstein, D., Guyer, B., & Healthy Steps Evaluation Team (2001). Early effects of the healthy steps for young children program. *Archives of pediatrics & adolescent medicine*, 155, 470-479.

Mitchell, E. A., Stewart, A. W., Crampton, P., & Salmond, C. (2000). Deprivation and sudden infant death syndrome. *Social Science and Medicine*, 51, 147-150.

Mitchell, E. A., Thompson, J. M. D., Becroft, D. M. O., Bajanowski, T., Brinkmann, B., Happe, A. et al. (2008). Head covering and the risk for SIDS: Findings from the New Zealand and German SIDS case-control studies. *Pediatrics*, 121, e1478-e1483.

Mizzi J, Parascandalo R. P, Montalto SA. SIDS and infant sleeping position: Audit on the advisory campaign in Malta. *Malta Medical Journal*. 2008;20:21-3.

Moon, R. Y. & Omron, R. (2002). Determinants of infant sleep position in an urban population. *Clinical Pediatrics*, 41, 569-573.

Moon, R. Y., Calabrese, T., & Aird, L. (2008). Reducing the risk of sudden infant death syndrome in child care and changing provider practices: lessons learned from a demonstration project. *Pediatrics*, 122, 788-798.

Moon, R. Y, Kotch L, Aird L. State child care regulations regarding infant sleep environment since the Healthy Child Care America-Back to Sleep campaign. *Pediatrics*. 2006 Jul;118(1):73-83.

Moon, R. Y., Oden, R. P., Joyner, B. L., & Ajao, T. I. (2010). Qualitative Analysis of Beliefs and Perceptions about Sudden Infant Death Syndrome in African-American Mothers: Implications for Safe Sleep Recommendations. *Journal of Pediatrics*, 157, 92-97.

Moon, R. Y., Patel, K. M., & McDermott Shaefer, S. J. (2000). Sudden infant death syndrome in child care settings. *Pediatrics*, 106, 295-300.

Moon, R. Y. SIDS and other sleep-related infant deaths: expansion of recommendations for a safe infant sleeping environment. *Pediatrics*. 2011 Nov;128(5):1030-9.

Moon, R. Y. SIDS and other sleep-related infant deaths: expansion of recommendations for a safe infant sleeping environment. *Pediatrics*. 2011 Nov;128(5):e1341-67.

Moon, R. Y., Sprague, B. M., & Patel, K. M. (2005). Stable prevalence but changing risk factors for sudden infant death syndrome in child care settings in 2001. *Pediatrics*, 116, 972-977.

Moon, R., Tanabe, K., Yang, D., Young, H., & Hauck, F. (2012). Pacifier Use and Sids: Evidence for a Consistently Reduced Risk. *Maternal & Child Health Journal*, 16(3), 609-614.

Morgan, S. K. & Johnson, C. M. (2001). Infant sleep: Resident recommendations and socioeconomic status differences in patient practices. *Family Medicine*, 33, 614-620.

Nelson, A. (2012). A Comprehensive Review of Evidence and Current Recommendations Related to Pacifier Usage. *Journal of Pediatric Nursing*, 27(6), 690-699.

Nelson, E. A. S., To, K.-F., Wong, Y.-Y., Dickinson, J. A., Choi, K.-C., Yu, L.-M. et al. (2005). Hong Kong case-control study of sudden unexpected infant death. *New Zealand Medical Journal*, 118.

Nennstiel-Ratzel U, Holscher G, Ehrensperger-Reeh P, von Kries R, Wildner M. Prevention of Sudden Infant Death Syndrome (SIDS) in Bavaria - evaluation of a prevention campaign. *Klin Padiatr*. 2010 Jan-Feb;222(1):45-50.

Oden, R. P., Joyner, B. L., Ajao, T. I., & Moon, R. Y. (2010). Factors influencing African American mothers' decisions about sleep position: A qualitative study. *Journal of the National Medical Association*, 102, 870-880.

Oden, R. P., Powell, C., Sims, A., Weisman, J., Joyner, B. L., & Moon, R. Y. (2012). Swaddling: will it get babies onto their backs for sleep? *Clinical pediatrics*, 51(3), 254-259.

O'Leary, C. M., Jacoby, P. J., Bartu, A., D'Antoine, H., & Bower, C. (2013). Maternal alcohol use and sudden infant death syndrome and infant mortality excluding SIDS. *Pediatrics*, 131(3), e770-e778.

Ostfeld, B. M., Esposito, L., Straw, D., Burgos, J., & Hegyi, T. (2005). An inner-city school-based program to promote early awareness of risk factors for sudden infant death syndrome. [References]. *Journal of Adolescent Health*, 339-341.

Ostfeld, B. M., Perl, H., Esposito, L., Hempstead, K., Hinnen, R., Sandler, A. et al. (2006). Sleep environment, positional, lifestyle, and demographic characteristics associated with bed sharing in sudden Infant Death Syndrome cases: A population-based study. *Pediatrics*, 118, 2051-2059.

Panaretto, K. S., Smallwood, V. E., Cole, P., Elston, J., & Whitehall, J. S. (2002). Sudden infant death syndrome risk factors in north Queensland: A survey of infant-care practices in Indigenous and non-Indigenous women. *Journal of Paediatrics and Child Health*, 38, 129-134.

Panaretto, K. S., Whitehall, J. F., McBride, G., Patole, S., & Whitehall, J. S. (2002). Sudden infant death syndrome in Indigenous and non-Indigenous infants in north Queensland, 1990-1998. *Journal of Paediatrics and Child Health*, 38, 135-139.

Paris, C. A., Remler, R., & Daling, J. R. (2001). Risk factors for sudden infant death syndrome: Changes associated with sleep position recommendations. *Journal of Pediatrics*, 139, 771-777.

Paterson, J., Tukuitonga, C., Butler, S., & Williams, M. (2002). Awareness of Sudden Infant Death Syndrome risk factors among mothers of Pacific infants in New Zealand. *New Zealand Medical Journal*, 115, 33-35.

Paulson, J. F., Dauber, S., & Leiferman, J. A. (2006). Individual and combined effects of postpartum depression in mothers and fathers on parenting behavior. *Pediatrics*, 118, 659-668.

Pharoah, P. O. D. & Platt, M. J. (2007). Sudden infant death syndrome in twins and singletons. *Twin Research and Human Genetics*, 10, 644-648.

Platt, M. J. & Pharoah, P. O. (2003). The epidemiology of sudden infant death syndrome. *Archives of Disease in Childhood*, 88, 27-29.

Poets, A., Urschitz, M. S., Steinfeldt, R., & Poets, C. F. (2012). Risk factors for early sudden deaths and severe apparent life-threatening events. *Archives of disease in childhood.Fetal and neonatal edition*, 97(6), F395-F397.

Pollack, H. A. & Frohna, J. G. (2001). A competing risk model of sudden infant death syndrome incidence in two US birth cohorts. *Journal of Pediatrics*, 138, 661-667.

Pollack, H. A. & Frohna, J. G. (2002). Infant sleep placement after the back to sleep campaign. *Pediatrics*, 109, 608-614.

Pollack, H. A. (2001). Sudden infant death syndrome, maternal smoking during pregnancy, and the cost-effectiveness of smoking cessation intervention. [References]. *American Journal of Public Health*, 432-436.

Pressley, J. C., Kiragu, A., Lapidus, G., Pomerantz, W. J., Ford, H., & Barlow, B. (2009). Race and ethnic differences in a multicenter study of home safety with vouchers redeemable for free safety devices. *The Journal of trauma*, 67, S3-11.

Price SK, Hillman L, Gardner P, Schenk K, Warren C. Changing hospital newborn nursery practice: results from a statewide "Back to Sleep" nurses training program. *Matern Child Health J. [Research Support, Non-U.S. Gov't]*. 2008 May;12(3):363-71.

Raja Lope, R. J., Kong, W. K., Lee, V. W. M., Tiew, W. T., & Wong, S. Y. (2010). Sleep position and infant care practices in an urban community in Kuala Lumpur. *Medical Journal of Malaysia*, 65, 45-48.

Ritz, B., Wilhelm, M., & Zhao, Y. (2006). Air pollution and infant death in Southern California, 1989-2000. *Pediatrics*, 118, 493-502.

Robida, D., & Moon, R. Y. (2012). Factors influencing infant sleep position: decisions do not differ by SES in African-American families. *Archives of Disease in Childhood*, 97(10), 900-905.

Ruys, J. H., De Jonge, G. A., Brand, R., Engelberts, A. C., & Semmekrot, B. A. (2007). Bed-sharing in the first four months of life: A risk factor for sudden infant death. *Acta Paediatrica, International Journal of Paediatrics*, 96, 1399-1403.

Sanderson, C. A., Cowden, B., Hall, D. M. B., Taylor, E. M., Carpenter, R. G., & Cox, J. L. (2002). Is postnatal depression a risk factor for sudden infant death? *British Journal of General Practice*, 52, 636-640.

Sawaguchi, T., Yokota, S., Nishimaki, S., Mori, T., Nishida, H., & Fukui, S. (2004). Questionnaire study to Japanese SIDS families. *Pathophysiology*, 10, 263-270.

Scheers, N. J., Rutherford, G. W., & Kemp, J. S. (2003). Where should infants sleep? A comparison of risk for suffocation of infants sleeping in cribs, adult beds, and other sleeping locations. *Pediatrics*, 112, 883-889.

Schluter, P. J., Paterson, J., & Percival, T. (2007). Infant care practices associated with sudden infant death syndrome: Findings from the Pacific Islands Families Study. [References]. *Journal of Paediatrics and Child Health*, 388-393.

Schnitzer, P., Covington, T., & Dykstra, H. (2012). Sudden Unexpected Infant Deaths: Sleep Environment and Circumstances. *American Journal of Public Health*, 102(6), 1204-1212.

Schulpen, T. W. J., Van Steenbergen, J. E., & Van Driel, H. F. (2001). Influences of ethnicity on perinatal and child mortality in the Netherlands. *Archives of Disease in Childhood*, 84, 222-226.

Scragg, R. K. R., Mitchell, E. A., Ford, R. P. K., Thompson, J. M. D., Taylor, B. J., & Stewart, A. W. (2001). Maternal cannabis use in the sudden death syndrome. *Acta Paediatrica, International Journal of Paediatrics*, 90, 57-60.

Shaefer SJ, Herman SE, Frank SJ, Adkins M, Terhaar M. Translating infant safe sleep evidence into nursing practice. *J Obstet Gynecol Neonatal Nurs*. [Research Support, Non-U.S. Gov't]. 2010 Nov-Dec;39(6):618-26.

Shah, T., Sullivan, K., & Carter, J. (2006). Sudden Infant Death Syndrome and Reported Maternal Smoking During Pregnancy. [References]. *American Journal of Public Health*, 1757-1759.

Shields, L. B. E., Hunsaker, D. M., Muldoon, S., Corey, T. S., & Spivack, B. S. (2005). Risk factors associated with sudden unexplained infant death: A prospective study of infant care practices in Kentucky. *Pediatrics*, 116, e13-e20.

Sivan, Y., Reisner, S., Amitai, Y., Wasser, J., Nehama, H., & Tauman, R. (2004). Effect of religious observance on infants' sleep position in the Jewish population. [References]. *Journal of Paediatrics and Child Health*, 534-539.

Smith, G. C. S., Pell, J. P., & Dobbie, R. (2003). Risk of sudden infant death syndrome and week of gestation of term birth. *Pediatrics*, 111, 1367-1371.

Smith, G. C. S., Wood, A. M., Pell, J. P., & Dobbie, R. (2005). Sudden infant death syndrome and complications in other pregnancies. *Lancet*, 366, 2107-2111.

Smith, L. A., Colson, E. R., Rybin, D., Margolis, A., Colton, T., Lister, G. et al. (2010). Maternal assessment of physician qualification to give advice on AAP-recommended infant sleep practices related to SIDS. *Academic Pediatrics*, 10, 383-388.

Smith, L. K., Manktelow, B. N., Draper, E. S., Springett, A., & Field, D. J. (2011). Nature of socioeconomic inequalities in neonatal mortality: Population based study. *BMJ*, 342, 38.

Smith, M., Liu, J. H., Helms, K., & Wilkerson, K. (2012). Racial Differences in Trends and Predictors of Infant Sleep Positioning in South Carolina, 1996-2007. *Maternal & Child Health Journal*, 16(1), 72-82.

Spencer, N. & Logan, S. (2004). Sudden unexpected death in infancy and socioeconomic status: A systematic review. [References]. *Journal of Epidemiology and Community Health*, 366-373.

Stubbs-Wynn PE, Krajicek MJ, Hamilton B, Collins S, Torrey V. SIDS risk-reduction language in state childcare regulations as of July 2002: lessons learned. *J Spec Pediatr Nurs*. 2004 Jan-Mar;9(1):32-6.

Tan, K. L. (2009). Bed sharing among mother-infant pairs in Klang district, Peninsular Malaysia and its relationship to breast-feeding. [References]. *Journal of Developmental and Behavioral Pediatrics*, 420-425.

Tanaka, T. & Kato, N. (2001). Evaluation of child care practice factors that affect the occurrence of sudden infant death syndrome: Interview conducted by public health nurses. *Environmental Health and Preventive Medicine*, 6, 117-120.

Tappin, D., Brooke, H., Ecob, R., & Gibson, A. (2002). Used infant mattresses and sudden infant death syndrome in Scotland: Case-control study. *British Medical Journal*, 325, 1007-1009.

Tappin, D., Ecob, R., & Brooke, H. (2005). Bedsharing, roomsharing, and sudden infant death syndrome in Scotland: A case-control study. *Journal of Pediatrics*, 147, 32-37.

Tauman, R., Reisner, S. H., Amitai, Y., Wasser, J., Nehama, H., & Sivan, Y. (2004). Sleep position in Israeli Jewish infants following the "back to sleep" campaign. *Israel Medical Association Journal*, 6, 540-545.

Thogmartin, J. R., Siebert, J., & Pellan, W. A. (2001). Sleep position and bed-sharing in sudden infant deaths: An examination of autopsy findings. *Journal of Pediatrics*, 138, 212-217.

Thompson DG. Safe sleep practices for hospitalized infants. *Pediatr Nurs*. [Review]. 2005 Sep-Oct;31(5):400-3, 9.

Thompson, J. M. D. & Mitchell, E. A. (2006). Are the risk factors for SIDS different for preterm and term infants? *Archives of Disease in Childhood*, 91, 107-111.

Thompson, J. M. D., Thach, B. T., Becroft, D. M. O., & Mitchell, E. A. (2006). Sudden infant death syndrome: Risk factors for infants found face down differ from other SIDS cases. *Journal of Pediatrics*, 149, 630-633.

Tirosh, E., Becker, T., Mansour, Y., Cohen, A., & Jaffe, M. (2000). Sleep position, bedding and heating practices in high- and low-risk ethnic groups for unexpected death in infancy (UDI). *European Journal of Epidemiology*, 16, 281-286.

Toro, K. & Sotonyi, P. (2001). Distribution of prenatal and postnatal risk factors for sudden infant death in Budapest. *Scandinavian Journal of Primary Health Care*, 19, 178-180.

Toro, K., Meszaros, R., Meszaros, A., & Csukas, Z. (2004). Change in immunisation schedule and sudden infant death syndrome in Hungary. *FEMS Immunology and Medical Microbiology*, 42, 119-124.

Trachtenberg, F., Haas, E., Kinney, H., Stanley, C., & Krous, H. (2012). Risk Factor Changes for Sudden Infant Death Syndrome After Initiation of Back-to-Sleep Campaign. *Pediatrics*, 129(4), 630-638.

Van Sleuwen, B. E., L'Hoir, M. P., Engelberts, A. C., Westers, P., & Schulpen, T. W. J. (2003). Infant care practices related to cot death in Turkish and Moroccan families in the Netherlands. *Archives of Disease in Childhood*, 88, 784-788.

Vemulapalli, C., Grady, K., & Kemp, J. S. (2004). Use of Safe Cribs and Bedroom Size among African American Infants with a High Rate of Bed Sharing. *Archives of Pediatrics and Adolescent Medicine*, 158, 286-289.

Vennemann, M. M. T., Butterfass-Bahloul, T., Jorch, G., Brinkmann, B., Findeisen, M., Sauerland, C. et al. (2007). Sudden infant death syndrome: No increased risk after immunisation. *Vaccine*, 25, 336-340.

Vennemann, M. M. T., Findeisen, M., Butterfass-Bahloul, T., Jorch, G., Brinkmann, B., Kopcke, W. et al. (2005). Infection, health problems, and health care utilisation, and the risk of sudden infant death syndrome. *Archives of Disease in Childhood*, 90, 520-522.

Vennemann, M. M. T., Hoffgen, M., Bajanowski, T., Hense, H.-W., & Mitchell, E. A. (2007). Do immunisations reduce the risk for SIDS? A meta-analysis. *Vaccine*, 25, 4875-4879.

Vennemann, M. M., Bajanowski, T., Brinkmann, B., Jorch, G., Sauerland, C., & Mitchell, E. A. (2009). Sleep environment risk factors for sudden infant death syndrome: The German Sudden Infant Death Syndrome Study. [References]. *Pediatrics*, 1162-1170.

Vennemann, M. M., Bajanowski, T., Brinkmann, B., Jorch, G., Yucesan, K., Sauerland, C. et al. (2009). Does breastfeeding reduce the risk of sudden infant death syndrome? [References]. *Pediatrics*, e406-e410.

Vernacchio, L., Corwin, M. J., Lesko, S. M., Vezina, R. M., Hunt, C. E., Hoffman, H. J. et al. (2003). Sleep position of low birth weight infants. *Pediatrics*, 111, 633-640.

Vestergaard, M., Basso, O., Henriksen, T. B., Ostergaard, J., & Olsen, J. (2002). Febrile convulsions and sudden infant death syndrome. *Archives of Disease in Childhood*, 86, 125-126.

Von, K., I, Corwin, M. J., Rybin, D. V., Heeren, T. C., Lister, G., & Colson, E. R. (2010). Influence of prior advice and beliefs of mothers on infant sleep position. *Archives of Pediatrics and Adolescent Medicine*, 164, 363-369.

Wasley, A., Lepine, L. A., Jenkins, R., & Rubin, C. (2002). An investigation of unexplained infant deaths in houses contaminated with methyl parathion. *Environmental Health Perspectives*, 110, 1053-1056.

Webb, R. T., Wicks, S., Dalman, C., Pickles, A. R., Appleby, L., Mortensen, P. B. et al. (2010). Influence of environmental factors in higher risk of sudden infant death syndrome linked with parental mental illness. [References]. *Archives of General Psychiatry*, 69-77.

Weimer, S. M., Dise, T. L., Evers, P. B., Ortiz, M. A., Welldaregay, W., & Steinmann, W. C. (2002). Prevalence, predictors, and attitudes toward cosleeping in an urban pediatric center. [References]. *Clinical Pediatrics*, 433-438.

Willinger, M., Ko, C.-W., Hoffman, H. J., Kessler, R. C., & Corwin, M. J. (2000). Factors associated with caregivers' choice of infant sleep position, 1994-1998: The national infant sleep position study. *Journal of the American Medical Association*, 283, 2135-2142.

Willinger, M., Ko, C.-W., Hoffman, H. J., Kessler, R. C., & Corwin, M. J. (2003). Trends in infant bed sharing in the United States, 1993-2000: The National Infant Sleep Position Study. *Archives of Pediatrics and Adolescent Medicine*, 157, 43-49.

Wisborg, K., Kesmodel, U., Henriksen, T. B., Olsen, S. F., & Secher, N. J. (2000). A prospective study of smoking during pregnancy and SIDS. *Archives of Disease in Childhood*, 83, 203-206.

Yoo, S. H., Kim, A. J., Kang, S. M., Lee, H. Y., Seo, J. S., Kwon, T. J. et al. (2013). Sudden infant death syndrome in Korea: a retrospective analysis of autopsy-diagnosed cases. *Journal of Korean medical science*, 28(3), 438-442.

Zachry, A. H. & Kitzmann, K. M. (2010). Disparities in sleep position awareness and compliance. *Southern Medical Journal*, 103, 311-315.

Zajicek-Farber, M. L. (2009). Postnatal depression and infant health practices among high-risk women. [References]. *Journal of Child and Family Studies*, 236-245.

2. Excluded Articles

Adler, M. R., Hyderi, A., & Hamilton, A. (2006). What are safe sleeping arrangements for infants? *Journal of Family Practice*, 55, 1083-1084+1087.

Alexander, G. R., Wingate, M. S., & Boulet, S. (2008). Pregnancy outcomes of American Indians: Contrasts among regions and with other ethnic groups. *Maternal and Child Health Journal*, 12, S5-S11.

Alexander, R. T. & Radisch, D. (2005). Sudden infant death syndrome risk factors with regards to sleep position, sleep surface, and co-sleeping. *Journal of Forensic Sciences*, 50, 147-151.

Alm, B., Norvenius, S. G., Wennergren, G., Lagercrantz, H., Helweg-Larsen, K., & Irgens, L. M. (2000). Living conditions in early infancy in Denmark, Norway and Sweden 1992- 95: Results from the nordic epidemiological SIDS study. *Acta Paediatrica, International Journal of Paediatrics*, 89, 208-214.

Amanuel, B. & Byard, R. W. (2000). Accidental asphyxia in bed in severely disabled children. *Journal of Paediatrics and Child Health*, 36, 66-68.

Ansari, T., Sibbons, P. D., Parsons, A., & Rossi, M. L. (2002). Quantitative neuropathological analysis of Sudden Infant Death Syndrome. *Child: Care, Health and Development*, 28, 3-6.

Anstead, M. (2000). Pediatric sleep disorders: New developments and evolving understanding. *Current Opinion in Pulmonary Medicine*, 6, 501-506.

Ariagno, R. L., Mirmiran, M., Adams, M. M., Saporito, A. G., Dubin, A. M., & Baldwin, R. B. (2003). Effect of position on sleep, heart rate variability, and QT interval in preterm infants at 1 and 3 months' corrected age. *Pediatrics*, 111, 622-625.

Aris, C., Stevens, T. P., LeMura, C., Lipke, B., McMullen, S., C+!t+®-Arsenault, D. et al. (2006). NICU nurses' knowledge and discharge teaching related to infant sleep position and risk of SIDS [corrected] [published erratum appears in ADV NEONAT CARE 2006 Dec;6(6):340]. *Advances in Neonatal Care (Elsevier Science)*, 6, 281-294.

Arkell, S., Blair, P., Henderson, J., & Fleming, P. (2007). Is the mattress important in helping babies keep warm? - Paradoxical effects of a sleeping surface with negligible thermal resistance. *Acta Paediatrica, International Journal of Paediatrics*, 96, 199-205.

Arnestad, M., Vege, A., & Rognum, T. O. (2002). Evaluation of diagnostic tools applied in the examination of sudden unexpected deaths in infancy and early childhood. *Forensic Science International*, 125, 262-268.

Aryayev, N. & Kukushkin, V. (2002). The perinatal risk factors of sudden infant death syndrome. *Perinatology*, 4, 125-133.

Baddock, S. A., Galland, B. C., Beckers, M. G. S., Taylor, B. J., & Bolton, D. P. G. (2004). Bed-sharing and the infant's thermal environment in the home setting. *Archives of Disease in Childhood*, 89, 1111-1116.

Baddock, S. A., Galland, B. C., Bolton, D. P. G., Williams, S. M., & Taylor, B. J. (2006). Differences in infant and parent behaviors during routine bed sharing compared with cot sleeping in the home setting. *Pediatrics*, 117, 1599-1607.

Baddock, S. A., Galland, B. C., Taylor, B. J., & Bolton, D. P. G. (2007). Sleep arrangements and behavior of bed-sharing families in the home setting. *Pediatrics*, 119, e200-e207.

Baddock, S., Galland, B., Bolton, D., Williams, S., & Taylor, B. (2012). Hypoxic and Hypercapnic Events in Young Infants During Bed-sharing. *Pediatrics*, 130(2), 237-244.

Bader, D., Kugelman, A., Blum, D. E., Riskin, A., & Tirosh, E. (2006). Effect of phototherapy on cardiorespiratory activity during sleep in neonates with physiologic jaundice. *Israel Medical Association Journal*, 8, 12-16.

Ball, H. (2009). Airway covering during bed-sharing. [References]. *Child Care, Health & Development*, 728-737.

- Ball, H. L. (2002). Triadic bed-sharing and infant temperature. *Child: Care, Health and Development*, 28, 55-58.
- Ball, H. L. (2003). Breastfeeding, bed-sharing, and infant sleep. *Birth*, 30, 181-188.
- Ball, H. L. (2006). Parent-Infant Bed-Sharing Behavior. [References]. *Human Nature*, 301-318.
- Beal, S. M. & Byard, R. W. (2000). Sudden infant death syndrome in South Australia 1968-97. Part 3: Is bed sharing safe for infants? *Journal of Paediatrics and Child Health*, 36, 552-554.
- Beal, S. M. (2000). Sudden infant death syndrome in South Australia 1968-97. Part I: Changes over time. *Journal of Paediatrics and Child Health*, 36, 540-547.
- Becher, J. C., Bhushan, S. S., & Lyon, A. J. (2012). Unexpected collapse in apparently healthy newborns--a prospective national study of a missing cohort of neonatal deaths and near-death events. *Archives of disease in childhood.Fetal and neonatal edition*, 97(1), F30-F34.
- Belechri, M., Petridou, E., & Trichopoulos, D. (2002). Bunk versus conventional beds: A comparative assessment of fall injury risk. *Journal of Epidemiology and Community Health*, 56, 413-417.
- Bernstein, H. H., Spino, C., Baker, A., Slora, E. J., Touloukian, C. L., & McCormick, M. C. (2002). Postpartum discharge: Do varying perceptions of readiness impact health outcomes? *Ambulatory Pediatrics*, 2, 388-395.
- Bhat, R. Y., Hannam, S., Pressler, R., Rafferty, G. F., Peacock, J. L., & Greenough, A. (2006). Effect of prone and supine position on sleep, apneas, and arousal in preterm infants. *Pediatrics*, 118, 101-107.
- Bhat, R. Y., Leipala, J. A., Rafferty, G. F., Hannam, S., & Greenough, A. (2003). Survey of sleeping position recommendations for prematurely born infants on neonatal intensive care unit discharge. *European Journal of Pediatrics*, 162, 426-427.
- Blabey, M. H. & Gessner, B. D. (2009). Infant bed-sharing practices and associated risk factors among births and infant deaths in Alaska. *Public Health Reports*, 124, 527-534.
- Blair, P. S., Sidebotham, P., Berry, P. J., Evans, M., & Fleming, P. J. (2006). Major epidemiological changes in sudden infant death syndrome: A 20-year population-based study in the UK. *Lancet*, 367, 314-319.

Buckley, P., Rigda, R. S., Mundy, L., & McMillen, I. C. (2002). Interaction between bed sharing and other sleep environments during the first six months of life. [References]. *Early Human Development*, 123-132.

Burd, L., Peterson, M., Face, G. C., Face, F. C., Shervold, D., & Klug, M. G. (2007). Efficacy of a SIDS risk factor education methodology at a native American and Caucasian site. [References]. *Maternal and Child Health Journal*, 365-371.

Burmaz, T., Villani, M., Cattaneo, A., Milinco, M., Romero, S. Q., & Bernal, R. (2007). [Compliance to preventive interventions in infancy among immigrants: A randomised trial]. *Quaderni ACP*, 14, 50-55.

Byard, R. W. & Jensen, L. L. (2008). How reliable is reported sleeping position in cases of unexpected infant death? *Journal of Forensic Sciences*, 53, 1169-1171.

Callaghan, P., Greenberg, L., Brasseux, C., & Ottolini, M. (2003). Postpartum counseling perceptions and practices: What's new? *Ambulatory Pediatrics*, 3, 284-287.

Campbell, M. J., Hall, D., Stephenson, T., Bacon, C., & Madan, J. (2008). Recurrence rates for sudden infant death syndrome (SIDS): The importance of risk stratification. *Archives of Disease in Childhood*, 93, 936-939.

Carlins, E. M. & Collins, K. S. (2007). Cribs for kids: Risk and reduction of sudden infant death syndrome and accidental suffocation. [References]. *Health & Social Work*, 225-229.

Carpenter, R. G., Waite, A., Coombs, R. C., Daman-Willems, C., McKenzie, A., Huber, J. et al. (2005). Repeat sudden unexpected and unexplained infant deaths: Natural or unnatural? *Lancet*, 365, 29-35.

Carrier, C. T. (2009). Back to sleep: a culture change to improve practice. *Newborn & Infant Nursing Reviews*, 9, 163-168.

Castor, M. L., Smyser, M. S., Taualii, M. M., Park, A. N., Lawson, S. A., & Forquera, R. A. (2006). A nationwide population-based study identifying health disparities between American Indians/Alaska Natives and the general populations living in select urban counties. *American Journal of Public Health*, 96, 1478-1484.

Cavalier, A. & Picaud, J. C. (2008). [Prevention of positional plagiocephaly]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*, Vol.15 Suppl 1, pp.S20-3, 2008 Jun., -3.

Cerar, L. K., Scirica, C. V., Gantar, I. S., Osredkar, D., Neubauer, D., & Kinane, T. B. (2009). A comparison of respiratory patterns in healthy term infants placed in car safety seats and beds. *Pediatrics*, 124, e396-e402.

Chang, R.-K., Keens, T. G., Rodriguez, S., & Chen, A. Y. (2008). Sudden Infant Death Syndrome: Changing Epidemiologic Patterns in California 1989-2004. *Journal of Pediatrics*, 153, 498-502.

Chang, Y. J., Anderson, G. C., & Lin, C. H. (2002). Effects of prone and supine positions on sleep state and stress responses in mechanically ventilated preterm infants during the first postnatal week. *Journal of Advanced Nursing*, 40, 161-169.

Colditz, P. B., Joy, G. J., & Dunster, K. R. (2002). Rebreathing potential of infant mattresses and bedcovers. *Journal of Paediatrics and Child Health*, 38, 192-195.

Collins, K. A. (2001). Death by overlaying and wedging: A 15-year retrospective study. *American Journal of Forensic Medicine and Pathology*, 22, 155-159.

Colson, E. R., McCabe, L. K., Fox, K., Levenson, S., Colton, T., Lister, G. et al. (2005). Barriers to following the back-to-sleep recommendations: Insights from focus groups with inner-city caregivers. *Ambulatory Pediatrics*, 5, 349-354.

Cornwell, A. C. & Feigenbaum, P. (2006). Sleep biological rhythms in normal infants and those at high risk for SIDS. *Chronobiology International*, 23, 935-961.

Corwin, M. J., Lesko, S. M., Heeren, T., Vezina, R. M., Hunt, C. E., Mandell, F. et al. (2003). Secular changes in sleep position during infancy: 1995-1998. *Pediatrics*, 111, 52-60.

Cowan, S. (2010). Creating change: How knowledge translates into action for protecting babies from sudden infant death? *Current Pediatric Reviews*, 6, 86-94.

Dageville, C., Pignol, J., & De, S. S. (2008). Very early neonatal apparent life-threatening events and sudden unexpected deaths: Incidence and risk factors. *Acta Paediatrica, International Journal of Paediatrics*, 97, 866-869.

Denson, K. W. E. (2001). Passive smoking in infants, children and adolescents. The effects of diet and socioeconomic factors. *International Archives of Occupational and Environmental Health*, 74, 525-532.

Efe, E., Sarvan, S., & Kukulu, K. (2007). Sleep practices and environment and the risk of sudden infant death syndrome in Turkey. [References]. Journal for Specialists in Pediatric Nursing, 253-263.

Escott, A., Elder, D. E., & Zuccollo, J. M. (2009). Sudden unexpected infant death and bedsharing: Referrals to the Wellington Coroner 1997-2006. New Zealand Medical Journal, 122.

Flick, L., White, D. K., Vemulapalli, C., Stulac, B. B., & Kemp, J. S. (2001). Sleep position and the use of soft bedding during bed sharing among African American infants at increased risk for sudden infant death syndrome. Journal of Pediatrics, 138, 338-343.

Ford, K. M. & Linker, L. A. (2002). Compliance of Licensed Child Care Centers with the American Academy of Pediatrics' Recommendations for Infant Sleep Positions. [References]. *Journal of Community Health Nursing*, 83-91.

Franco, P., Chabanski, S., Scaillet, S., Groswasser, J., & Kahn, A. (2004). Pacifier use modifies infant's cardiac autonomic controls during sleep. Early Human Development, 99-108.

Franco, P., Lipshut, W., Valente, F., Adams, S., Groswasser, J., & Kahn, A. (2003). Cardiac autonomic characteristics in infants sleeping with their head covered by bedclothes. Journal of Sleep Research, 12, 125-132.

Franco, P., Lipshutz, W., Valente, F., Adams, S., Scaillet, S., & Kahn, A. (2002). Decreased arousals in infants who sleep with the face covered by bedclothes. Pediatrics, 109, 1112-1117.

Franco, P., Scaillet, S., Groswasser, J., & Kahn, A. (2004). Increased Cardiac Autonomic Responses to Auditory Challenges in Swaddled Infants. [References]. Sleep: Journal of Sleep and Sleep Disorders Research, 1527-1532.

Franco, P., Scaillet, S., Wermenbol, V., Valente, F., Groswasser, J., & Kahn, A. (2000). The influence of a pacifier on infants' arousals from sleep. Journal of Pediatrics, 136, 775-779.

Friberg, D., Sundquist, J., Li, X., Hemminki, K., & Sundquist, K. (2009). Sibling risk of pediatric obstructive sleep apnea syndrome and adenotonsillar hypertrophy. Sleep, 32, 1077-1083.

Froen, J. F., Arnestad, M., Vege, A., Irgens, L. M., Rognum, T. O., Saugstad, O. D. et al. (2002). Comparative epidemiology of sudden infant death syndrome and sudden intrauterine unexplained death. Archives of Disease in Childhood: Fetal and Neonatal Edition, 87, F118-F121.

Geib, L. T. C. & Nunes, M. L. (2006). The incidence of sudden death syndrome in a cohort of infants. *Jornal de Pediatria*, 82, 21-26.

Gerard, C. M., Harris, K. A., & Thach, B. T. (2002). Physiologic studies on swaddling: An ancient child care practice, which may promote the supine position for infant sleep. *Journal of Pediatrics*, 141, 398-404.

Gerard, C. M., Harris, K. A., & Thach, B. T. (2002). Spontaneous arousals in supine infants while swaddled and unswaddled during rapid eye movement and quiet sleep. *Pediatrics*, 110, e70, 2002.

Gershon, W. M., Besch, N. S., & Franciosi, R. A. (2002). A comparison of apparent life-threatening events before and after the back to sleep campaign. *Wisconsin Medical Journal*, 101, 39-45.

Gessner, B. D., Ives, G. C., & Perham-Hester, K. A. (2001). Association between sudden infant death syndrome and prone sleep position, bed sharing, and sleeping outside an infant crib in alaska. *Pediatrics*, 108, 923-927.

Gibson, E., Dembofsky, C. A., Rubin, S., & Greenspan, J. S. (2000). Infant sleep position practices 2 years into the "Back to Sleep" campaign. *Clinical Pediatrics*, 285-289.

Gislason, T., Johannsson, J. H., Haraldsson, A., Olafsdottir, B. R., Jonsdottir, H., Kong, A. et al. (2002). Familial predisposition and cosegregation analysis of adult obstructive sleep apnea and the sudden infant death syndrome. *American journal of respiratory and critical care medicine*, 166, 833-838.

Glasgow, J. F. T., Thompson, A. J., & Ingram, P. J. (2006). Sudden unexpected death in infancy: Place and time of death. *Ulster Medical Journal*, 75, 65-71.

Guala, A., Zaffaroni, M., Marinello, D., Ronchi, B., Pastore, G., & Bona, G. (2002). Back to sleep: Good advice for parents, ignored by some hospitals. *Italian Journal of Pediatrics*, 28, 301-303.

Guntheroth, W. G. & Spiers, P. S. (2001). Thermal stress in sudden infant death: Is there an ambiguity with the rebreathing hypothesis? *Pediatrics*, 107, 693-698.

Hanna, S., Rao, C., & Fernandes, J. R. (2007). A retrospective study of Sudden Infant Death Syndrome (SIDS) cases in the Hamilton-Wentworth region from 1995 to 2005. *Journal of the Canadian Society of Forensic Science*, 40, 39-52.

Hanzer, M., Zotter, H., Sauseng, W., Pfurtscheller, K., Muller, W., & Kerbl, R. (2009). Pacifier use does not alter the frequency or duration of spontaneous arousals in sleeping infants. *Sleep Medicine*, 10, 464-470.

Hanzer, M., Zotter, H., Sauseng, W., Pichler, G., Muller, W., & Kerbl, R. (2009). Non-nutritive sucking habits in sleeping infants. *Neonatology*, 97, 61-66.

Hauck, F. R. & Tanabe, K. O. (2010). International trends in sudden infant death syndrome and other sudden unexpected deaths in infancy: Need for better diagnostic standardization. *Current Pediatric Reviews*, 6, 95-101.

Hein, H. A. & Pettit, S. F. (2001). Back to sleep: Good advice for parents but not for hospitals? *Pediatrics*, 107, 537-539.

Hershberger, M. L., Peeke, K. L., Levett, J., & Spear, M. L. (2001). Effect of sleep position on apnea and bradycardia in high-risk infants. *Journal of perinatology : official journal of the California Perinatal Association*, 21, 85-89.

Horne, R. S. C., Andrew, S., Mitchell, K., Sly, D. J., Cranage, S. M., Chau, B. et al. (2001). Apnoea of prematurity and arousal from sleep. [References]. *Early Human Development*, 119-133.

Horne, R. S. C., Bandopadhayay, P., Vitkovic, J., Cranage, S. M., & Adamson, T. M. (2002). Effects of age and sleeping position on arousal from sleep in preterm infants. *Sleep*, 25, 746-750.

Horne, R. S. C., Ferens, D., Watts, A.-M., Vitkovic, J., Lacey, B., Andrew, S. et al. (2001). The prone sleeping position impairs arousability in term infants. *Journal of Pediatrics*, 138, 811-816.

Horne, R. S. C., Ferens, D., Watts, A.-M., Vitkovic, J., Lacey, B., Andrew, S. et al. (2002). Effects of maternal tobacco smoking, sleeping position, and sleep state on arousal in healthy term infants. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 87, F100-F105.

Horne, R. S. C., Franco, P., Adamson, T. M., Groswasser, J., & Kahn, A. (2002). Effects of body position on sleep and arousal characteristics in infants. *Early Human Development*, 69, 25-33.

Horne, R. S. C., Osborne, A., Vitkovic, J., Lacey, B., Andrew, S., Chau, B. et al. (2002). Arousal from sleep in infants is impaired following an infection. *Early Human Development*, 66, 89-100.

Horne, R. S. C., Parslow, P. M., Ferens, D., Bandopadhayay, P., Osborne, A., Watts, A.-M. et al. (2002). Arousal responses and risk factors for sudden infant death syndrome. *Sleep Medicine*, 3, S61-S65.

Horne, R. S. C., Parslow, P. M., Ferens, D., Watts, A.-M., & Adamson, T. M. (2004). Comparison of evoked arousability in breast and formula fed infants. *Archives of Disease in Childhood*, 89, 22-25.

Horne, R. S., Egodagamage, C., Cranage, S. M., & Adamson, T. M. (2003). Effect of infant sleeping position on sleep spindles. [References]. *Journal of Sleep Research*, 19-24.

Hunt, C. E., Lesko, S. M., Vezina, R. M., McCoy, R., Corwin, M. J., Mandell, F. et al. (2003). Infant sleep position and associated health outcomes. *Archives of Pediatrics and Adolescent Medicine*, 157, 469-474.

Hutchison, B. L., Stewart, A. W., & Mitchell, E. A. (2010). The prevalence of cobedding and SIDS-related child care practices in twins. *European Journal of Pediatrics*, 169, 1477-1485.

Hutchison, L., Stewart, A. W., & Mitchell, E. A. (2006). SIDS-protective infant care practices among Auckland, New Zealand mothers. *New Zealand Medical Journal*, 119.

Hutchison, L., Stewart, A., & Mitchell, E. (2007). Infant sleep position, head shape concerns, and sleep positioning devices. [References]. *Journal of Paediatrics and Child Health*, 243-248.

James, C., Klenka, H., & Manning, D. (2003). Sudden infant death syndrome: Bed sharing with mothers who smoke. *Archives of Disease in Childhood*, 88, 112-113.

Jenik, A., Vance, J., Walmsley, K., Pollard, K., Freemantle, M., Ewing, D. et al. (2001). International Child Care Practices Study: infant sleeping environment. *Early Human Development*, 62, 43-55.

Jenkins, R. O. & Sherburn, R. E. (2005). Growth and survival of bacteria implicated in sudden infant death syndrome on cot mattress materials. *Journal of Applied Microbiology*, 99, 573-579.

Jenkins, R. O. & Sherburn, R. E. (2008). Used cot mattresses as potential reservoirs of bacterial infection: Nutrient availability within polyurethane foam. *Journal of Applied Microbiology*, 104, 526-533.

Joseph, D. V., Jackson, J. A., Westaway, J., Taub, N. A., Petersen, S. A., & Wailoo, M. (2007). Effect of parental smoking on cotinine levels in newborns. Archives of Disease in Childhood: Fetal and Neonatal Edition, 92, F484-F488.

Joyner, B. L., Gill-Bailey, C., & Moon, R. Y. (2009). Infant sleep environments depicted in magazines targeted to women of childbearing age. Pediatrics, 124, e416-e422.

Kanetake, J., Aoki, Y., & Funayama, M. (2003). Evaluation of rebreathing potential on bedding for infant use. Pediatrics International, 45, 284-289.

Kato, I., Scaillet, S., Groswasser, J., Montemiro, E., Togari, H., Lin, J.-S. et al. (2006). Spontaneous arousability in prone and supine position in healthy infants. Sleep, 29, 785-790.

Kattwinkel, J., Brooks, J. G., Keenan, M. E., Malloy, M., Willinger, M., & Scheers, N. J. (2000). Changing concepts of sudden infant death syndrome: Implications for infant sleeping environment and sleep position. Pediatrics, 105, 650-556.

Kattwinkel, J., Hauck, F. R., Keenan, M. E., Malloy, M., Moon, R. Y., Willinger, M. et al. (2005). The changing concept of sudden infant death syndrome: Diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk. Pediatrics, 116, 1245-1255.

Kerbl, R., Zotter, H., Einspieler, C., Roll, P., Ratschek, M., Kostl, G. et al. (2003). Classification of sudden infant death (SID) cases in a multidisciplinary setting. Ten years experience in Styria (Austria). Wiener Klinische Wochenschrift, 115, 887-893.

Kerr, J. R., Al-Khattaf, A., Barson, A. J., & Burnie, J. P. (2000). An association between sudden infant death syndrome (SIDS) and Helicobacter pylori infection. Archives of Disease in Childhood, 83, 429-434.

Kiechl-Kohlendorfer, U., Peglow, U. P., Kiechl, S., Oberaigner, W., & Sperl, W. (2001). Epidemiology of sudden infant death syndrome (SIDS) in the Tyrol before and after an intervention campaign. Wiener Klinische Wochenschrift, 113, 27-32.

Klug, M. G., Burd, L., Kerbeshian, J., Benz, B., & Martolf, J. T. (2003). A comparison of the effects of parental risk markers on pre- and perinatal variables in multiple patient cohorts with fetal alcohol syndrome, autism, Tourette syndrome, and sudden infant death syndrome: An enviromic analysis. [References]. Neurotoxicology and Teratology, 707-717.

Knight, L. D., Hunsaker, D. M., & Corey, T. S. (2005). Cosleeping and sudden unexpected infant deaths in Kentucky: A 10-year retrospective case review. *American Journal of Forensic Medicine and Pathology*, 26, 28-32.

Krouse, A., Craig, J., Watson, U., Matthews, Z., Kolski, G., & Isola, K. (2012). Bed-sharing influences, attitudes, and practices: implications for promoting safe infant sleep. *Journal of child health care : for professionals working with children in the hospital and community*, 16(3), 274-283.

Leitich, H., Tiefenthaler, M., Popow, C., Seyfried-Holzer, G., Urschitz, M., Ipsiroglu, O. S. et al. (2000). SIDS related anxiety - A risk factor analysis. *Wiener Klinische Wochenschrift*, 112, 216-220.

Li, L., Fowler, D., Liu, L., Ripple, M. G., Lambros, Z., & Smialek, J. E. (2005). Investigation of sudden infant deaths in the State of Maryland (1990-2000). *Forensic Science International*, 148, 85-92.

Lister, G., Rybin, D. V., Colton, T., Heeren, T. C., Hunt, C. E., Colson, E. R. et al. (2012). Relationship between sleep position and risk of extreme cardiorespiratory events. *The Journal of pediatrics*, 161(1), 22-25.

Malloy, M. H. & Freeman, D. H. (2004). Age at Death, Season, and Day of Death as Indicators of the Effect of the Back to Sleep Program on Sudden Infant Death Syndrome in the United States, 1992-1999. *Archives of Pediatrics and Adolescent Medicine*, 158, 359-365.

Malloy, M. H. & MacDorman, M. (2005). Changes in the classification of sudden unexpected infant deaths: United States, 1992-2001. *Pediatrics*, 115, 1247-1253.

Markowitz, S. (2008). The effectiveness of cigarette regulations in reducing cases of Sudden Infant Death Syndrome. *Journal of Health Economics*, 27, 106-133.

Matturri, L., Ottaviani, G., & Lavezzi, A. M. (2004). Autopic examination in sudden infant death syndrome and sudden intrauterine unexpected death: Proposal of a national law. *Journal of Maternal-Fetal and Neonatal Medicine*, 16, 43-45.

McCulloch, K., Dahl, S., Johnson, S., Burd, L., Klug, M. G., & Beal, J. R. (2000). Prevalence of SIDS risk factors: Before and after the 'Back to Sleep' campaign in North Dakota Caucasian and American Indian infants. *Clinical Pediatrics*, 39, 403-410.

McIntosh, C., Tonkin, S., & Gunn, A. (2013). Randomized Controlled Trial of a Car Safety Seat Insert to Reduce Hypoxia in Term Infants. *Pediatrics*, 132(2), 326-331.

McMartin, K. I., Platt, M. S., Hackman, R., Klein, J., Smialek, J. E., Vigorito, R. et al. (2002). Lung tissue concentrations of nicotine in sudden infant death syndrome (SIDS). *Journal of Pediatrics*, 140, 205-209.

McMullen, S. L. (2013). Transitioning premature infants supine: state of the science. *MCN. The American journal of maternal child nursing*, 38(1), 8-4.

Meadows-Oliver, M., & Hendrie, J. (2013). Expanded Back to Sleep Guidelines. *Pediatric Nursing*, 39(1), 40-49.

Mehanni, M., Cullen, A., Kiberd, B., McDonnell, M., O'Regan, M., & Matthews, T. (2000). The current epidemiology of SIDS in Ireland. *Irish Medical Journal*, 93, 264-268.

Mindell, J. (2012). Talking About Babies, Toddlers, and Sleep... Jodi Mindell. *Zero to Three*, 32(3), 58-62.

Mitchell, E. A. & Milerad, J. (2006). Smoking and the sudden infant death syndrome. *Reviews on Environmental Health*, 21, 81-103.

Mitchell, E. A. & Thompson, J. M. D. (2001). Parental reported apnoea, admissions to hospital and sudden infant death syndrome. *Acta Paediatrica, International Journal of Paediatrics*, 90, 417-422.

Mitchell, E. A. (2007). Recommendations for sudden infant death syndrome prevention: A discussion document. *Archives of Disease in Childhood*, 92, 155-159.

Mitchell, E. A., Blair, P. S., & L'Hoir, M. P. (2006). Should pacifiers be recommended to prevent sudden infant death syndrome? [References]. *Pediatrics*, 1755-1758.

Mitchell, E. A., Freemantle, J., Young, J., & Byard, R. W. (2012). Scientific consensus forum to review the evidence underpinning the recommendations of the Australian SIDS and Kids Safe Sleeping Health Promotion Programme--October 2010. *Journal of paediatrics and child health*, 48(8), 626-633.

Mitchell, E. A., Hutchison, L., & Stewart, A. W. (2007). The continuing decline in SIDS mortality. *Archives of Disease in Childhood*, 92, 625-626.

Mitchell, E., Krous, H. F., Donald, T., & Byard, R. W. (2000). Changing trends in the diagnosis of sudden infant death. *American Journal of Forensic Medicine and Pathology*, 21, 311-314.

Mizzi, J., Parascandalo, R. P., & Montalto, S. A. (2008). SIDS and infant sleeping position: Audit on the advisory campaign in Malta. *Malta Medical Journal*, 20, 21-23.

Moon, R. Y. & Biliter, W. M. (2000). Infant sleep position policies in licensed child care centers after Back to Sleep campaign. *Pediatrics*, 106, 576-580.

Moon, R. Y. & Oden, R. P. (2003). Back to sleep: Can we influence child care providers? *Pediatrics*, 112, 878-882.

Moon, R. Y., & Fu, L. (2012). Sudden infant death syndrome: an update. *Pediatrics in review / American Academy of Pediatrics*, 33(7), 314-320.

Moon, R. Y., Biliter, W. M., & Croskell, S. E. (2001). Examination of state regulations regarding infants and sleep in licensed child care centers and family child care settings. *Pediatrics*, 107, 1029-1036.

Moon, R. Y., Gingras, J. L., & Erwin, R. (2002). Physician beliefs and practices regarding SIDS and SIDS risk reduction. [References]. *Clinical Pediatrics*, 391-395.

Moon, R. Y., Kington, M., Oden, R., Iglesias, J., & Hauck, F. R. (2007). Physician recommendations regarding SIDS risk reduction: A national survey of pediatricians and family physicians. *Clinical Pediatrics*, 791-800.

Moon, R. Y., Kotch, L., & Aird, L. (2006). State child care regulations regarding infant sleep environment since the Healthy Child Care America-Back to Sleep campaign. *Pediatrics*, 118, 73-83.

Moon, R. Y., Oden, R. P., & Grady, K. C. (2004). Back to Sleep: An Educational Intervention with Women, Infants, and Children Program Clients. *Pediatrics*, 113, 542-547.

Moon, R. Y., Weese-Mayer, D. E., & Silvestri, J. M. (2003). Nighttime child care: Inadequate sudden infant death syndrome risk factor knowledge, practice, and policies. *Pediatrics*, 111, 795-799.

Moon, R., Calabrese, T., Oden, R., Iglesias, J., & Aird, L. (2006). Reducing the Risk of Sids in Child Care Evaluation Project: Lessons Learned. *American Public Health Association 134th Annual Meeting & Exposition*; Nov 4, 2006; Boston, MA 2006.

Nakamura, I., Fukai, K., & Okamoto, M. (2012). Infant's bed climate and bedding in the Japanese home. *Midwifery*, 28(3), 340-347.

Nelson, E. A. S. & Taylor, B. J. (2001). International Child Care Practices Study: Infant sleep position and parental smoking. [References]. *Early Human Development*, 7-20.

Nelson, E. A. S. & Taylor, B. J. (2001). International Child Care Practices Study: Infant sleep position and parental smoking. [References]. *Early Human Development*, 7-20.

Ostfeld, B. M., Esposito, L., Perl, H., & Hegyi, T. (2010). Concurrent risks in sudden infant death syndrome. *Pediatrics*, 125, 447-453.

Pasquale-Styles, M. A., Tackitt, P. L., & Schmidt, C. J. (2007). Infant death scene investigation and the assessment of potential risk factors for asphyxia: A review of 209 sudden unexpected infant deaths. *Journal of Forensic Sciences*, 52, 924-929.

Paterson, J., Tukuitonga, C., Butler, S., & Williams, M. (2002). Infant bed-sharing among Pacific families in New Zealand. *New Zealand Medical Journal*, 115, 241-243.

Paterson, J., Tukuitonga, C., Butler, S., & Williams, M. (2002). Infant bed-sharing among Pacific families in New Zealand. *New Zealand Medical Journal*, 115, 241-243.

Pereira, K. D., Rathi, N. K., Fataki, A., Haque, S. A., & Castriotta, R. J. (2008). Body position and obstructive sleep apnea in 8-12-month-old infants. *International journal of pediatric otorhinolaryngology*, 72, 897-900.

Perrizo, K. & Pustilnik, S. (2006). Association between sudden death in infancy and co-sleeping: A look at investigative methods for Galveston County Medical Examiners Office from 1978-2002. *American Journal of Forensic Medicine and Pathology*, 27, 169-172.

Person, T. L. A., Lavezzi, W. A., & Wolf, B. C. (2002). Cosleeping and sudden unexpected death in infancy. *Archives of Pathology and Laboratory Medicine*, 126, 343-345.

Pickett, K. E., Luo, Y., & Lauderdale, D. S. (2005). Widening social inequalities in risk for sudden infant death syndrome. *American Journal of Public Health*, 95, 1976-1981.

Pike, J. & Moon, R. Y. (2008). Bassinet Use and Sudden Unexpected Death in Infancy. *Journal of Pediatrics*, 153, 509-512.

Price, S. K., Hillman, L., Gardner, P., Schenk, K., & Warren, C. (2008). Changing hospital newborn nursery practice: Results from a statewide "back to sleep" nurses training program. [References]. *Maternal and Child Health Journal*, 363-371.

Rambaud, C. & Guilleminault, C. (2004). "Back to Sleep" and Unexplained Death in Infants. [References]. *Sleep: Journal of Sleep and Sleep Disorders Research*, 1359-1366.

Rao, H., May, C., Hannam, S., Rafferty, G. F., & Greenough, A. (2007). Survey of sleeping position recommendations for prematurely born infants on neonatal intensive care unit discharge. *European Journal of Pediatrics*, 166, 809-811.

Richardson, H. L., Walker, A. M., & Horne, R. S. C. (2009). Minimizing the Risks of Sudden Infant Death Syndrome: To Swaddle or Not to Swaddle? *Journal of Pediatrics*, 155, 475-481.

Rimsza, M. E. & Newberry, S. (2008). Unexpected infant deaths associated with use of cough and cold medications. *Pediatrics*, 122, e318-e322.

Robb, M. P., Crowell, D. H., Dunn-Rankin, P., & Tinsley, C. (2007). Cry features in siblings of SIDS. *Acta Paediatrica, International Journal of Paediatrics*, 96, 1404-1408.

Rosenbach, M., O'Neil, S., Cook, B., Trebino, L., & Walker, D. K. (2010). Characteristics, access, utilization, satisfaction, and outcomes of Healthy Start participants in eight sites. [References]. *Maternal and Child Health Journal*, 666-679.

Rudan, I., Chan, K. Y., Zhang, J. S. F., Theodoratou, E., Feng, X. L., Salomon, J. A. et al. (2010). Causes of deaths in children younger than 5 years in China in 2008. [References]. *The Lancet*, 1083-1089.

Rusen, I. D., Liu, S., Sauve, R., Joseph, K. S., & Kramer, M. S. (2004). Sudden infant death syndrome in Canada: Trends in rates and risk factors, 1985-1998. *Chronic Diseases in Canada*, 25, 1-6.

Rushton, L., Courage, C., & Green, E. (2003). Estimation of the impact on children's health of environmental tobacco smoke in England and Wales. *Journal of the Royal Society for the Promotion of Health*, 123, 175-180.

Ryan, C. A., Ryan, F., Keane, E., & Hegarty, H. (2000). Trend analysis and socio-economic differentials in infant mortality in the Southern Health Board, Ireland (1988-1997). *Irish Medical Journal*, 93, 204-206.

Sankaran, K., Kutnikof, T., Meleth, A. D., D'cunha, C., & Balaria, R. (2003). Sudden infant death syndrome (SIDS) and infant care practices. *Neonatal Intensive Care*, 16, 31-35.

Sawaguchi, T. & Namiki, M. (2004). Recent trend of the incidence of sudden infant death syndrome in Japan. *Pathophysiology*, 10, 259-261.

Sawaguchi, T. (2006). Survey of domestic and international diagnostic guidelines for sudden infant & neonate death and proposal for new Japanese SIDS guidelines. *International Medical Journal*, 13, 299-304.

Schluter, P. J. & Young, J. (2002). Reducing the risk of SIDS: what infant care practices are being used by primary caregivers in Queensland? *Neonatal, Paediatric & Child Health Nursing*, 5, 26-33.

Shapiro-Mendoza, C. K., Kimball, M., Tomashek, K. M., Anderson, R. N., & Blanding, S. (2009). US infant mortality trends attributable to accidental suffocation and strangulation in bed from 1984 through 2004: Are rates increasing? *Pediatrics*, 123, 533-539.

Shapiro-Mendoza, C. K., Tomashek, K. M., Anderson, R. N., & Wingo, J. (2006). Recent national trends in sudden, unexpected infant deaths: More evidence supporting a change in classification or reporting. *American Journal of Epidemiology*, 163, 762-769.

Sherburn, R. E. & Jenkins, R. O. (2004). Cot mattresses as reservoirs of potentially harmful bacteria and the sudden infant death syndrome. *FEMS Immunology and Medical Microbiology*, 42, 76-84.

Smith, G. C. S. & White, I. R. (2006). Predicting the risk for sudden infant death syndrome from obstetric characteristics: A retrospective cohort study of 505 011 live births. *Pediatrics*, 117, 60-66.

Spiers, P. S. & Guntheroth, W. G. (2001). The black infant's susceptibility to sudden infant death syndrome and respiratory infection in late infancy. *Epidemiology*, 12, 33-37.

Tipene-Leach, D., Hutchison, L., Tangiora, A., Rea, C., White, R., Stewart, A. et al. (2010). SIDS-related knowledge and infant care practices among Maori mothers. *New Zealand Medical Journal*, 123, 88-96.

Togari, H., Kato, I., Saito, N., & Yamaguchi, N. (2000). The healthy human infant tends to sleep in the prone rather than the supine position. *Early Human Development*, 59, 151-158.

Van Sleuwen, B. E., Engelberts, A. C., Boere-Boonekamp, M. M., Kuis, W., Schulpen, T. W. J., & L'Hoir, M. P. (2007). Swaddling: A systematic review. *Pediatrics*, 120, e1097-e1106.

Vennemann, M. M. T., Findeisen, M., Butterfass-Bahloul, T., Jorch, G., Brinkmann, B., Kopcke, W. et al. (2005). Modifiable risk factors for SIDS in Germany: Results of GeSID. *Acta Paediatrica, International Journal of Paediatrics*, 94, 655-660.

Vennemann, M., Bajanowski, T., Butterfass-Bahloul, T., Sauerland, C., Jorch, G., Brinkmann, B. et al. (2007). Do risk factors differ between explained sudden unexpected death in infancy and sudden infant death syndrome? *Archives of Disease in Childhood*, 92, 133-136.

Vennemann, M., Fischer, D., Jorch, G., & Bajanowski, T. (2006). Prevention of sudden infant death syndrome (SIDS) due to an active health monitoring system 20 years prior to the public "Back to Sleep" campaigns. *Archives of Disease in Childhood*, 91, 324-326.

Ward, P. M., Blair, P. S., Fleming, P. J., Smith, I. J., Cole, T. J., Leach, C. E. A. et al. (2000). A clinical comparison of SIDS and explained sudden infant deaths: How healthy and how normal? *Archives of Disease in Childhood*, 82, 98-106.

Weber, M. A., Risdon, R. A., Ashworth, M. T., Malone, M., & Sebire, N. J. (2012). Autopsy findings of co-sleeping-associated sudden unexpected deaths in infancy: relationship between pathological features and asphyxial mode of death. *Journal of paediatrics and child health*, 48(4), 335-341.

Westenberg, L., van der Klis, K. A. M., Chan, A., Dekker, G., & Keane, R. J. (2002). Aboriginal teenage pregnancies compared with non-Aboriginal in South Australia 1995-1999. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 42, 187-192.

Williams, F. L. R., Lang, G. A., & Mage, D. T. (2001). Sudden unexpected infant deaths in dundee, 1882-1891: Overlying or sids? *Scottish Medical Journal*, 46, 43-47.

Wilson, C. A. & Chu, M. S. (2005). Thermal insulation and SIDS - An investigation of selected 'Eastern' and 'Western' infant bedding combinations. *Early Human Development*, 81, 695-709.

Wilson, C. E. (2000). Cree infant care practices and sudden infant death syndrome. *Canadian Journal of Public Health*, 91, 133-136.

Woida, F. M., Soggioro, F. P., Ferro, M. A. R., & Peres, L. C. (2008). Sudden infant death syndrome in Brazil: Fact or fancy? *Sao Paulo Medical Journal*, 126, 48-51.

Young, J. & O'Rourke, P. (2003). Improving attitudes and practice relating to sudden infant death syndrome and Reduce the Risk messages: the effectiveness of an educational intervention in a group of nurses and midwives. *Neonatal, Paediatric & Child Health Nursing*, 6, 4-14.

Young, J. & Schluter, P. J. (2002). SIDS: what do nurses and midwives know about reducing the risk? *Neonatal, Paediatric & Child Health Nursing*, 5, 18-25.

Zotter, H., Kerbl, R., Kurz, R., & Muller, W. (2002). Pacifier use and sudden infant death syndrome: Should health professionals recommend pacifier use based on present knowledge? *Wiener Klinische Wochenschrift*, 114, 791-794.

Zotter, H., Kerbl, R., Schwantzer, G., Kurz, R., & Einspieler, C. (2004). Sudden infant death syndrome risk questionnaire: A mirror of parental awareness rather than a prospective diagnostic tool. *Acta Paediatrica, International Journal of Paediatrics*, 93, 255-257.