

Clinician Guideline Determinants Questionnaire

Tool's Purpose

The Clinician Guideline Determinants Questionnaire evaluates the determinants to guideline use by clinicians, which can inform the development or use of interventions that support the adoption of clinical guideline recommendations in practice. According to the tool developers, the Clinician Guideline Determinants Questionnaire can be used to evaluate a newly created, updated, adapted guideline, or the impact of interventions to determinants of guideline use (Gagliardi, 2019).

Brief Tool Description

- 39 items scored using different scoring systems depending on the questionnaire section. Four sections:
 - Background information (six items that are either open ended, or with dichotomous scale)
 - o Determinants of guideline use (26 items scored seven-point Likert scale)
 - Enablers and Barriers (four items that are open ended)

Knowledge to Action Framework Phase(s):

- Identify problem, determine the Know/Do Gap, and Identify, Review and Select Knowledge
- Assess barriers/facilitators to knowledge use
- Monitor knowledge use

Available Languages: English

Source to Access Tool:

- Clinician Guideline Determinants Questionnaire
- Dr. Anna Gagliardi
 - Tool developer
 - o Email: anna.gagliardi@uhnresearch.ca



Development Article/ Psychometric Article

Gagliardi, A. R., Armstrong, M. J., Bernhardsson, S., Fleuren, M., Pardo-Hernandez, H., Vernooij, R., Willson, M., & Guidelines International Network Implementation Working Group (2019). The Clinician Guideline Determinants Questionnaire was developed and validated to support tailored implementation planning. *Journal of Clinical Epidemiology*, 113, 129–136