

**Registered Nurses' Association of Ontario-
Nursing Best Practice Guidelines Program
Assessment and Management of Pain (3rd Edition)
December 2013**

Bibliography of all Full-text Articles Screened for Inclusion

Included Articles

Al-Atiyyat, N.M.H. (2008). Patient-related barriers to effective cancer pain management. *Journal of Hospice and Palliative Nursing*, 10(4), 198-204.

Bell, L. & Duffy, A. (2009). Pain assessment and management in surgical nursing: A literature review. *British Journal of Nursing*, 18(3), 153-156.

Brink-Huis, A., Van Achterberg, T. & Schoonhoven, L. (2008). Pain management: A review of organisational models with integrated processes for the management of pain in adult cancer patients. *Journal of Clinical Nursing*, 17(15), 1986-2000.

Brown, D.N., McCormack, B.G. & McGarvey, H. (2005). Factors influencing the control of post-operative pain in older people. *Reviews in Clinical Gerontology*, 15(2), 149-156.

Castillo-Bueno, M.D., Moreno-Pina, J.P., Martinez-Puente, M.V., Artilles-Sua'ez, M.M., Company-Sancho, M.C, Garc'ia-Andre's...Hernandez-Perez, R. (2010). Effectiveness of nursing intervention for adult patients experiencing chronic pain: A systematic review. *JBIC Library of Systematic Reviews*, 8(28), 1112-1168.

Chambers, C.T., Taddio, A., Uman, L.S. & McMurtry, C.M. (2009). Psychological interventions for reducing pain and distress during routine childhood immunizations: A systematic review. *Clinical Therapeutics*, 31, S77-S103.

Cignaccio, E., Hamers, J.P.H., Staffel, L., Van Lingen, R.A., Gessler, P., McDougal, J. & Nelle, M. (2007). The efficacy of non-pharmacological interventions in the management of procedural pain in preterm and term neonates. A systematic literature review. *European Journal of Pain*, 11(2), 139-152.

Cornally, N. & McCarthy, G. Help-seeking behaviour for the treatment of chronic pain. *British Journal of Community Nursing*, 16(2), 90-98.

Courtenay, M. & Carey, N. (2008). The impact and effectiveness of nurse-led care in the management of acute and chronic pain: A review of the literature. *Journal of Clinical Nursing*, 17(15), 2001-2013.

- Crowe, L., Chang, A., Fraser, J.A., Gaskill, D., Nash, R., & Wallace, K. (2008). Systematic review of the effectiveness of nursing interventions in reducing or relieving post-operative pain. *International Journal of Evidence-Based Healthcare*, 6(4), 396-430.
- Crowley, M.A., Storer, A., Heaton, K., Naccarato, M.K., Proehl, J.A., Moretz, J.D. & Li, S. (2011). Emergency nursing resource: Needle-related procedural pain in pediatric patients in the emergency department. *Journal of Emergency Nursing*, 37(3), 246-251.
- Cummings, C.G., Olivo, S.A., Biondo, P.D., Stiles, C.R., Yurtseven, O., Fainsinger, R.L., & Hagen, N.A. (2011). Effectiveness of knowledge translation interventions to improve cancer pain management. *Journal of Pain and Symptom Management*, 41(5), 915-939.
- Dewar, A. (2006). Assessment and management of chronic pain in the older person living in the community. *Australian Journal of Advanced Nursing*, 24(1), 33-38.
- Duhn, L.J. & Medves, J.M. (2004). A systematic integrative review of infant pain assessment tools. *Advances in Neonatal Care*, 4(3), 126-140.
- Goldberg, G.R. & Morrison, R.S. (2007). Pain management in hospitalized cancer patients: A systematic review. *Journal of Clinical Oncology*, 25(13), 1792-1801.
- Harrison, D., Bueno, M., Yamada, J., Adams-Webber, T., & Stevens, B. (2010). Analgesic effects of sweet-tasting solutions for infants: Current state of equipoise. *PEDIATRICS*, 126(5), 894 -902.
- Hatfield, L.A., Chang, K., Bittle, M., Deluca, J. & Polomano, R.C. (2011). The analgesic properties of intraoral sucrose: An integrative review. *Advances in Neonatal Care*, 11(2), 83-92.
- Herr, K., Bursch, H., Miller, L.L. & Swafford, K. (2010). Use of pain-behavioral assessment tools in the nursing home: Expert consensus recommendations for practice. *Journal of Gerontological Nursing*, 36(3), 18-29.
- Hutson, P. (2009). Is the use of intravenous opioids essential to control pain during colonoscopy? *Gastrointestinal Nursing*, 7(3), 15-23.
- Irajpour, A. (2006). Interprofessional education: A facilitator to enhance pain management? *Journal of Interprofessional Care*, 20(6), 675-678.
- Irajpour, A., Norman, I., & Griffiths, P. (2006). Interprofessional education to improve pain management. *British Journal of Community Nursing*, 11(1), 29-32.
- Jarzyna, D., Jungquist, C.R., Pasero, C., Willens, J.S., Nisbet, A., Oakes, L., Dempsey, S.J., Santangelo, D., & Paolomano, R.C. (2011). American society for pain management nursing guidelines on monitoring for opioid-induced sedation and respiratory depression. *Pain Management Nursing*, 12(3), 118-145.

Lander, J.A., Weltman, B.J., & So, S.S. (2006). EMLA and amethocaine for reduction of children's pain associated with needle insertion (Review). *Cochrane Database of Systematic Reviews*, 3.

Leef, K.H. (2006). Evidence-based review of oral sucrose administration to decrease the pain response in newborn infants. *Neonatal Network*, 25(4), 275-284.

McAuliffe, L, Nay, R., O'Donnell, M. & Fetherstonhaugh, D. (2009). Pain assessment in older people with dementia: Literature review. *Journal of Advanced Nursing*, 65(1), 2-10.

Meeker, M.A., Finnell D. & Othman, A.K. (2011). Family caregivers and cancer pain management: A review. *Journal of Family Nursing*, 17(1), 29-60.

Monsivais, D. & McNeill, J. (2007). Multicultural influences on pain medication attitudes and beliefs in patients with nonmalignant chronic pain syndromes. *Pain Management Nursing*, 8(2), 64-71.

Nilsson, U. (2008). The anxiety- and pain-reducing effects of music interventions: A systematic review. *Association of periOperative Registered Nurses Journal*, 87(4), 780-807.

Nnoaham, K.E. & Kumbang, J. (2008). Transcutaneous electrical nerve stimulation (TENS) for chronic pain. *Cochrane Database of Systematic Reviews*, 3, 1-56.

Obeidat, H., Kahalaf, I., Callister, L.C. & Froelicher, E.S. (2009). Use of facilitated tucking for nonpharmacological pain management in preterm infants. *Journal of Perinatal Neonatal Nursing*, 23(4), 372-377.

Patanwala, A.E., Keim, S.M., & Erstad, B.L. (2010). Intravenous opioids for severe acute pain in the emergency department. *The Annals of Pharmacotherapy*, 44(11), 1800-1809.

Pillai Riddell, R.R., Racine, N.M., Turcotte, K., Uman, L.S., Horton, R.E., Din Osmun, L., Ahola Kohut, S., Hillgrove Stuart, J., Stevens, B. & Gerwitz-Stern, A. (2011). Non-pharmacological management of infant and young child procedural pain. *Cochrane Database of Systematic Reviews*, 10, 1-185.

Reid, M.C., Papaleontiou, M., Ong, A., Breckman, R., Wethington, E., & Pillemer, K. (2008). Self-management strategies to reduce pain and improve function among older adults in community settings: A review of the evidence. *Pain Medicine*, 9(4), 409-424.

Running, A. & Turnbeaugh, E. (2011). Oncology pain and complementary therapy: A review of the literature. *Clinical Journal of Oncology Nursing*, 15(4), 374-379.

Schofield, P., O'Mahony, S., Collett, B., & Potter, J. (2008). Guidance for the assessment of pain in older adults: A literature review. *British Journal of Nursing*, 17(14), 914-918.

Schofield, P. & Reid, D. (2006). The assessment and management of pain in older people: A systematic review of the literature. *Int J Disabil Human Dev*, 5(1), 9-15.

Seers, K. & Carroll, D. (1998). Relaxation techniques for acute pain management: A systematic review. *Journal of Advanced Nursing*, 27(3), 466-475.

Shah, V., Taddio, A., Rieder, M.J., & HELPinKIDS Team. (2009). Effectiveness and tolerability of pharmacologic and combined interventions for reducing injection pain during routine childhood immunizations: Systematic review and meta-analyses. *Clinical Therapeutics*, 31 (Suppl 2), S104-51.

Shepherd, E., Woodgate, R.L., & Sawatzky, J. (2010). Pain in children with central nervous system cancer: A review of the literature. *Oncology Nursing Forum*, 37(4), E318-E330.

Stevens, B., Yamada, J., & Ohlsson, A. (2010). Sucrose for analgesia in newborn infants undergoing painful procedures. *Cochrane Database of Systematic Reviews*, 1.

Stinson, J., Yamada, J., Dickson, A., Lamba, J. & Stevens, B. (2008). Review of systematic reviews on acute procedural pain in children in the hospital setting. *Pain Research & Management*, 13(1), 15-57.

Stinson, J.N., Yamada, J., Kavanagh, T., Gill, N. & Stevens, B. (2006). Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adults. *Pain*, 125(1-2), 143-157.

Swafford, K.L., Lachmann Miller, L., Tsai, P. Kerr, K.A. & Ersek, M. (2009). Improving the process of pain care in nursing homes: A literature synthesis. *Journal of the American Geriatrics Society*, 57(6), 1080-1087.

Taddio, A., Appleton, M., Bortolussi, R., Chambers, C., Dubey, V., Halperin, S., Hanrahan, A., Ipp, M., Lockett, D., MacDonald, N., Midmer, D., Mousmanis, P., Palda, V., Pielak, K., Riddell, R.P., Rieder, M. & Scott, J. (2010). Reducing the pain of childhood vaccination: an evidence-based clinical practice guideline. *Canadian Medical Association Journal*, 182(18), E843-E855.

Taddio, A., Ilersich, A.L., Ipp, M., Kikuta, A., Shah, V., & HELPinKIDS Team. (2009). Physical interventions and injection techniques for reducing injection pain during routine childhood immunizations: Systematic review of randomized controlled trials and quasi-randomized controlled trials. *Clinical Therapeutics*, 31(Suppl 2), S48-76.

Twycross, A. (2010). Managing pain in children: Where to from here? *Journal of Clinical Nursing*, 19(15-16), 2090-2099.

Uman, L.S., Chambers, C.T., McGrath, P.J. & Kisely S.R. (2006). Psychological interventions for needle-related procedural pain and distress in children and adolescents. *Cochrane Database of Systematic Reviews*, 4, 1-63.

Van Herk, R., van Dijk, M., Baar, F.P.M., Tibboel, D., & de Wit, R. (2007). Observation scales for pain assessment in older adults with cognitive impairments or communication difficulties. *Nursing Research*, 56(1), 34-43.

Von Baeyer, C.L. & Spagrud, L.J. (2007). Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years. *Pain*, 127(1-2), 140-150.

Zhou, H., Roberts, P., & Horgan, L. (2008). Association between self-report pain ratings of child and parents, child and nurse and parent and nurse dyads: Meta-analysis. *Journal of Advanced Nursing*, 63(4), 334-342.

Zwakhalen, S.M.G., Hamers, J.P.H., Abu-Saad, H.H., & Berger, M.P.F. (2006). Pain in elderly people with severe dementia: A systematic review of behavioural pain assessment tools. *BMC Geriatrics*, 6(3), 1-15.

Excluded Articles

Allard, P., Maunsell, E., Labbe, J. & Dorval, M. (2001). Educational interventions to improve cancer pain control: A systematic review. *Journal of Palliative Medicine*, 4(2), 191-203

Bainbridge, D., Martin, J.E., & Cheng, D.C. (2006). Patient-controlled versus nurse-controlled analgesia after cardiac surgery – A meta-analysis. *Canadian Journal of Anesthesia*, 53(5), 492-499.

Bell, R.F., Eccleston, C. & Kalso, E.A. (2003). Ketamins as an adjuvant to opioids for cancer pain. *Cochrane Database of Systematic Reviews*, 1, 1-14.

Bennett, M.I., Bagnall, A.M., & José Closs, S. (2009). How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis. *Pain*, 143(3), 192-199.

Bible, D. (2006). Pain assessment at nurse triage: A literature review. *Emergency Nurse*, 14(3), 26-28.

Cade, C.H. (2008). Clinical tools for the assessment of pain in sedated critically ill adults. *British Association of Critical Care Nurses, Nursing in Critical Care*, 13(6), 288-297.

Carroll, D. & Seers, K. (1998). Relaxation for the relief of chronic pain: A systematic review. *Journal of Advanced Nursing*, 27(3), 476-487.

De Jong, A.E.E., Middelkoop, E., Faber, A.W., & Van Loey, N.E.E. (2007). Non-pharmacological nursing interventions for procedural pain relief in adults with burns: A systematic literature review. *Burns*, 33(7), 811-827.

Duncan, G. & Brooks, M. (2009). Chronic wound pain: a literature review. *Wound Practice and Research*, 17(3), 153-155.

Engwell, M. & Duppils, G.S. (2009). Music as a nursing intervention for postoperative pain: A systematic review. *Journal of PeriAnesthesia Nursing*, 24(6), 370-383.

- Fox, P.L., Raina, P., & Jadad, A.R. (1999). Prevalence and treatment of pain in older adults in nursing homes and other long-term care institutions: A systematic review. *Canadian Medical Association Journal*, 160(3), 329-333.
- Francke, A.L., Garssen, B. & Abu-Saad, H.H. (1996). Continuing pain education in nursing: A literature review. *International Journal of Nursing Studies*, 33(5), 567-578.
- Good, M. (1996). Effects of relaxation and music on postoperative pain: A review. *Journal of Advanced Nursing*, 24(5), 905-914.
- Grinstein-Cohen, O., Sarid, O., Attar, D., Pilpel, D., & Elhayany, A. (2009). Improvements and difficulties in postoperative pain management. *Orthopaedic Nursing*, 28(5), 232-239.
- Gunnarsdottir, S. & Gretarsdottir, E.P. (2011). Systematic review of interventions aimed at nurses to improve pain management. *Vard I Norden*, 102(31), 16-21.
- Herman, A.D., Johnson, T.M., Ritchie, C.S., Parmelee, P.A. (2009). Pain management interventions in the nursing home: A structured review of the literature. *Journal of American Geriatrics Society*, 57(7), 1258-1267.
- Hopkins Hollis, A.S. (2010). Acupuncture as a treatment modality for the management of cancer pain: The state of the science. *Oncology Nursing Forum*, 37(5), E344-E348.
- Hudcova, J., McNicol, E.D., Quah, C.S. Lau, J. & Carr, D.B. (2006). Patient controlled opioid analgesia versus conventional opioid analgesia for postoperative pain. *Cochrane Database of Systematic Reviews*, 4, 1-53.
- Husebo, B.S., Ballard, C. & Aarsland, D. (2011). Pain treatment of agitation in patients with dementia: A systematic review. *International Journal of Geriatric Psychiatry*, 26(10), 1012-1018.
- Jackson, E., Kelley, M., McNeil, P., Meyer, E., Schlegel, L., & Eaton, M. (2008). Does therapeutic touch help reduce pain and anxiety in patients with cancer? *Clinical Journal of Oncology*, 12(1), 113-120.
- King, K. (2010). A review of the effects of guided imagery on cancer patients with pain. *Complementary Health Practice Review*, 15(2), 98-107.
- Lassetter, J.H. (2006). The effectiveness of complementary therapies on the pain experience of hospitalized children. *Journal of Holistic Nursing*, 24(3), 196-208.
- Li, D., Puntillo, K., & Miaskowski, C. (2008). A review of objective pain measures for use with critical care adult patients unable to self-report. *The Journal of Pain*, 9(1), 2-10.
- Monsivais, D.B. & Engebretson, J.C. (2011). Cultural cues: Review of qualitative evidence of patient-centered care in patients with nonmalignant chronic pain. *Rehabilitation Nursing*, 36(4), 166-171.

Oldenmenger, W.H., Sillevs Smitt, P.A.E., van Dooren, S., Stoter, G., & van der Rijt, C.C.D. (2009). A systematic review on barriers hindering adequate cancer pain management and interventions to reduce them: A critical appraisal. *European Journal of Cancer*, 45(8), 1370-1380.

Prowse, M. (2007). Postoperative pain in older people: A review of the literature. *Journal of Clinical Nursing*, 16(1), 84-97.

Pudas-Tahka, S.-M., Axelin, A., Aantaa, R. Lund, V. & Salanterä, S. (2009). Pain assessment tools for unconscious or sedated intensive care patients: A systematic review. *Journal of Advanced Nursing*, 65(5), 946-956.

Ranger, M. & Campbell-Yeo, M. (2008). Temperament and pain response: A review of the literature. *Pain Management Nursing*, 9(1), 2-9.

Richardson, J., Smith, J.E., & Pilkington, K. (2006). Hypnosis for procedure-related pain and distress in pediatric cancer patients: A systematic review of effectiveness and methodology related to hypnosis interventions. *Journal of Pain and Symptom Management*, 31(1), 70-84.

Schofield, P., Ryan, T. & Clarke, A. (2006). The experiences of older adults in pain: A literature review. *Journal of Community Nursing*, 21(11), 4-9.

Sindhu, F. (1996). Are non-pharmacological nursing interventions for the management of pain effective? – A meta-analysis. *Journal of Advanced Nursing*, 24(6), 1152-1159.

Somrarnyart, M., Sukonthasarn, A., Sucamvang, K., & Wonghongkul, T. (2007). Effectiveness of music on pain experience: A systematic review. *Thai Journal of Nursing Research*, 11(1), 15-25.

Stapelkamp, C., Carter, B., Gordon, J. & Watts, C. (2011). Assessment of acute pain in children: development of evidence-based guidelines. *International Journal of Evidence-Based Healthcare*, 9(1), 39-50.

Teixeira, E.M. (2008). Medication as an intervention for chronic pain: An integrative review. *Holistic Nursing Practice*, 22(4), 225-234.

Thuathail, N.A. & Welford, C. (2011). Pain assessment tools for older people with cognitive impairment. *Nursing Standard*, 26(6), 39-46.

While, C. & Jocelyn, A. (2009). Observational pain assessment scales for people with dementia: A review. *British Journal of Community Nursing*, 14(10), 438-442.