

Final Bibliography

Aalto, M., Pekuri, P., & Seppa, K. (2005). Implementation of brief alcohol intervention in primary health care: Do nurses' and general practitioners' attitudes, skills and knowledge change? *Drug and Alcohol Review*, 24(6), 555-558.

Adams, S., Leukefeld, C. G., & Peden, A. R. (2008). Substance abuse treatment for women offenders: A research review. *Journal of Addictions Nursing*, 19(2), 61-75.

Amato, L., Minozzi, S., Davoli, M., & Vecchi, S. (2011a). Psychosocial and pharmacological treatments versus pharmacological treatments for opioid detoxification. *Cochrane Database of Systematic Reviews*, 2011(9), 1-53. doi: 10.1002/14651858.CD005031.pub4

Amato, L., Minozzi, S., Davoli, M., & Vecchi, S. (2011b). Psychosocial combined with agonist maintenance treatments versus agonist maintenance treatments alone for treatment of opioid dependence. *Cochrane Database of Systematic Reviews*, 2011(10), 1-93. doi: 10.1002/14651858.CD004147.pub4.

Amato, L., Minozzi, S., Vecchi, S., & Davoli, M. (2010). Benzodiazepines for alcohol withdrawal. *Cochrane Database of Systematic Reviews*, 2010(3), 1-157. doi: 10.1002/14651858.CD005063.pub3

Armstrong, M., & Holmes, E. (2005). Frequency of nurse practitioner screening for substance use disorders. *Journal of Addictions Nursing*, 16(3), 125-129.

Ashley, O. S., Marsden, M. E., & Brady, T. M. (2003). Effectiveness of substance abuse treatment programming for women: A review. *The American Journal of Drug and Alcohol Abuse*, 29(1) 19-53.

Austin, A. M., Macgowan, M. J., & Wagner, E. F. (2005). Effective family-based interventions for adolescents with substance use problems: A systematic review. *Research on Social Work Practice*, 15(2), 67-83.

Babor, T. F., Higgins-Biddle, J. C., Dauser, D., Burleson, J. A., Zarkin, G. A., & Bray, J. (2006). Brief interventions for at-risk drinking: Patient outcomes and cost-effectiveness in managed care organizations. *Alcohol and Alcoholism*, 41(6), 624-631.

Babor, T. E., Higgins-Biddle, J. C., Dauser, D., Higgins, P., & Burleson, J. A. (2005). Alcohol screening and brief intervention in primary care settings: Implementation models and predictors. *Journal of Studies on Alcohol*, 66(3), 361-368.

Baez, A. (2005). Development of an objective structured clinical examination (OSCE) for practicing substance abuse intervention competencies: an application in social work education. *Journal of Social Work Practice in the Addictions*, 5(3), 3-20.

Bager, P., & Vilstrup, H. (2010). Post-discharge brief intervention increases the frequency of alcohol abstinence -- a randomized trial. *Journal of Addictions Nursing*, 21(1), 37-41.

Baldwin, S. A., Christian, S., Berkeljon, A., & Shadish, W. R. (2012). The Effects of Family Therapies for Adolescent Delinquency and Substance Abuse: A Meta-Analysis. *Journal of Marital and Family Therapy*, 38(1), 281-304.

Bartu, A., Sharp, J., Ludlow, J., & Doherty, D. A. (2006). Postnatal home visiting for illicit drug-using mothers and their infants: a randomised controlled trial. *The Australian & New Zealand Journal of Obstetrics & Gynaecology*, 46(5), 419-426.

Becker, S. J., & Curry, J. F. (2008). Outpatient interventions for adolescent substance abuse: A quality of evidence review. *Journal of Consulting and Clinical Psychology*, 76(4), 531-543.

Bendtsen, P., Holmqvist, M., & Johansson, K. (2007). Implementation of computerized alcohol screening and advice in an emergency department--a nursing staff perspective. *Accident & Emergency Nursing*, 15(1), 3-9.

Bernard, M., Bolognini, M., Plancherel, B., Chinet, L., Laget, J., Stephan, P. et al. (2005). French validity of two substance-use screening tests among adolescents: a comparison of the CRAFFT and DEP-ADO. *Journal of Substance Use*, 10(6), 385-395.

Berner, M. M., Kriston, L., Bentele, M., & Harter, M. (2007). The alcohol use disorders identification test for detecting at-risk drinking: A systematic review and meta-analysis. *Journal of Studies on Alcohol and Drugs*, 68(3), 461-473.

Bernhardt, J., Usdan, S., & Burnett, A. (2005). Using handheld computers for daily alcohol assessment: results from a pilot study. *Journal of Substance Use*, 10(6), 347-353.

Bernstein, E., Bernstein, J., Feldman, J., Fernandez, W., Hagan, M., Mitchell, P. et al. (2007). An evidence based alcohol screening, brief intervention and referral to treatment (SBIRT) curriculum for emergency department (ED) providers improves skills and utilization. *Substance Abuse*, 28(4), 79-92.

Bernstein, E., Topp, D., Shaw, E., Girard, C., Pressman, K., Woolcock, E., & Bernstein, J. (2009). A preliminary report of knowledge translation: Lessons from taking screening and brief intervention techniques from the research setting into regional systems of care. *Academic Emergency Medicine*, 16(11), 1225-1233.

Bogenschutz, M. P., Geppert, C. M. A., & George, J. (2006). The role of twelve-step approaches in dual diagnosis treatment and recovery. *The American Journal on Addictions / American Academy of Psychiatrists in Alcoholism and Addictions*, 15(1), 50-60.

Bosch-Capblanch, X., Abba, K., Prictor, M., & Garner, P. (2007). Contracts between patients and healthcare practitioners for improving patients' adherence to treatment, prevention and health promotion activities. *Cochrane Database of Systematic Reviews, 2007(2)*, 1-72. doi: 10.1002/14651858.CD004808.pub3

Brener, L., Von Hippel, W., & Kippax, S. (2007). Prejudice among health care workers toward injecting drug users with hepatitis C: does greater contact lead to less prejudice? *International Journal of Drug Policy, 18(5)*, 381-387.

Brener, L., Von Hippel, W., Kippax, S., & Preacher, K. J. (2010). The role of physician and nurse attitudes in the health care of injecting drug users. *Substance Use & Misuse, 45(7-8)*, 1007-1018.

Brimacombe, M., Nayeem, A., Adubato, S., Dejoseph, M., & Zimmerman-Bier, B. (2008). Fetal alcohol syndrome related knowledge assessment and comparison in New Jersey health professional groups. *Canadian Journal of Clinical Pharmacology, 15(1)*, e57-e65.

Brody GH, C. Y. K. S. Y. (2012). Family-centered program deters substance use, conduct problems, and depressive symptoms in black adolescents. *Pediatrics, 129(1)*, 108-115.

Broyles, L. M., Gordon, A. J., Rodriguez, K. L., Hanusa, B. H., Kengor, C., & Kraemer, K. L. (2013). Evaluation of a pilot training program in alcohol screening, brief intervention, and referral to treatment for nurses in inpatient settings. *Journal of Addictions Nursing, 24(1)*, 8-19.

Brunette, M. F., Muesner, K. T., & Drake, R. E. (2004). A review of research on residential programs for people with severe mental illness and co-occurring substance use disorders. *Drug and Alcohol Review, 23*, 471-481.

Burns, E., Gray, R., & Smith, L.A. (2010). Brief screening questionnaires to identify problem drinking during pregnancy: A systematic review. *Addiction*, 105, 601-614.

Calabria, B., Shakeshaft, A. P., & Havard, A. (2011). A systematic and methodological review of interventions for young people experiencing alcohol-related harm. *Addiction*, 106(8), 1406-1418.

Caley, L. M., Riemer, S., & Weinstein, H. S. (2010). Results of a nurse-led workshop designed to prevent fetal alcohol spectrum disorder. *Public Health Nursing*, 27(3), 232-239.

Cameron, I. M., Matheson, C. I., Bond, C. M., van Teijlingen, E. R., Wardell, F. A., Cronkshaw, G., & Lawrie, T. (2006). A national survey of nurses working in the management of illicit drug misuse in Scotland. *International Journal of Drug Policy*, 17(5), 442-446.

Campbell-Heider, N., Finnell, D. S., Feigenbaum, J. C., Feeley, T. H., Rejman, K. S., Austin-Ketch, T ... Schmitt, A. (2009). Survey on addictions: Toward curricular change for family nurse practitioners. *International Journal of Nursing Education Scholarship*, 6(1), 1-17. doi: 10.2202/1548-923X.1645

Castells, X., Casas, M., Pérez-Mañá, C., Roncero, C., Vidal, X., & Capellà, D. (2010). Efficacy of psychostimulant drugs for cocaine dependence. *Cochrane Database of Systematic Reviews*, 2010(2), 1-210. doi: 10.1002/14651858.CD007380.pub3

Chang, Y. P., & Yang, M. S. (2013). Nurses' attitudes toward clients with substance use problems. *Perspectives in Psychiatric Care*, 49(2), 94-102.

Cho, S. H., & Whang, W. W. (2009). Acupuncture for alcohol dependence: A systematic review. *Alcoholism: Clinical and Experimental Research*, 33(8), 1305-1313.

Choo, E. K., Ranney, M. L., Aggarwal, N., & Boudreaux, E. D. (2012). A systematic review of emergency department technology-based behavioral health interventions. *Academic Emergency Medicine, 19*(3), 318-328.

Chun, T. H., Spirito, A., Rakowski, W., D'Onofrio, G., & Woolard, R. H. (2011). Beliefs and practices of pediatric emergency physicians and nurses regarding counseling alcohol-using adolescents: Can counseling practice be predicted? *Pediatric Emergency Care, 27*(9), 812-825.

Clarke, N., Mun, E. Y., Kelly, S., White, H. R., & Lynch, K. (2013). Treatment outcomes of a combined cognitive behavior therapy and pharmacotherapy for a sample of women with and without substance abuse histories on an acute psychiatric unit: Do therapeutic alliance and motivation matter? *The American Journal on Addictions, 22*(6), 566-573.

Hunt, G. E., Siegfried, N., Morley, K., Sitharthan, T., & Cleary, M. (2013). Psychosocial interventions for people with both severe mental illness and substance misuse. *Cochrane Database of Systematic Reviews, 2013*(10) 1-258. doi: 10.1002/14651858.CD001088.pub3

Cleary, M., Hunt, G. E., Matheson, S., Seigfried, N., & Walter, G. (2008). Psychosocial treatment programs for people with both severe mental illness and substance misuse. *Schizophrenia Bulletin, 34*(2), 236-228.

Cleary, M., Hunt, G. E., Matheson, S., & Walter, G. (2009). Psychosocial treatments for people with co-occurring severe mental illness and substance misuse: Systematic review. *Journal of Advanced Nursing, 65*(2), 238-258.

Cooper, P., Doolin, N., Hemming, I., & Rowlands, E. (2006). Participants' evaluation of a training programme in dual diagnosis. *Nursing Standard, 20*(25), 48-56.

- Corrigan, J. D., Bogner, J., Hungerford, D. W., & Schomer, K. (2010). Screening and brief intervention for substance misuse among patients with traumatic brain injury. *Journal of Trauma - Injury, Infection and Critical Care*, 69(3), 722-726.
- Cund, A. (2013). Alcohol education revisited: Exploring how much time we devote to alcohol education in the nursing curriculum. *Nurse Education in Practice*, 13(1), 35-39.
- D'Alberto, A. (2004). Auricular acupuncture in the treatment of cocaine/crack abuse: A review of the efficacy, the use of the National Acupuncture Detoxification Association Protocol, and the Selection of Sham Points. *The Journal of Alternative and Complementary Medicine*, 10(1), 985-1000.
- Daly, M., Kermode, S., & Reilly, D. (2009). Evaluation of clinical practice improvement programs for nurses for the management of alcohol withdrawal in hospitals. *Contemporary Nurse: A Journal for the Australian Nursing Profession*, 31(2), 98-107.
- Davis, P. M., & Carr, T. L. (2008). Needs assessment and current practice of alcohol risk assessment of pregnant women and women of childbearing age by primary health care professionals. *Canadian Journal of Clinical Pharmacology*, 15(2), e214-e222.
- Day, E., Bentham, P., Callaghan, R., Kuruvilla, T., & George, S. (2013). Thiamine for prevention and treatment of Wernicke-Korsakoff Syndrome in people who abuse alcohol. *Cochrane Database of Systematic Reviews*, 2013(7), 1-20. doi: 10.1002/14651858.CD004033.pub3
- Day, E., Best, D., Ison, J., Keaney, F., Strang, J., & Buntwal, N. (2006). Do psychiatrists make a difference? Impact of levels of medical input to the range of treatment provided in in-patient drug detoxification services. *Drugs: Education, Prevention & Policy*, 13(6), 577-585.

Day, E., Gaston, R. L., Furlong, E., Murali, V., & Copello, A. (2005). United Kingdom substance misuse treatment workers' attitudes toward 12-step self-help groups. *Journal of Substance Abuse Treatment*, 29(4), 321-327.

Day, E., Ison, J., & Strang, J. (2005). Inpatient versus other settings for detoxification for opioid dependence. *Cochrane Database of Systematic Reviews*, 2005(2), 1-17. doi: 10.1002/14651858.CD004580.pub2

De Sousa, A., & De Sousa, A. (2008). An open randomized trial comparing disulfiram and naltrexone in adolescents with alcohol dependence. *Journal of Substance Use*, 13(6), 382-388.

Deas, D., Roberts, J. S., & Grindlinger, D. (2005). The utility of DSM-IV criteria in diagnosing substance abuse/dependence in adolescents. *Journal of Substance Use*, 10(1), 10-21.

Denis, C., Fatseas, M., Lavie, E., & Auriacombe, M. (2006). Pharmacological interventions for benzodiazepine mono-dependence management in outpatient settings. *Cochrane Database of Systematic Reviews*, 2006(3), 1-25. doi: 10.1002/14651858.CD005194.pub2

Denis, C., Lavie, E., Fatseas, M., & Auriacombe, M. (2006). Psychotherapeutic interventions for cannabis abuse and/or dependence in outpatient settings. *Cochrane Database of Systematic Reviews* 2006(3), 1-23. doi: 10.1002/14651858.CD005336.pub2

Dent, A. W., Weiland, T. J., Phillips, G. A., & Lee, N. K. (2008). Opportunistic screening and clinician-delivered brief intervention for high-risk alcohol use among emergency department attendees: A randomized controlled trial. *Emergency medicine Australasia: EMA*, 20(2), 121-128.

Dhalla, S., Zumbo, B. D., & Poole, G. (2011). A review of the psychometric properties of the CRAFFT instrument: 1999-2010. *Current Drug Abuse Reviews*, 4(1), 57-64.

- Turnbull, C., & Osborn, D. A. (2012). Home visits during pregnancy and after birth for women with an alcohol or drug problem. *Cochrane Database of Systematic Reviews*, 2012(1), 1-170. doi: 10.1002/14651858.CD004456.pub3
- Donald, M., Dower, J., & Kavanagh, D. (2005). Integrated versus non-integrated management and care for clients with co-occurring mental health and substance use disorders: A qualitative systematic review of randomised controlled trials. *Social Science & Medicine*, 60(6), 1371-1383.
- Drake, R. E., Mercer-McFadden, C., Mueser, K. T., McHugo, G. J., & Bond, G. R. (1998). Review of integrated mental health and substance abuse treatment for patients with dual disorders. *Schizophrenia Bulletin*, 24(4), 589-608.
- Drake, R. E., Mueser, K. T., Brunette, M. F., & McHugo, G. J. (2004). A review of treatments for people with severe mental illnesses and co-occurring substance use disorders. *Psychiatric Rehabilitation Journal*, 27(4), 360-374.
- Drake, R. E., O'Neal, E. L., & Wallach, M. A. (2008). A systematic review of psychosocial research on psychosocial interventions for people with co-occurring severe mental and substance use disorders. *Journal of Substance Abuse Treatment*, 34(1), 123-138.
- Dunn C., Derroo L., & Rivara F.P. (2001). The use of brief interventions adapted from motivational interviewing across behavioral domains: A systematic review. *Addiction*, 96, 1725-1742.
- Dutra, L., Stathopoulou, G., Basden, S. L., Leyro, T. M., Powers, M. B., & Otto, M. W. (2008). A meta-analytic review of psychosocial interventions for substance use disorders. *The American Journal of Psychiatry*, 165(2), 179-187.
- Edward, K. L., & Munro, I. (2009). Nursing considerations for dual diagnosis in mental health. *International Journal of Nursing Practice*, 15(2), 74-79.

Elliott, L., Orr, L., Watson, L., & Jackson, A. (2005). Secondary prevention interventions for young drug users: A systematic review of the evidence. *Adolescence, 40*(157), 1-22.

Engle, B., & MacGowan, M. J. (2009). A critical review of adolescent substance abuse group treatments. *Journal of Evidence-Based Social Work, 6*(3), 217-243.

Fang, L., & Schinke, S. P. (2013). Two-year outcomes of a randomized, family-based substance use prevention trial for Asian American adolescent girls. *Psychology of Addictive Behaviors, 27*(3), 788-798.

Feldstein, S. W., & Miller, W. R. (2007). Does subtle screening for substance abuse work? A review of the Substance Abuse Subtle Screening Inventory (SASSI). *Addiction, 102*(1), 41-50.

Ferri, M., Amato, L., & Davoli, M. (2006). Alcoholics Anonymous and other 12-step programmes for alcohol dependence. *Cochrane Database of Systematic Reviews, 2006*(3), 1-26. doi: 10.1002/14651858.CD005032.pub2

Ferri, M., Davoli, M., & Perucci, A. C. (2011). Heroin maintenance for chronic heroin-dependent individuals. *Cochrane Database of Systematic Reviews, 2011*(12), 1-55. doi: 10.1002/14651858.CD003410.pub4

Fingfeld-Connett, D., & Johnson, E. D. (2011). Therapeutic substance abuse treatment for incarcerated women. *Clinical Nursing Research, 20*(4), 462-481.

Fingfeld-Connett, D., & Madsen, R. (2008). Web-based treatment of alcohol problems among rural women. *Journal of Psychosocial Nursing and Mental Health Services, 46*(9), 46-53.

Fleming, M. F., Lund, M. R., Wilton, G., Landry, M., & Scheets, D. (2008). The Healthy Moms Study: The efficacy of brief alcohol intervention in postpartum women. *Alcoholism, Clinical and Experimental Research, 32*(9), 1600-1606.

Fleming, M., Olsen, D., Stathes, H., Boteler, L., Grossberg, P., Pfeifer, J. et al. (2009). Virtual reality skills training for health care professionals in alcohol screening and brief intervention. *Journal of the American Board of Family Medicine*, 22(4), 387-398.

Forbes, J., & Lyon, P. (2006). Working with risky consumers: Multi-professional care for substance-using pregnant women. *International Journal of Consumer Studies*, 30(3), 284-293.

Ford, R., Bammer, G., & Becker, N. (2008). The determinants of nurses' therapeutic attitude to patients who use illicit drugs and implications for workforce development. *Journal of Clinical Nursing*, 17 (18), 2452-2462.

Ford, R., Bammer, G., & Becker, N. (2009). Improving nurses' therapeutic attitude to patients who use illicit drugs: Workplace drug and alcohol education is not enough. *International Journal of Nursing Practice*, 15(2), 112-118.

Fries, H. P., & Rosen, M. I. (2011). The efficacy of assertive community treatment to treat substance use. *Journal of the American Psychiatric Nurses Association*, 17(1), 45-50.

Gates, S., Smith, L. A., & Foxcroft, D. (2006). Auricular acupuncture for cocaine dependence. *Cochrane Database of Systematic Reviews*, 2006(1), 1-26. doi: 10.1002/14651858.CD005192.pub2

Gill, J. S., & O'May, F. P. (2011). Is it my job? Alcohol brief interventions: Knowledge and attitudes among future health-care professionals in Scotland. *Alcohol and Alcoholism*, 46(4), 441-450.

Goodall, C. A., Ayoub, A. F., Crawford, A., Smith, I., Bowman, A., Koppel, D. et al. (2008). Nurse-delivered brief interventions for hazardous drinkers with alcohol-related facial trauma: A prospective randomised controlled trial. *The British Journal of Oral & Maxillofacial Surgery*, 46(2), 96-101.

Goodyear-Smith, F., Coupe, N. M., Arroll, B., Elley, C. R., Sullivan, S., & McGill, A.-T. (2008). Case finding of lifestyle and mental health disorders in primary care: Validation of the 'CHAT' tool. *British Journal of General Practice*, 58(546), 26-31.

Goransson, M., Magnusson, A., & Heilig, M. (2006). Identifying hazardous alcohol consumption during pregnancy: Implementing a research-based model in real life. *Acta Obstetricia et Gynecologica Scandinavica*, 85(6), 657-662.

Gowing, L., Ali, R., & White, J. M. (2009a). Buprenorphine for the management of opioid withdrawal. *Cochrane Database of Systematic Reviews* 2009(3), 1-71. doi: 10.1002/14651858.CD002025.pub4

Gowing, L., Ali, R., & White, J. M. (2010). Opioid antagonists under heavy sedation or anaesthesia for opioid withdrawal. *Cochrane Database of Systematic Reviews*, 2010(1), 1-56. doi: 10.1002/14651858.CD002022.pub3

Gowing, L., Ali, R., & White, J. M. (2009b). Opioid antagonists with minimal sedation for opioid withdrawal. *Cochrane Database of Systematic Reviews*, 2009(4), 1-45. doi: 10.1002/14651858.CD002021.pub3

Gowing, L., Farrell, M., Ali, R., & White, J. M. (2009). Alpha₂-adrenergic agonists for the management of opioid withdrawal. *Cochrane Database of Systematic Reviews*, 2009(2), 1-76. doi: 10.1002/14651858.CD002024.pub3

Gregory, V. L. J. (2011). Cognitive-behavioral therapy for comorbid bipolar and substance use disorders: A systematic review of controlled trials. *Mental Health and Substance*, 4(4), 302-313.

Grenard, J. L., Ames, S. L., Pentz, M. A., & Sussman, S. (2006). Motivational interviewing with adolescents and young adults for drug-related problems. *International Journal of Adolescent Medicine and Health*, 18(1), 53-67.

Griffiths, R. D., Stone, A., Tran, D. T., Fernandez, R. S., & Ford, K. (2007). Drink a little; take a few drugs: Do nurses have knowledge to identify and manage in-patients at risk of drugs and alcohol? *Drug and Alcohol Review*, 26(5), 545-552.

Groh, D. R., Jason, L. A., & Keys, C. B. (2008). Social network variables in alcoholics anonymous: A literature review. *Clinical Psychology Review*, 28(3), 430-450.

Groves, P., Pick, S., Davis, P., Cloudesley, R., Cooke, R., Forsythe, M., & Pilling, S. (2010). Routine alcohol screening and brief interventions in general hospital in-patient wards: Acceptability and barriers. *Drugs: Education, Prevention & Policy*, 1, 55-71.

Hesse, M., Vanderplasschen, W., Rapp, R., Broekaert, E., & Fridell, M. (2007). Case management for persons with substance use disorders. *Cochrane Database of Systematic Reviews*, 2007(4), 1-65. doi: 10.1002/14651858.CD006265.pub2

Hettema, J., Steele, J., & Miller, W. R. (2005). Motivational interviewing. *Annual Review of Clinical Psychology*, 1, 91-111.

Hides, L., Samet, S., & Lubman, D. I. (2010). Cognitive behaviour therapy (CBT) for the treatment of co-occurring depression and substance use: Current evidence and directions for future research. *Drug and alcohol review*, 29(5), 508-517.

Holmqvist, M., & Nilsen, P. (2010). Approaches to assessment of alcohol intake during pregnancy in Swedish maternity care--a national-based investigation into midwives' alcohol-related education, knowledge and practice. *Midwifery*, 26(4), 430-434.

Homish, G. G., Leonard, K. E., Collins, R. L., & Quigley, B. M. (2005). Context-related drinking assessment in a community sample. *Journal of Substance Use*, 10(6), 355-361.

Horsfall, J., Cleary, M., Hunt, G. E., & Walter, G. (2009). Psychosocial treatments for people with co-occurring severe mental illnesses and substance use disorders (dual diagnosis): A review of empirical evidence. *Harvard Review of Psychiatry*, 17(1), 24-34.

Howard, V., & Holmshaw, J. (2010). Inpatient staff perceptions in providing care to individuals with co-occurring mental health problems and illicit substance use. *Journal of Psychiatric and Mental Health Nursing*, 17(10), 862-872.

Humeniuk, R. (2012). A randomized controlled trial of a brief intervention for illicit drugs linked to the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in clients recruited from primary health-care settings in four countries. *Addiction*, 107(5), 957.

Hyde J., Hankins M., Deale A., Marteau T.M. (2008). Interventions to increase self-efficacy in the context of addiction behaviours: A systematic literature review. *Journal of Health Psychology*, 13(5), 607-23.

Jensen, C. D., Cushing, C. C., Aylward, B. S., Craig, J. T., Sorell, D. M., & Steele, R. G. (2011). Effectiveness of motivational interviewing interventions for adolescent substance use behavior change: A meta-analytic review. *Journal of Consulting and Clinical Psychology*, 79(4), 433-440.

Johansson, K., Akerlind, I., & Bendtsen, P. (2005). Under what circumstances are nurses willing to engage in brief alcohol interventions? A qualitative study from primary care in Sweden. *Addictive Behaviors*, 30(5), 1049-1053.

Jones, L.A. (2011). Systematic review of alcohol screening tools for use in the emergency department. *Emergency Medicine Journal*, 28, 182-191.

Jordan, J. B. (2006). Acupuncture treatment for opiate addiction: A systematic review. *Journal of Substance Abuse Treatment*, 30(4), 309-314.

Kaner, E. F. S., Brown, N., & Jackson, K. (2011). A systematic review of the impact of brief interventions on substance use and co-morbid physical and mental health conditions. *Mental Health and Substance Use: Dual Diagnosis*, 4(1), 38-61.

Karlsson, A., Johansson, K., Nordqvist, C., & Bendtsen, P. (2005). Feasibility of a computerized alcohol screening and personalized written advice in the ED: Opportunities and obstacles. *Accident and Emergency Nursing*, 13(1), 44-53.

Kaur, S., & Bastian, L. A. (2005). Screening for substance abuse in primary care among women veterans. *Journal of Clinical Outcomes Management*, 12(7), 359-366.

Kelleher, S., & Cotter, P. (2009). A descriptive study on emergency department doctors' and nurses' knowledge and attitudes concerning substance use and substance users. *International Emergency Nursing*, 17(1), 3-14.

Kelly, J. F., & Myers, M. G. (2007). Adolescents' participation in alcoholics anonymous and narcotics anonymous: Review, implications and future directions. *Journal of Psychoactive Drugs*, 39(3), 259-269.

Kelly, T. M., Daley, D. C., & Douaihy, A. B. (2012). Treatment of substance abusing patients with comorbid psychiatric disorders. *Addictive behaviors*, 37(1), 11-24.

Kennedy, A. J., Mellor, D., McCabe, M. P., Ricciardelli, L. A., Brumby, S. A., Head, A., Mercer-Grant, C. (2013). Training and experience of nurses in responding to alcohol misuse in rural communities. *Public Health Nursing*, 30(4), 332-342.

Kertesz, S. G., Crouch, K., Milby, J. B., Cusimano, R. E., & Schumacher, J. E. (2009). Housing first for homeless persons with active addiction: Are we overreaching? *The Milbank Quarterly*, 87(2), 495-534.

Knapp, W. P., Soares, B., Farrell, M., & Silva de Lima, M. (2007). Psychosocial interventions for cocaine and psychostimulant amphetamines related disorders. *Cochrane Database of Systematic Reviews, 2007(3)*, 1-95. doi: 10.1002/14651858.CD003023.pub2

Kunins, H. V., Sohler, N. L., Roose, R. J., & Cunningham, C. O. (2009). HIV provider endorsement of primary care buprenorphine treatment: A vignette study. *Family Medicine, 41*(10), 722-728.

Lanier, D., & Ko, S. (2008). Screening in primary care settings for illicit drug use: Assessment of screening instruments – A supplemental evidence update for the U.S. preventative services task force. *Evidence Synthesis 58*(2). AHRQ Publication No. 08-05108-EF-2. Rockville, Maryland: Agency for Healthcare Research and Quality.

Leone, M. A., Vigna-Taglianti, F., Avanzi, G., Brambilla, R., & Faggiano, F. (2010). Gamma-hydroxybutyrate (GHB) for treatment of alcohol withdrawal and prevention of relapses. *Cochrane Database of Systematic Reviews, 2010*(2), 1-120. doi: 10.1002/14651858.CD006266.pub2

Li, Q., Babor, T. F., Hao, W., & Chen, X. (2011). The Chinese translations of Alcohol Use Disorders Identification Test (AUDIT) in China: A systematic review. *Alcohol and Alcoholism, 46*(4), 416-423.

Livingstone, J. D., Milne, T., Fang, M. L., & Amari, E. (2012). The effectiveness of interventions for reducing stigma related to substance use disorders: A systematic review. *Addiction, 107*(1), 39-50.

Lobmaier, P., Kornor, H., Kunoe, N., & Bjorndal, A. (2008). Sustained-release naltrexone for opioid dependence. *Cochrane Database of Systematic Reviews, 2008*(2), 1-51. doi: 10.1002/14651858.CD006140.pub2

Lock, C. A., Kaner, E., Heather, N., Doughty, J., Crawshaw, A., McNamee, P. et al. (2006). Effectiveness of nurse-led brief alcohol intervention: A cluster randomized controlled trial. *Journal of Advanced Nursing, 54*(4), 426-439.

- Lovi, R., & Barr, J. (2009). Stigma reported by nurses related to those experiencing drug and alcohol dependency: A phenomenological Giorgi study. *Contemporary Nurse, 33*(2), 166-178.
- Lu, L., Zhu, W., Shi, J., Liu, Y., Ling, W., & Kosten, T. R. (2009). Traditional medicine in the treatment of drug addiction. *American Journal of Drug and Alcohol Abuse, 35*(1), 1-11.
- Lubman, D. I., Hides, L., Jorm, A. F., & Morgan, A. J. (2007). Health professionals' recognition of co-occurring alcohol and depressive disorders in youth: A survey of Australian general practitioners, psychiatrists, psychologists and mental health nurses using case vignettes. *Australian and New Zealand Journal of Psychiatry, 41*(10), 830-835.
- Luger, L., & Sookhoo, D. (2005). Rapid needs assessment of the provision of drug and alcohol services for people from minority ethnic groups with drug and alcohol problems. *Diversity in Health & Social Care, 2*(3), 167-176.
- Lui, S., Terplan, M., & Smith, E. J. (2008). Psychosocial interventions for women enrolled in alcohol treatment during pregnancy. *Cochrane Database of Systematic Reviews, 2008*(3), 1-16. doi: 10.1002/14651858.CD006753.pub2
- Lundahl, B., & Burke, B. L. (2009). The effectiveness and applicability of motivational interviewing: A practice-friendly review of four meta-analyses. *Journal of Clinical Psychology, 65*(11), 1232-1245.
- Lundahl, B. W., Kunz, C., Brownell C., Tollefson, D., & Burke, B. L. (2010). A meta-analysis of motivational interviewing: Twenty-five years of empirical studies. *Research on Social Work Practice, 20*(2), 137-160.
- Lussier, J. P., Heil, S. J., Mongeon, J. A., Badger, G. J., & Higgins, S. T. (2006). A meta-analysis of voucher-based reinforcement therapy for substance use disorders. *Addiction, 101*, 192-203.

Luty, J., & Rao, H. (2008). Survey of professional attitudes to addiction treatment policy. *Journal of Substance Use*, 13(2), 115-120.

Mackain, S. J., & Lecci, L. (2010). Perceived coercion in substance abuse treatment: The eye of the beholder? *Journal of Substance Use*, 15(1), 24-30.

Macy, R. J., & Goodbourn, M. (2012). Promoting successful collaborations between domestic violence and substance abuse treatment service sectors: A review of the literature. *Trauma Violence Abuse*, 13(4) 234-251.

Magill, M., & Ray, L. A. (2009). Cognitive-behavioral treatment with adult alcohol and illicit drug users: A meta-analysis of randomized controlled trials. *Journal of Studies on Alcohol and Drugs*, 70, 516-527.

Magura S, Staines GL, Blankertz L, Madison, E. M. (2004). The effectiveness of vocational services for substance users in treatment. *Substance Use & Misuse*, 39(13-14), 2165-2213.

Malivert, M., Fatseas, M., Denis, C., Langlois, E., & Auriacombe, M. (2012). Effectiveness of therapeutic communities: A systematic review. *European Addiction Research*, 18(1), 1-11.

Manuel, J. K., Hagedorn, H. J., & Finney, J. W. (2011). Implementing evidence-based psychosocial treatment in specialty substance use disorder care. *Psychology of Addictive Behaviors: Journal of the Society of Psychologists in Addictive Behaviors*, 25(2), 225-237.

Matheson, C., Van Teijlingen, E., Bond, C. M., Cameron, I. M., & Cronkshaw, G. (2006). Specialist substance misuse nurses' assessment and decision making in the management of drug misusers. *Drugs: Education, Prevention & Policy*, 13(6), 551-562.

Mayet, S., Farrell, M., Ferri, M., Amato, L., & Davoli, M. (2004). Psychosocial treatment for opiate abuse and dependence. *Cochrane Database of Systematic Reviews* 2004(4), 1-20. doi: 10.1002/14651858.CD004330.pub2

McCaffery, M., Grimm, M. A., Pasero, C., Ferrell, B., & Uman, G. C. (2005). On the meaning of "drug seeking". *Pain Management Nursing*, 6(4), 122-136.

McCarthy, G., Myers, B., & Siegfried, N. (2005). Treatment for Methaqualone dependence in adults. *Cochrane Database of Systematic Reviews*, 2005(2), 1-9. doi: 10.1002/14651858.CD004146.pub2

McKenna, B., Thom, K., Howard, F., & Williams, V. (2010). In search of a national approach to professional supervision for mental health and addiction nurses: The New Zealand experience. *Contemporary Nurse: A Journal for the Australian Nursing Profession*, 34(2), 267-276.

McLaughlin, D., McKenna, H., Leslie, J., Moore, K., & Robinson, J. (2006). Illicit drug users in Northern Ireland: Perceptions and experiences of health and social care professionals. *Journal of Psychiatric and Mental Health Nursing*, 13(6), 682-686.

McLellan, A. T., Weinstein, R. L., Shen, Q., Kendig, C., & Levine, M. (2005). Improving continuity of care in a public addiction treatment system with clinical case management. *American Journal on Addictions*, 14(5), 426-440.

McMurran, M. (2009). Motivational interviewing with offenders: A systematic review. *Legal and Criminological Psychology*, 14(1), 83-100.

McMurran, M., Riemsma, R., Manning, N., Misso, K., & Kleijnen, J. (2011). Interventions for alcohol-related offending by women: A systematic review. *Clinical Psychology Review*, 31(6) 909-922.

McQueen, J., Howe, T. E., Allan, L., Mains, D., & Hardy, V. (2011). Brief interventions for heavy alcohol users admitted to general hospital wards. *Cochrane Database of Systematic Reviews*, 2011(8), 1-57. doi: 10.1002/14651858.CD005191.pub3

Mdege, N. D., & Lang, J. (2011). Screening instruments for detecting illicit drug use/abuse that could be useful in general hospital wards: A systematic review. *Addictive behaviors*, 36(12), 1111-1119.

Meader, N., Li, R., Des Jarlais, C. D., & Pilling, S. (2010). Psychosocial interventions for reducing injection and sexual risk behaviour for preventing HIV in drug users. *Cochrane Database of Systematic Reviews*, 2010(1), 1-59. doi: 10.1002/14651858.CD007192.pub2

Meier, P. S., & Donmall, M. C. (2006). Differences in client and therapist views of the working alliance in drug treatment. *Journal of Substance Use*, 11(1), 73-80.

Miceli, P. C., & Katz, J. (2009). The influence of addiction risk on nursing students' expectations of patients' pain reports: A clinical vignette approach. *Pain Research and Management*, 14(3), 223-231.

Milligan, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., & Liu, J. (2010). Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: A meta-analysis. *Substance Abuse Treatment, Prevention, and Policy*, 5(21), 1-14. doi: 10.1186/1747-597X-5-21

Minozzi, S., Amato, L., Bellisario, C., & Davoli, M. (2014). Detoxification treatments for opiate dependent adolescents. *Cochrane Database of Systematic Reviews*, 2014(4), 1-34. doi: 10.1002/14651858.CD006749.pub3

Minozzi, S., Amato, L., Davoli, M., Farrell, M., Lima Reisser, A. A., Pani, P. P. et al. (2008). Anticonvulsants for cocaine dependence. *Cochrane Database of Systematic Reviews*, 2008(2), 1-46. doi: 10.1002/14651858.CD006754.pub2

Minozzi, S., Amato, L., Vecchi, S., & Davoli, M. (2010). Anticonvulsants for alcohol withdrawal. *Cochrane Database of Systematic Reviews*, 2010(3), 1-131. doi: 10.1002/14651858.CD005064.pub3

Minozzi, S., Amato, L., Vecchi, S., Davoli, M., Kirchmayer, U., & Verster, A. (2011). Oral naltrexone maintenance treatment for opioid dependence. *Cochrane Database of Systematic Reviews*, 2011(4), 1-45. doi: 10.1002/14651858.CD001333.pub4

Mollica, M. A., Hyman, Z., & Mann, C. M. (2011). Alcohol-related content in undergraduate nursing curricula in the northeastern United States. *Journal of Psychosocial Nursing and Mental Health Services*, 49(6), 22-31.

Monks, R., Topping, A., & Newell, R. (2013). The dissonant care management of illicit drug users in medical wards, the views of nurses and patients: A grounded theory study. *Journal of Advanced Nursing*, 69(4), 935-946.

Moore, B. A., Fazzino, T., Garnet, B., Cutter, C. J., & Barry, D. T. (2011). Computer-based interventions for drug use disorders: A systematic review. *Journal of Substance Abuse Treatment*, 40(3), 215-223.

Moy, I., Crome, P., Crome, I., & Fisher, M. (2011). Systematic and narrative review of treatment for older people with substance problems. *European Geriatric Medicine*, 2(4), 212-236.

Moy, M., Bayliss, J., Firth, C., Leggate, J., & Wood, R. (2007). Drug using parents: An exploration of family focused support from health professionals. *Journal of Research in Nursing*, 12(5), 551-561.

Munro, A., Watson, H. E., & McFadyen, A. (2007). Assessing the impact of training on mental health nurses' therapeutic attitudes and knowledge about co-morbidity: A randomised controlled trial. *International Journal of Nursing Studies*, 44(8), 1430-1438.

Natan, M. B., Beyil, V., & Neta, O. (2009). Nurses' perception of the quality of care they provide to hospitalized drug addicts: Testing the theory of reasoned action. *International Journal of Nursing Practice*, 15(6), 566-573.

Nehlin, C., Fredriksson, A., Gronbladh, L., & Jansson, L. (2012). Three hours of training improve psychiatric staff's self-perceived knowledge and attitudes toward problem-drinking patients. *Drug and Alcohol Review*, 31(4), 544-549.

Neushotz, L. A., & Fitzpatrick, J. J. (2008). Improving substance abuse screening and intervention in a primary care clinic. *Archives of Psychiatric Nursing*, 22(2), 78-86.

Newton, A. S., Gokiert, R., Mabood, N., Ata, N., Dong, K., Ali, S. ... Wild, T. C. (2011). Instruments to detect alcohol and other drug misuse in the emergency department: A systematic review. *Pediatrics*, 128(1), e180-e192.

Niccols, A., Milligan, K., Sword, W., Thabane, L., Henderson, J., Smith, A. et al. (2010). Maternal mental health and integrated programs for mothers with substance abuse issues. *Psychology of Addictive Behaviors: Journal of the Society of Psychologists in Addictive Behaviors*, 24(3), 466-474.

Nilsen, P., Aalto, M., Bendtsen, P., & Seppa, K. (2006). Effectiveness of strategies to implement brief alcohol intervention in primary healthcare. *Scandinavian Journal of Primary Health Care*, 24(1), 5-15.

Nilsen, P., Baird, J., Mello, M. J., Nirenberg, T., Woolard, R., Bendtsen, P. et al. (2008). A systematic review of emergency care brief alcohol interventions for injury patients. *Journal of Substance Abuse Treatment*, 35(2), 184-201.

Nordqvist, C., Johansson, K., Lindqvist, K., & Bendtsen, P. (2006). Attitude changes among emergency department triage staff after conducting routine alcohol screening. *Addictive Behaviors*, 31(2), 191-202.

Ockene, J. K., Reed, G. W., & Reiff-Hekking, S. (2009). Brief patient-centered clinician-delivered counseling for high-risk drinking: 4-year results. *Annals of Behavioral Medicine: A Publication of the Society of Behavioral Medicine*, 37(3), 335-342.

O'Gara, C., Keaney, F., Best, D., Harris, J., Boys, A., Leonard, F. ... Strang, J. (2005). Substance misuse training among psychiatric doctors, psychiatric nurses, medical students and nursing students in a South London psychiatric teaching hospital. *Drugs: Education, Prevention & Policy*, 12(4), 327-336.

Osborn, D. A., Jeffery, H. E., & Cole, M. J. (2010a). Sedatives for opiate withdrawal in newborn infants. *Cochrane Database of Systematic Reviews*, 2010(10), 1-44. doi: 10.1002/14651858.CD002053.pub3

Osborn, D. A., Jeffery, H. E., & Cole, M. J. (2010b). Opiate treatment for opiate withdrawal in newborn infants. *Cochrane Database of Systematic Reviews*, 2010(10), 1-55. doi: 10.1002/14651858.CD002059.pub3

Ost LG. (2008). Efficacy of the third wave of behavioral therapies: a systematic review and meta-analysis. *Behaviour Research and Therapy*, 46(3), 296–321.

Pani, P. P., Trogu, E., Vacca, R., Amato, L., Vecchi, S., & Davoli, M. (2010). Disulfiram for the treatment of cocaine dependence. *Cochrane Database of Systematic Reviews*, 2010(1), 1-52. doi: 10.1002/14651858.CD007024.pub2

Pani, P. P., Vacca, R., Trogu, E., Amato, L., & Davoli, M. (2010). Pharmacological treatment for depression during opioid agonist treatment for opioid dependence. *Cochrane Database of Systematic Reviews*, 2010(9), 1-82. doi: 10.1002/14651858.CD008373.pub2

Passik, S. D., Kirsh, K. L., & Casper, D. (2008). Addiction-related assessment tools and pain management: Instruments for screening, treatment planning, and monitoring compliance. *Pain Medicine*, 9(SUPPL. 2), S145-S166.

Pauly, B. (2008). Shifting moral values to enhance access to health care: Harm reduction as a context for ethical nursing practice. *International Journal of Drug Policy*, 19(3), 195-204.

Peckover, S., & Chidlaw, R. G. (2007). Too frightened to care? Accounts by district nurses working with clients who misuse substances. *Health & Social Care in the Community*, 15(3), 238-245.

Pelc, I., Hanak, C., Baert, I., Houtain, C., Lehert, P., Landron, F. et al. (2005). Effect of community nurse follow-up when treating alcohol dependence with acamprosate. *Alcohol and Alcoholism*, 40(4), 302-307.

Pennay, A., Cameron, J., Reichert, T., Strickland, H., Lee, N. K., Hall, K. et al. (2011). A systematic review of interventions for co-occurring substance use disorder and borderline personality disorder. *Journal of Substance Abuse Treatment*, 41(4), 363-373.

Pillon, S. C., & Laranjeira, R. R. (2005). Formal education and nurses' attitudes towards alcohol and alcoholism in a Brazilian sample. *Sao Paulo Medical Journal*, 123(4), 175-180.

Piontek, D., Kraus, L. & Klempova, D. (2008). Short scales to assess cannabis-related problems: A review of psychometric properties. *Substance Abuse Treatment, Prevention and Policy*, 3(25), 1-10.

Poikolainen, K. (2012). Effectiveness of brief interventions to reduce alcohol intake in primary health care populations: A meta-analysis. *Preventive Medicine*, 28, 503-509.

Powers, M. B., Vedel, E., & Emmelkamp, P. M. G. (2008). Behavioral couples therapy (BCT) for alcohol and drug use disorders: A meta-analysis. *Clinical Psychology Review*, 28(6), 952-962.

Prado, G., Cordova, D., Huang, S., Estrada, Y., Rosen, A., Bacio, G. A. et al. (2012). The efficacy of Familias Unidas on drug and alcohol outcomes for Hispanic delinquent youth: Main effects and interaction effects by parental stress and social support. *Drug and alcohol dependence*, 125 (Supplement 1), S18-S25.

Prendergast, M. L., Podus, D., & Chang, E. (2000). Program factors and treatment outcomes in drug dependence treatment: An examination using meta-analysis. *Substance Use & Misuse*, 35(12-14), 1931-1965.

Prendergast, M., Podus, D., Finney, J., Greenwell, L., & Roll, J. (2006). Contingency management for treatment of substance use disorders: A meta-analysis. *Addiction*, 101(11), 1546-1560.

Ralley, C., Allott, R., Hare, D. J., & Wittkowski, A. (2009). The use of the repertory grid technique to examine staff beliefs about clients with dual diagnosis. *Clinical Psychology and Psychotherapy*, 16(2), 148-158.

Rassool, G. H., & Oyefeso, A. (2007). Predictors of course satisfaction and perceived course impact of addiction nurses undertaking a postgraduate diploma in addictive behaviour. *Nurse Education Today*, 27(3), 256-265.

Rassool, G. H., & Rawaf, S. (2008a). Educational intervention of undergraduate nursing students' confidence skills with alcohol and drug misusers. *Nurse Education Today*, 28(3), 284-292.

Rassool, G. H., & Rawaf, S. (2008b). Predictors of educational outcomes of undergraduate nursing students in alcohol and drug education. *Nurse Education Today*, 28(6), 691-701.

Rassool, G. H., & Rawaf, S. (2008c). The influence of learning styles preference of undergraduate nursing students on educational outcomes in substance use education. *Nurse Education in Practice*, 8(5), 306-314.

Rassool, G. H., Villar-Luis, M., Carraro, T. E., & Lopes, G. (2006). Undergraduate nursing students' perceptions of substance use and misuse: A Brazilian position. *Journal of Psychiatric and Mental Health Nursing*, 13(1), 85-89.

Reiff-Hekking, S., Ockene, J. K., Hurley, T. G., & Reed, G. W. (2005). Brief physician and nurse practitioner-delivered counseling for high-risk drinking. *Journal of general internal medicine*, 20(1), 7-13.

Rigter, H. (2013). Multidimensional family therapy lowers the rate of cannabis dependence in adolescents: A randomised controlled trial in Western European outpatient settings. *Drug and Alcohol Dependence*, 130(1-3), 85.

Roberts, J., Annett, H., & Hickman, M. (2011). A systematic review of interventions to increase the uptake of opiate substitution therapy in injecting drug users. *Journal of Public Health*, 33(3), 378-384.

Ronzani, T. M., do Amaral, M. B., Souza-Formigoni, M. L. O., & Babon, T. F. (2008). Evaluation of a training program to implement alcohol screening, brief intervention and referral to treatment in primary health care in Minas Gerais, Brazil. *Nordisk Alkohol & Narkotikatidskrift*, 25(6), 529-538.

Ronzani, T. M., Higgins-Biddle, J., & Furtado, E. F. (2009). Stigmatization of alcohol and other drug users by primary care providers in Southeast Brazil. *Social Science and Medicine*, 69(7), 1080-1084.

Roozen, H. G., Boulogne, J. J., van Tulder, M. W., van den Brink, W., De Jong, C. A. J., & Kerkhof, A. J. F. M. (2012). A systematic review of the effectiveness of the community reinforcement approach in alcohol, cocaine and opioid addiction. *Drug and Alcohol Dependence*, 74, 1-13.

Roozen, H. G., de Waart, R., & van der Kroft, P. (2010). Community reinforcement and family training: An effective option to engage treatment-resistant substance-abusing individuals in treatment. *Addiction*, 105(10), 1729-1738.

Rösner, S., Hackl-Herrwerth, A., Leucht, S., Lehert, P., Vecchi, S., & Soyka, M. (2010). Acamprosate for alcohol dependence. *Cochrane Database of Systematic Reviews*, 2010(9), 1-136. doi: 10.1002/14651858.CD004332.pub2

Rubak, S., Sandbaek, A., Lauritzen, T., & Christensen, B. (2005). Motivational interviewing: A systematic review and meta-analysis. *British Journal of General Practice*, 55(513), 305-312.

- Schmitz, J. M., Mooney, M. E., Moeller, F. G., Stotts, A. L., Green, C., & Grabowski, J. (2008). Levodopa pharmacotherapy for cocaine dependence: Choosing the optimal behavioral therapy platform. *Drug and Alcohol Dependence*, 94(1-3), 142-150.
- Schulte, S. J., Meier, P. S., & Stirling, J. (2011). Dual diagnosis clients' treatment satisfaction - a systematic review. *BMC Psychiatry*, 11, 64.
- Schumacher, J. E., Milby, J. B., Wallace, D., Meehan, D. C., Kertesz, S., Vuchinich, R. et al. (2007). Meta-Analysis of day treatment and contingency-management dismantling research: Birmingham homeless cocaine studies (1990-2006). *Journal of Consulting and Clinical Psychology*, 75(5), 823-828.
- Seale, J. P., Shellenberger, S., Tillery, W. K., Boltri, J., Vogel, R., Barton, B., & McCauley, M. (2005). Implementing alcohol screening and intervention in a family medicine residency clinic. *Substance Abuse*, 26(1), 23-31.
- Shoptaw, S. J., Kao, U., Heinzerling, K., & Ling, W. (2009). Treatment for amphetamine withdrawal. *Cochrane Database of Systematic Reviews*, 2009(2), 1-27. doi: 10.1002/14651858.CD003021.pub2
- Skinner, N., Feather, N. T., Freeman, T., & Roche, A. (2007). Stigma and discrimination in health-care provision to drug users: The role of values, affect, and deservingness judgments. *Journal of Applied Social Psychology*, 37(1), 163-186.
- Skinner, N., Roche, A. M., Freeman, T., & Addy, D. (2005). Responding to alcohol and other drug issues: The effect of role adequacy and role legitimacy on motivation and satisfaction. *Drugs: Education, Prevention & Policy*, 12(6), 449-463.
- Smedslund, G., Berg, R. C., Hammerstrøm, K. T., Steiro, A., Leiknes, K. A., Dahl, H. M., & Karlsen, K. (2011). Motivational interviewing for substance abuse. *Cochrane Database of Systematic Reviews*, 2011(5), 1-130. doi: 10.1002/14651858.CD008063.pub2

Smith, E. J., Lui, S., & Terplan, M. (2009). Pharmacologic interventions for pregnant women enrolled in alcohol treatment. *Cochrane Database of Systematic Reviews*, 2009(3), 1-19. doi: 10.1002/14651858.CD007361.pub2

Smith, L. A., Gates, S., & Foxcroft, D. (2006). Therapeutic communities for substance related disorder. *Cochrane Database of Systematic Reviews*, 2006(1), 1-39. doi: 10.1002/14651858.CD005338.pub2

Srisurapanont, M., Jarusuraisin, N., & Kittirattanapaiboon, P. (2001). Treatment for amphetamine dependence and abuse. *Cochrane Database of Systematic Reviews*, 2001(4), 1-13. doi: 10.1002/14651858.CD003022

Stanley, K. M., Worrall, C. L., Lunsford, S. L., Couillard, D. J., & Norcross, E. D. (2007). Efficacy of a symptom-triggered practice guideline for managing alcohol withdrawal syndrome in an academic medical center. *Journal of Addictions Nursing*, 18(4), 207-216.

Stanton, M. D., & Shandish, W. R. (1997). Outcome, attrition, and family-couples treatment for drug abuse: A meta-analysis and review of the controlled, comparative studies. *Psychological Bulletin*, 122(2) 170-191.

Sullivan, L. E., Tetrault, J. M., Braithwaite, R. S., Turner, B. J., & Fiellin, D. A. (2011). A meta-analysis of the efficacy of nonphysician brief interventions for unhealthy alcohol use: Implications for the patient-centered medical home. *The American Journal on Addictions / American Academy of Psychiatrists in Alcoholism and Addictions*, 20(4), 343-356.

Sun, A. (2006). Program factors related to women's substance abuse treatment retention and other outcome: A review and critique. *Journal of Substance Abuse Treatment*, 30, 1-20.

Sussman S. (2010). A review of Alcoholics Anonymous/ Narcotics Anonymous programs for teens. *Evaluation & The Health Professions*, 33(1):26-55.

Tait, R. J. & Hulse, G. K. (2012). A systematic review of the effectiveness of brief interventions with substance using adolescents by type of drug. *Drug and Alcohol review*, 22, 337-346.

Tanner, T. B., Wilhelm, S. E., Rossie, K. M., & Metcalf, M. P. (2012). Web-based SBIRT skills training for health professional students and primary care providers. *Substance Abuse: Official Publication of the Association for Medical Education and Research in Substance Abuse*, 33(3), 316-320.

Tanner-Smith, E. E., Wilson, S. J., & Lipsey, M. W. (2013). The comparative effectiveness of outpatient treatment for adolescent substance abuse: A meta-analysis. *Journal of Substance Abuse Treatment*, 44(2), 145-158.

Terplan, M., & Lui, S. (2007). Psychosocial interventions for pregnant women in outpatient illicit drug treatment programs compared to other interventions. *Cochrane Database of Systematic Reviews*, 2007(4), 1-28.
doi: 10.1002/14651858.CD006037.pub2

Torchalla, I., Nosen, L., Rostam, H., & Allen, P. (2012). Integrated treatment programs for individuals with concurrent substance use disorders and trauma experiences: A systematic review and meta-analysis. *Journal of Substance Abuse Treatment*, 42(1), 65-77.

Tran, D. T., Stone, A. M., Fernandez, R. S., Griffiths, R. D., & Johnson, M. (2009a). Changes in general nurses' knowledge of alcohol and substance use and misuse after education. *Perspectives in Psychiatric Care*, 45(2), 128-139.

Tran, D. T., Stone, A. M., Fernandez, R. S., Griffiths, R. D., & Johnson, M. (2009b). Does implementation of clinical practice guidelines change nurses' screening for alcohol and other substance use? *Contemporary Nurse: A Journal for the Australian Nursing Profession*, 33(1), 13-19.

Tripodi, S. J., & Bender, K. (2011). Substance abuse treatment for juvenile offenders: A review of quasi-experimental and experimental research. *Journal of Criminal Justice*, 39, 246-252.

Tripodi, S. J., Bender, K., Litschge, C., & Vaughn, M. G. (2010). Interventions for reducing adolescent alcohol abuse: A meta-analytic review. *Archives of Pediatrics & Adolescent Medicine, 164*(1), 85-91.

Tsai, Y. F. (2009). Nurses' perceived facilitators and barriers to assessing for alcohol use in Taiwan. *Journal of Clinical Nursing, 18*(14), 2078-2086.

Tsai, Y. F., Tsai, M. C., Lin, Y. P., & Chen, C. Y. (2009). Brief intervention for problem drinkers in a Chinese population: A randomized controlled trial in a hospital setting. *Alcoholism, Clinical and Experimental Research, 33*(1), 95-101.

Tsai, Y.-F., Tsai, M.-C., Lin, Y.-P., Weng, C.-E., Chou, Y.-L., & Chen, C.-Y. (2011). An alcohol training program improves Chinese nurses' knowledge, self-efficacy, and practice: A randomized controlled trial. *Alcoholism: Clinical and Experimental Research, 35*(5), 976-983.

Tuchman, E., Gregory, C., Simson, J. M., & Drucker, E. (2005). Office-based opioid treatment (OBOT): Practitioner's knowledge, attitudes, and expectations in New Mexico... second in a series. *Addictive Disorders & Their Treatment, 4*(1), 11-19.

Vadlamudi, R. S., Adams, S., Hogan, B., Wu, T., & Wahid, Z. (2008). Nurses' attitudes, beliefs and confidence levels regarding care for those who abuse alcohol: Impact of educational intervention. *Nurse Education in Practice, 8*(4), 290-298.

Vanderplasschen, W., Wolf, J., Rapp, R. C., & Broekaert, E. (2007). Effectiveness of different models of case management for substance-abusing populations. *Journal of Psychoactive Drugs, 39*(1), 81-95.

Vaughn, M. G. & Howard, M. O. (2004). Adolescent substance abuse treatment: A synthesis of controlled evaluations. *Research on Social Work Practice, 14* (5), 325-335.

- Verachai, V., Kittipichai, W., Konghom, S., Lukanapichonchut, L., Sinlapasacran, N., Kimsongneun, N. et al. (2009). Substance-dependence rehab treatment in Thailand: A meta analysis. *Journal of the Medical Association of Thailand, 92*(7), S100-S107.
- Wachtel, T., & Staniford, M. (2010). The effectiveness of brief interventions in the clinical setting in reducing alcohol misuse and binge drinking in adolescents: A critical review of the literature. *Journal of Clinical Nursing, 19*(5-6), 605-620.
- Wadell, K., & Skrster, I. (2007). Nurses' experiences of caring for patients with a dual diagnosis of depression and alcohol abuse in a general psychiatric setting. *Issues in Mental Health Nursing, 28*(10), 1125-1140.
- Waldron, H. B., & Turner, C. W. (2008). Evidence-based psychosocial treatments for adolescent substance abuse. *Journal of Clinical Child and Adolescent Psychology, 37*(1), 238-261.
- Walling, A. D. (2010). Which treatments are effective for reducing adolescent alcohol abuse? *American Family Physician, 82*(5), 532-534.
- Walters, S. T., Matson, S. A., Baer, J. S., & Ziedonis, D. M. (2005). Effectiveness of workshop training for psychosocial addiction treatments: A systematic review. *Journal of Substance Abuse Treatment, 29*(4), 283-293.
- Walther, M., Montse, B., Silvia, M., Gemma, N., & Antoni, G. (2008). Teaching hospital staff about hazardous drinking: The effect of a single intervention. *Alcohol and Alcoholism, 43*(1), 51-52.
- Weaver, M. F., Hoffman, H. J., Johnson, R. E., & Mauck, K. (2006). Alcohol withdrawal pharmacotherapy for inpatients with medical comorbidity. *Journal of Addictive Diseases, 25*(2), 17-24.

- Weaver, M. R., Conover, C. J., Proescholdbell, R. J., Arno, P. S., Ang, A., Uldall, K. K. et al. (2009). Cost-effectiveness analysis of integrated care for people with HIV, chronic mental illness and substance abuse disorders. *The Journal of Mental Health Policy and Economics*, 12(1), 33-46.
- Whitfield, K., Rambaldi, A., Wetterslev, J., & Gluud, C. (2009). Pentoxifylline for alcoholic hepatitis. *Cochrane Database of Systematic Reviews*, 2009(4), 1-44. doi: 10.1002/14651858.CD007339.pub2
- Willaing, I., & Ladelund, S. (2005). Nurse counseling of patients with an overconsumption of alcohol. *Journal of Nursing Scholarship: An Official Publication of Sigma Theta Tau International Honor Society of Nursing / Sigma Theta Tau*, 37(1), 30-35.
- Wits, E. G., Knibbe, R. A., & van de Mheen, D. H. (2005). Feasibility of a guideline to improve the match between needs and services for chronic addicts with multiple problems. *Journal of Substance Use*, 10(2-3), 119-127.
- Young, L. B. (2012). Telemedicine interventions for substance-use disorder: A literature review. *Journal of Telemedicine and Telecare*, 18(1), 47-53.
- Yudko, E., Lozhkina, O., & Fouts, A. (2007). A comprehensive review of the psychometric properties of the Drug Abuse Screening Test. *Journal of Substance Abuse Treatment*, 32 (2), 189-198.
- Zgierska, A., Rabago, D., Chawla, N., Kushner, K., Koehler, R., & Marlatt, A. (2009). Mindfulness meditation for substance use disorders: A systematic review. *Substance Abuse*, 30(4), 266-294.