

Facilitating Client Centred Learning Bibliography

- Abood, D.A., Black, D.R. & Coster, D.C. (2005). Loss-framed minimal intervention increases mammography use. *Womens Health Issues, 15*(6), 258-264.
- Abrams, M.A., Hung, L.L., Kashuba, A.B., Schwartzberg, J.G., Sokol, P.E. & Vergara, K.C. (2007). *Reducing the risk by designing a safer, shame free health care environment*. Chicago, IL: American Medical Foundation and American Medical Association.
- Adhikari, K., Liabsuetrakul, T. & Pradhan, N. (2009). Effect of education and pill count on hemoglobin status during prenatal care in Nepalese women: a randomized controlled trial. *Journal of Obstetrics and Gynaecology Research, 35*(3), 459-66.
- Adolfsson, E.T., Walker-Engstrom, M.L., Smide, B. & Wikblad, K. (2007). Patient education in type 2 diabetes: A randomized controlled 1-year follow-up study. *Diabetes Research & Clinical Practice, 76*(3), 341-350.
- Agency for Healthcare Research and Quality (AHRQ). (2010). *Health literacy Universal Precautions Toolkit*. Retrieved from www.ahrq.gov/qual/literacy/healthliteracytoolkit.pdf
- Ahles, T.A., Wasson, J.H., Seville, J.L., Johnson, D.J., Cole, B.F., Hanscom, B.,...McKinstry, E. (2006). A controlled trial of methods for managing pain in primary care patients with or without co-occurring psychosocial problems. *Annals of Family Medicine, 4*(4), 341-350.
- Ahmed, A. H. (2008). Breastfeeding preterm infants: An educational program to support mothers of preterm infants in Cairo, Egypt. *Pediatric Nursing, 34*(2), 125-30.
- Akechi, T., Taniguchi, K., Suzuki, S., Okamura, M., Minami, H., Okuyama, T.,...Uchitomi, Y. (2007). Multifaceted psychosocial intervention program for breast cancer patients after first recurrence: Feasibility study. *Psychooncology, 16*(6), 517-24.
- Alam, R., Singleton, L., & Sturt, J. (2008). Strategies and effectiveness of diabetes self-management education interventions for Bangladeshis. *Diversity in Health & Social Care, 5*(4), 269-279.
- Albaladejo, C., Kovacs, F. M., Royuela, A., del Pino, R., & Zamora, J. (2010). The efficacy of a short education program and a short physiotherapy program for treating low back pain in primary care: A cluster randomized trial. *Spine, 35*(5), 483-496.
- Albarracin, D., Gillette, J.C., Earl, A.N., Glasman, L.R., Durantini, M.R. & Ho, M.H. (2005). A test of major assumptions about behavior change: A comprehensive look at the effects of passive and active HIV-prevention interventions since the beginning of the epidemic. *Psychological Bulletin, 131*(6), 856-897.
- Albert, N.M., Buchsbaum, R. & Li, J. (2007). Randomized study of the effect of video education on heart failure healthcare utilization, symptoms, and self-care behaviors. *Patient Education & Counseling, 69*(1-3), 129-139.
- Alexander, G. L., McClure, J. B., Calvi, J. H., Divine, G. W., Stopponi, M. A., Rolnick, S. J.,...Johnson, C.C. (2010). A randomized clinical trial evaluating online interventions to improve fruit and vegetable consumption. *American Journal of Public Health, 100*(2), 319-326.

- Allen, N.A., Fain, J.A., Braun, B. & Chipkin, S.R. (2008). Continuous glucose monitoring counseling improves physical activity behaviors of individuals with type 2 diabetes: A randomized clinical trial. *Diabetes Research & Clinical Practice*, 80(3), 371-379.
- Allen, K. D., Oddone, E.Z., Stock, J.L., Coffman, C.J., Lindquist, J.H., Juntilla, K.A.,...Bosworth, H.B. (2008). The self-management of osteoarthritis in veterans (SeMOA) Study: design and methodology. *Contemporary Clinical Trials*, 29(4), 596-607.
- Amati, F., Barthassat, V., Miganne, G., Hausman, I., Monnin, D.G., Costanza, M.C. & Golay, A. (2007). Enhancing regular physical activity and relapse prevention through a 1-day therapeutic patient education workshop: A pilot study. *Patient Education and Counseling*, 68(1), 70-78.
- Ammentorp, J., Sabroe, S., Kofoed, P.E. & Mainz, J. (2007). The effect of training in communication skills on medical doctors' and nurses' self-efficacy: A randomized controlled trial. *Patient Education and Counseling*, 66(3), 270-277.
- Andersen, M.R., Drescher, C.W., Zheng, Y., Bowen, D.J., Wilson, S., Young, A.,...Urban, N. (2007). Changes in cancer worry associated with participation in ovarian cancer screening. *Psycho-Oncology*, 16(9), 814-820.
- Anderson, D., Mizzari, K., Kain, V. & Webster, J. (2006). The effects of a multimodal intervention trial to promote lifestyle factors associated with the prevention of cardiovascular disease in menopausal and postmenopausal Australian women. *Health Care for Women International*, 27(3), 238-253.
- Anderson, J.L., Dodman, S., Kopelman, M. & Fleming, A. (1979). Patient information recall in a rheumatology clinic. *Rheumatology and Rehabilitation*, 18(1), 18-22.
- Anderson, K.O., Mendoza, T.R., Payne, R., Valero, V., Palos, G.R., Nazario, A.,...Cleeland, C.S. (2004). Pain education for underserved minority cancer patients: A randomized controlled trial. *Journal of Clinical Oncology*, 22(24), 4918-4925.
- Armstrong, A. W., Watson, A. J., Makredes, M., Frangos, J. E., Kimball, A. B., & Kvedar, J. C. (2009). Text-message reminders to improve sunscreen use: A randomized, controlled trial using electronic monitoring. *Archives of Dermatology*, 145(11), 1230-1236.
- Artz, L., Macaluso, M., Meinzen-Derr, J., Kelaghan, J., Austin, H., Fleenor, M.,...Brill, I. (2005). A randomized trial of clinician-delivered interventions promoting barrier contraception for sexually transmitted disease prevention. *Sexually Transmitted Diseases*, 32(11), 672-679.
- Ashe, M., Khan, K., Guy, P., Kruse, K., Hughes, K., O'brien, P.,...McKay, H. (2004). Wristwatch-distal radial fracture as a marker for osteoporosis investigation: A controlled trial of patient education and a physician alerting system. *Journal of Hand Therapy*, 17(3), 324-328.
- Atak, N., Gurkan, T. & Kose, K. (2008). The effect of education on knowledge, self management behaviours and self efficacy of patients with type 2 diabetes. *Australian Journal of Advanced Nursing*, 26(2), 66-74.
- Auer, R., Gaume, J., Rodondi, N., Cornuz, J. & Ghali, W. A. (2008). Efficacy of in-hospital multidimensional interventions of secondary prevention after acute coronary syndrome: A systematic review and meta-analysis. *Circulation*, 117(24), 3109-17.

Austoker, J., Bankhead, C., Forbes, L. J., Atkins, L., Martin, F., Robb, K.,...Ramirez, A. (2009). Interventions to promote cancer awareness and early presentation: systematic review. *British Journal of Cancer*, 101, S 31-39.

Aveyard, P., Lawrence, T., Cheng, K.K., Griffin, C., Croghan, E. & Johnson, C. (2006). A randomized controlled trial of smoking cessation for pregnant women to test the effect of a transtheoretical model-based intervention on movement in stage and interaction with baseline stage. *British Journal of Health Psychology*, 11(Pt 2), 2-78.

Aveyard, P., Massey, L., Parsons, A., Manaseki, S. & Griffin, C. (2009). The effect of transtheoretical model based interventions on smoking cessation. *Social Science & Medicine*, 68(3), 397-403.

Baker, D. (2006). The meaning and the measure of health literacy. *Journal of General Internal Medicine*, 21(8), 878-883.

Bakitas, M., Lyons, K.D., Hegel, M.T., Balan, S., Brokaw, F.C., Seville, J.,...Ahles, T.A. (2009). Effects of a palliative care intervention on clinical outcomes in patients with advanced cancer: The Project ENABLE II randomized controlled trial. *JAMA*, 302(7), 741-749.

Baksi, A. K., Al-Mrayat, M., Hogan, D., Whittingstall, E., Wilson, P. & Wex, J. (2008). Peer advisers compared with specialist health professionals in delivering a training programme on self-management to people with diabetes: A randomized controlled trial. *Diabetic Medicine*, 25(9), 1076-82.

Balcazar, H.G., Byrd, T., Ortiz, M., Tondapu, S.R. & Chavez, M. (2009). A randomized community intervention to improve hypertension control among Mexican Americans: Using the promotoras de salud community outreach model. *Journal of Health Care for the Poor and Underserved*, 20(4), 1079-1094.

Balfour, L., Kowal, J., Silverman, A., Tasca, G.A., Angel, J.B., Macpherson, P.A.,...Cameron, D.W. (2009). A randomized controlled psycho-education intervention trial: Improving psychological readiness for successful HIV medication adherence and reducing depression before initiating HAART. *AIDS Care*, 18(7), 830-838.

Bansal, M. A., Cummings, K.M., Hyland, A., Bauer, J. E., Hastrup, J.L. & Steger, C. (2004). Do smokers want to know more about the cigarettes they smoke? Results from the EDUCATE study. *Nicotine & Tobacco Research*, 6, Supplement 3, S289-302.

Baradaran, H. R., Knill-Jones, R., Wallia, S. & Rodgers, A. (2006). A controlled trial of the effectiveness of a diabetes education programme in a multi-ethnic community in Glasgow. *BMC Public Health*, 6, 134.

Barcellona, D., Contu, P. & Marongui, F. (2006). A "two-step" educational approach for patients taking oral anticoagulants does not improve therapy control. *Journal of Thrombosis and Thrombolysis*, 22(3), 185-90.

Barr, R.G., Barr, M., Fujiwara, T., Conway, J., Catherine, N. & Brant, R. (2009). Do educational materials change knowledge and behaviour about crying and shaken baby syndrome? A randomized controlled trial. *CMAJ: Canadian Medical Association Journal*, 180(7), 727-733.

Bastiaenen, C.H., de Bie, R.A., Vlaeyen, J.W., Goossens, M.E., Leffers, P., Wolters, P.M.,...Essed, G.G. (2008). Long-term effectiveness and costs of a brief self-management intervention in women with pregnancy-related low back pain after delivery. *BMC Pregnancy & Childbirth*, 8, 19.

Bauer, M.S., McBride, L., Williford, W.O., Glick, H., Kinosian, B., Altshuler, L.,...Sajatovic, M. (2006). Collaborative care for bipolar disorder: Part I. Intervention and implementation in a randomized

effectiveness trial. *Psychiatric Services*, 57(7):927-36

Bauer, M.S., McBride, L., Williford, W.O., Glick, H., Kinosian, B., Altshuler, L.,...Sajatovic, M. (2006). Collaborative care for bipolar disorder: Part II. Impact on clinical outcome, function, and costs. *Psychiatric Services*, 57(7), 937-945.

Beaver, K., Twomey, M., Witham, G., Foy, S. & Luker, K.A. (2006). Meeting the information needs of women with breast cancer: Piloting a nurse-led intervention. *European Journal of Oncology Nursing*, 10(5), 378-390.

Bell, K.R., Temkin, N.R., Esselman, P.C., Doctor, J.N., Bombardier, C.H., Fraser, R.T.,...Dikmen, S. (2005). The effect of a scheduled telephone intervention on outcome after moderate to severe traumatic brain injury: A randomized trial. *Archives of Physical Medicine & Rehabilitation*, 86(5), 851-856.

Bellamy, R. A. (2005). Systematic review of educational interventions for promoting sun protection knowledge, attitudes and behaviour following the QUESTS approach. *Medical Teacher*, 27(3), 269-75.

Belle, S.H., Burgio, L., Burns, R., Coon, D., Czaja, S.J., Gallagher-Thompson, D.,...Zhang, S. (2006). Enhancing the quality of life of dementia caregivers from different ethnic or racial groups: a randomized, controlled trial. *Annals of Internal Medicine*, 145(10), 727-738.

Bennett, M.I., Bagnall, A.M. & Jose Closs, C.S. (2009). How effective are patient-based educational interventions in the management of cancer pain? Systematic review and meta-analysis. *Pain*, 143(3), 192-199.

Beranova, E. & Sykes, C. (2007). A systematic review of computer-based softwares for educating patients with coronary heart disease. *Patient Education & Counseling*, 66(1), 21-28.

Bergsma, L.J. & Carney, M.E. (2008). Effectiveness of health-promoting media literacy education: A systematic review. *Health Education Research*, 23(3), 522-542.

Bevan, J.L. & Pecchioni, L.L. (2008). Understanding the impact of family caregiver cancer literacy on patient health outcomes. *Patient Education and Counseling*, 71(3), 356-364.

Bezalel, T., Carmeli, E. & Katz-Leurer, M. (2010). The effect of a group education programme on pain and function through knowledge acquisition and home-based exercise among patients with knee osteoarthritis: a parallel randomised single-blind clinical trial. *Physiotherapy*, 96(2), 137-143.

Bickmore, T. W., Pfeifer, L. M. & Paasche-Orlow, M. K. (2009). Using computer agents to explain medical documents to patients with low health literacy. *Patient Education and Counseling*, 75(3), 315-320.

Blanch, D.C., Rudd, R.E., Wright, E., Gall, V. & Katz, J.N. (2008). Predictors of refusal during a multi-step recruitment process for a randomized controlled trial of arthritis education. *Patient Education and Counseling*, 73(2), 280-285.

Blixen, C. E., Bramstedt, K.A., Hammel, J.P. & Tilley, B.C. (2004). A pilot study of health education via a nurse-run telephone self-management programme for elderly people with osteoarthritis. *Journal of Telemedicine and Telecare*, 10(1), 44-49.

Blum, N., St. John, D., Pfohl, B., Stuart, S., McCormick, B., Allen, J.,...Black, D. (2008). Systems Training for Emotional Predictability and Problem Solving (STEPPS) for outpatients with borderline personality

disorder: A randomized controlled trial and 1-year follow-up. *American Journal of Psychiatry*, 165(4), 468-478.

Bodner, M. E. & Dean, E. (2009). Advice as a smoking cessation strategy: A systematic review and implications for physical therapists. *Physiotherapy Theory & Practice*, 25(5-6), 369-407.

Boesen, E.H., Ross, L., Frederiksen, K., Thomsen, B.L., Dahlstrom, K., Schmidt, G.,...Johansen, C. Psychoeducational intervention for patients with cutaneous malignant melanoma: A replication study. *Journal of Clinical Oncology*, 23(6), 1270-1277.

Bogner, H. R. & de Vries, H. F. (2010). Integrating type 2 diabetes mellitus and depression treatment among African Americans: A randomized controlled pilot trial. *Diabetes Educator*, 36(2), 284-292.

Bolman, C., Brug, J., Bar, F., Martinali, J. & van den Borne, B. (2005). Long-term efficacy of a checklist to improve patient education in cardiology. *Patient Education and Counseling*, 56(2), 240-248.

Bond, G. E., Burr, R. L., Wolf, F. M. & Feldt, K. (2010). The effects of a web-based intervention on psychosocial well-being among adults aged 60 and older with diabetes: A randomized trial. *Diabetes Educator*, 36(3), 446-456.

Boren, S. A., Gunlock, T. L., Schaefer, J. & Albright, A. (2007). Reducing risks in diabetes self-management: A systematic review of the literature. *The Diabetes Educator*, 33(6), 1053-1077.

Boren, S. A., Wakefield, B. J., Gunlock, T. L., & Wakefield, D. S. (2009). Heart failure self-management education: a systematic review of the evidence. *International Journal of Evidence-Based Healthcare*, 7(3), 159-168.

Bornhofen, C. & McDonald, S. (2008). Comparing strategies for treating emotion perception deficits in traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 23(2), 103-115.

Bosak, K. (2007). *An Internet physical activity intervention to reduce coronary heart disease risk in the metabolic syndrome population*. University of Nebraska Medical Center.

Bosworth, H. B., Olsen, M.K., Dudley, T., Orr, M., Neary, A., Harrelson, M.,...Oddone, E.Z. (2007). The Take Control of Your Blood pressure (TCYB) study: study design and methodology. *Contemporary Clinical Trials*, 28(1), 33-47.

Bosworth, H.B., Olsen, M.K., Gentry, P., Orr, M., Dudley, T., McCant, F. & Oddone, E. (2005). Nurse administered telephone intervention for blood pressure control: a patient-tailored multifactorial intervention. *Patient Education & Counseling*, 57(1), 5-14.

Bosworth, H.B., Olsen, M.K., Neary, A., Orr, M., Grubber, J., Svetkey, L.,...Oddone, E. (2008). Take Control of Your Blood pressure (TCYB) study: a multifactorial tailored behavioral and educational intervention for achieving blood pressure control. *Patient Education & Counseling*, 70(3), 338-347.

Bottiroli, S. & Cavallini, E. (2009). Can computer familiarity regulate the benefits of computer-based memory training in normal aging? A study with an Italian sample of older adults. *Aging, Neuropsychology & Cognition*, 16(4), 401-418.

Bourbeau, J., Collet, J.P., Schwartzman, K., Ducruet, T., Nault, D. & Bradley, C. (2006). Economic benefits of self-management education in COPD. *Chest*. 130(6), 1704-11.

Boyd, M., Lasserson, T.J., McKean, M.C., Gibson, P.G., Ducharme, F.M. & Haby M. (2009). Interventions for educating children who are at risk of asthma-related emergency department attendance. *Cochrane Database of Systematic Reviews*, 2, CD001290.

- Bradley, P. M., & Lindsay, B. (2008). Care delivery and self-management strategies for adults with epilepsy. *Cochrane Database of Systematic Review*, 1, CD006244.
- Bradshaw, B.G., Richardson, G.E., Kumpfer, K., Carlson, J., Stanchfield, J., Overall, J.,...Kulkarni, K. (2007). Determining the efficacy of a resiliency training approach in adults with type 2 diabetes. *Diabetes Educator*, 33(4), 650-659.
- Braun, A.K., Kubiak, T., Kuntsche, J., Meier-Hofig, M., Muller, U.A., Feucht, I. & Zeyfang, A. (2009). SGS: A structured treatment and teaching programme for older patients with diabetes mellitus--A prospective randomised controlled multi-centre trial. *Age and Ageing*, 38(4), 390-396.
- Braun, K. L., Fong, M., Kaanoi, M.E., Kamaka, M.L., Gotay, C.C. (2005). Testing a culturally appropriate, theory-based intervention to improve colorectal cancer screening among Native Hawaiians. *Preventive Medicine*, 40(6), 619-27.
- Brison, R.J., Hartling, L., Dostaler, S., Leger, A., Rowe, B.H., Stiell, I. & Pickett, W. (2005). A randomized controlled trial of an educational intervention to prevent the chronic pain of whiplash associated disorders following rear-end motor vehicle collisions. *Spine*, 30(16), 1799-1807.
- British Cardiac Society, British Hypertension Society, Diabetes UK, HEART UK, Primary Care Cardiovascular Society & Stroke Association. (2005). JBS 2: Joint British Societies' guidelines on prevention of cardiovascular disease in clinical practice. *Heart*, 91, Supplement 5, v1-52.
- Brock, G., Carrier, S., Casey, R., Tarride, J.E., Elliott, S., Dugre, H.,...Defoy, I. (2007). Can an educational program optimize PDE5i therapy? A study of Canadian primary care practices. *Journal of Sexual Medicine*, 4(5), 1404-13.
- Brody, B. L., Roch-Levecq, A.C., Thomas, R.G., Kaplan, R.M. & Brown, S.I. (2005). Self-management of age-related macular degeneration at the 6-month follow-up: A randomized controlled trial. *Archives of Ophthalmology*, 123(1), 46-53.
- Brown, D. R., Ludwig, R., Buck, G., Durham, D., Shumard, T. & Graham, S.S. (2004). Health Literacy: Universal Precautions Needed. *Journal of Allied Health* 33(2), 150-156.
- Brown, R. F., Butow, P.N., Sharrock, M.A., Henman, M., Boyle, F., Goldstein, D. & Tattersall, M.H. (2004). Education and role modelling for clinical decisions with female cancer patients. *Health Expectations*, 7(4), 303-316.
- Brownson, C.A., Miller, D., Crespo, R., Neuner, S., Thompson, J., Wall, J.C.,...Glasgow, R.E. (2007). A quality improvement tool to assess self-management support in primary care. *The Joint Commission Journal on Quality and Patient Safety*, 33(7), 408-416.
- Bruckert, E., Giral, P., Paillard, F., Ferrieres, J., Schlienger, J.L., Renucci, J.F.,...PEGASE group. (2008). Effect of an educational program (PEGASE) on cardiovascular risk in hypercholesterolemia patients. *Cardiovascular Drugs and Therapy*, 22(6), 495-505.
- Brumley, R., Enguidanos, S., Jamison, P., Seitz, R., Morgenstern, N., Saito, S.,...Gonzalez, J. (2007). Increased satisfaction with care and lower costs: Results of a randomized trial of in-home palliative care. *Journal of the American Geriatrics Society*, 55(7), 993-1000.
- Buckley, B. S., Byrne, M. C., & Smith, S. M. (2010). Service organisation for the secondary prevention of

ischaemic heart disease in primary care. *Cochrane Database of Systematic Reviews*, 3, CD006772.

Buckley, T., McKinley, S., Gallagher, R., Dracup, K., Moser, D.K. & Aitken, L.M. (2007). The effect of education and counselling on knowledge, attitudes and beliefs about responses to acute myocardial infarction symptoms. *European Journal of Cardiovascular Nursing*, 6(2), 105-111.

Budin, W.C., Hoskins, C.N., Haber, J., Sherman, D.W., Maislin, G., Cater, J.R.,...Shukla, S. (2008). Breast cancer: Education, counseling, and adjustment among patients and partners: A randomized clinical trial. *Nursing Research*, 57(3), 199-213.

Burke, L. E., Dunbar-Jacob, J., Orchard, T.J. & Sereika, S.M. (2005). Improving adherence to a cholesterol-lowering diet: A behavioral intervention study. *Patient Education and Counseling*, 57(1), 134-142.

Burke, V., Mansour, J., Mori, T. A., Beilin, L.J., Cutt, H.E. & Wilson, A. (2008). Changes in cognitive measures associated with a lifestyle program for treated hypertensives: A randomized controlled trial (ADAPT). *Health Education Research*, 23(2), 202-217.

Bussey-Smith, K.L. & Rossen, R.D. (2007). A systematic review of randomized control trials evaluating the effectiveness of interactive computerized asthma patient education programs. *Annals of Allergy, Asthma & Immunology*, 98(6), 507-516.

Cakir, H. & Pinar, R. (2006). Randomized controlled trial on lifestyle modification in hypertensive patients... including commentary by: Clark AM and response by Pinar and Cakir. *Western Journal of Nursing Research*, 28(2), 190-215.

Caldwell, M. A., Peters, K.J. & Dracup, K. A. (2005). A simplified education program improves knowledge, self-care behavior, and disease severity in heart failure patients in rural settings. *American Heart Journal*, 150(5), 983.

Calzone, K.A., Prindiville, S.A., Jourkiv, O., Jenkins, J., DeCarvalho, M., Wallerstedt, D.B.,...Kirsch, I.R. (2005). Randomized comparison of group versus individual genetic education and counseling for familial breast and/or ovarian cancer. *Journal of Clinical Oncology*, 23(15), 3455-3464.

Campbell, M. K., Carr, C., Devellis, B., Switzer, B., Biddle, A., Amamoo, M. A.,...Sandler, R. (2009). A randomized trial of tailoring and motivational interviewing to promote fruit and vegetable consumption for cancer prevention and control. *Annals of Behavioral Medicine*, 38(2), 71-85.

Canadian Public Health Association (CPHA). (2006). *Health Literacy Interventions and Outcome*. Retrieved from www.cpha.ca/uploads/portals/h-l/interventions_e.pdf

Canadian Public Health Association (CPHA). (2006). *Low Health Literacy and Chronic Disease Prevention and Perspectives from the Health and Public Health Sectors*. Retrieved from www.cpha.ca/uploads/portals/h-l/kl_summary_e.pdf

Cardenas, D.D., Hoffman, J.M., Kelly, E. & Mayo, M.E. (2004). Impact of a urinary tract infection educational program in persons with spinal cord injury. *Journal of Spinal Cord Medicine*, 27(1), 47-54.

Carey, M.P., Coury-Doniger, P., Senn, T.E., Venable, P.A. & Urban, M.A. (2008). Improving HIV rapid

testing rates among STD clinic patients: A randomized controlled trial. *Health Psychology*, 27(6), 833-838.

Cartledge Hoff, A. & Haaga, D. A. (2005). Effects of an education program on radiation oncology patients and families. *Journal of Psychosocial Oncology*, 23(4), 61-79.

Casey, M. K., Timmermann, L., Allen, M., Krahn, S. & Turkiewicz, K. (2009). Response and self-efficacy of condom use: A meta-analysis of this important element of AIDS education and prevention. *Southern Communication Journal*, 74(1), 57-78.

Champion, V., Skinner, C.S., Hui, S., Monahan, P., Juliar, B., Daggy, J. & Menon, U. (2007). The effect of telephone versus print tailoring for mammography adherence. *Patient Education and Counseling*, 65(3), 416-423.

Chan, C.W.H. (2005). Psychoeducational intervention: a critical review of systematic analyses. *Clinical Effectiveness in Nursing*, 9(3-4), 101-111.

Chan, M. F. & Ko, C. Y. (2006). Osteoporosis prevention education programme for women. *Journal of Advanced Nursing*, 54(2), 159-170.

Chen, H.S., Wu, T.E., Jap, T.S., Chen, R.L. & Lin, H.D. (2008). Effects of health education on glycemic control during holiday time in patients with type 2 diabetes mellitus. *American Journal of Managed Care*, 14(1), 45-51.

Cheyette, C. (2007). Weight No More: A randomised controlled trial for people with type 2 diabetes on insulin therapy. *Practical Diabetes International*, 24(9), 450-456.

Chien, W. T., Chan, S., Morrissey, J. & Thompson, D. (2005). Effectiveness of a mutual support group for families of patients with schizophrenia. *Journal of Advanced Nursing*, 51(6), 595-608.

Chien, W. T., Chiu, Y.L., Lam, L.W. & Ip, W.Y. (2006). Effects of a needs-based education programme for family carers with a relative in an intensive care unit: A quasi-experimental study. *International Journal of Nursing Studies*, 43(1), 39-50.

Chiou, P. Y., Kuo, B.I., Lee, M.B., Chen, Y.M., Chuang, P. & Lin, L.C. (2006). A programme of symptom management for improving quality of life and drug adherence in AIDS/HIV patients. *Journal of Advanced Nursing*, 55(2), 169-79.

Chiou, Y., Kuo, B.I., Chen, Y.M., Wu, S.I. & Lin, L.C. (2004). A program of symptom management for improving self-care for patients with HIV/AIDS. *AIDS Patient Care and STDS*, 18(9), 539-547.

Chiu, W. K. & Newcomer, R. A. (2007). A systematic review of nurse-assisted case management to improve hospital discharge transition outcomes for the elderly. *Professional Case Management*, 12(6), 330-336.

Chodosh, J., Morton, S., Mojica, W., Maglione, M., Suttorp, M., Hilton, L.,...Shekelle, P. (2005). Meta-analysis: Chronic disease self-management programs for older adults. *Annals of Internal Medicine*, 143(6), 427-438.

- Christenhusz, L., Pieterse, M., Seydel, E. & van der Palen, J. (2007). Prospective determinants of smoking cessation in COPD patients within a high intensity or a brief counseling intervention. *Patient Education and Counseling*, 66(2), 162-166.
- Christman, N.J. & Cain, L.B. (2004). The effects of concrete objective information and relaxation on maintaining usual activity during radiation therapy. *Oncology Nursing Forum*, 31(2), E39-E45.
- Cimprich, B., Janz, N.K., Northouse, L., Wren, P.A., Given, B. & Given, C.W. (2005). Taking CHARGE: A self-management program for women following breast cancer treatment. *Psychooncology*, 14(9), 704-17.
- Clark, N.M., Gong, Z.M., Wang, S.J., Lin, X., Bria, W.F. & Johnson, T.R. (2007). A randomized trial of a self-regulation intervention for women with asthma. *CHEST*, 132(1), 88-97.
- Clark, P. M., Karagoz, T., Apikoglu-Rabus, S. & Izzettin, F.V. (2007). Effect of pharmacist-led patient education on adherence to tuberculosis treatment. *American Journal of Health System Pharmacy*, 64(5), 497-505.
- Clemson, L., Cumming, R.G., Kendig, H., Swann, M., Heard, R. & Taylor, K. The effectiveness of a community-based program for reducing the incidence of falls in the elderly: A randomized trial. *Journal of the American Geriatrics Society*, 52(9), 1487-1494.
- Clowers-Webb, H. E., Christenson, L.J., Phillips, P.K., Roenigk, R.K., Nguyen, T.H., Weaver, A.L. & Otley, C.C. (2006). Educational outcomes regarding skin cancer in organ transplant recipients: Randomized intervention of intensive vs standard education. *Archives of Dermatology*, 142(6), 712-718.
- Cochran, J. & Conn, V. S. (2008). Meta-analysis of quality of life outcomes following diabetes self-management training. *The Diabetes Educator*, 34(5), 815-823.
- Coleman, S., Briffa, N.K., Carroll, G., Inderjeeth, C., Cook, N. & McQuade, J. (2008). Effects of self-management, education and specific exercises, delivered by health professionals, in patients with osteoarthritis of the knee. *BMC Musculoskeletal Disorders*, 9, 133.
- Cooper, H., Booth, K. & Gill, G. (2008). A trial of empowerment-based education in type 2 diabetes--global rather than glycaemic benefits. *Diabetes Research and Clinical Practice*, 82(2), 165-171.
- Conn, V. S., Hafdahl, A.R., Brown, S.A. & Brown, L.M. (2008). Meta-analysis of patient education interventions to increase physical activity among chronically ill adults. *Patient Education and Counseling*, 70(2), 157-172.
- Coster, S. & Norman, I. (2009). Cochrane reviews of educational and self-management interventions to guide nursing practice: A review. *International Journal of Nursing Studies*, 46(4), 508-528.
- Coultas, D., Frederick, J., Barnett, B., Singh, G. & Wludyka, P. (2005). A randomized trial of two types of nurse-assisted home care for patients with COPD. *Chest*, 128(4), 2017-2024.
- Craven, M. A. & Bland, R. (2006). Better practices in collaborative mental health care: An analysis of the evidence base. *Canadian Journal of Psychiatry*, 51(6 Suppl 1), 7S-72S.
- Crawford Shearer, N.B., Fleury, J.D. & Belyea, M. (2010). Randomized control trial of health empowerment intervention: Feasibility and impact. *Nursing Research*, 59(3), 203-211.
- Curry, M. A., Durham, L., Bullock, L., Bloom, T. & Davis, J. (2006). Nurse case management for pregnant women experiencing or at risk for abuse. *JOGNN: Journal of Obstetric, Gynecologic & Neonatal Nursing*, 35(2), 181-192.

- Cutilli, C. C. (2007). Health literacy in geriatric patients: An integrative review of the literature. *Orthopaedic Nursing, 26*(1), 43-48.
- Czuchry, M. & Dansereau, D. F. (2004). The importance of need for cognition and educational experience in enhanced and standard substance abuse treatment. *Journal of Psychoactive Drugs, 36*(2), 243-251.
- Damschroder, L. J., Lutes, L. D., Goodrich, D. E., Gillon, L. & Lowery, J. C. (2010). A small-change approach delivered via telephone promotes weight loss in veterans: results from the ASPIRE-VA pilot study. *Patient Education and Counseling, 79*(2), 262-266.
- Davis, S. M., Martinelli, D., Braxton, B., Kutrovac, K. & Crocco, T. (2009). The impact of the extended parallel process model on stroke awareness: Pilot results from a novel study. *Stroke, 40*(12), 3857-3863.
- De Cocker, K.A., De Bourdeaudhuij, I.M. & Cardon, G.M. (2008). The effect of pedometer use in combination with cognitive and behavioral support materials to promote physical activity. *Patient Education and Counseling, 70*(2), 209-214.
- Deakin, T. A., Cade, J. E., Williams, R. & Greenwood, D. C. (2006). Structured patient education: The diabetes X-PERT Programme makes a difference. *Diabetic Medicine, 23*(9), 944-954.
- Deakin, T.A., McShane, C.E., Cade, J.E. & Williams, R.D. (2005). Group based training for self-management strategies in people with type 2 diabetes mellitus. *Cochrane Database of Systematic Review, 2*, CD003417.
- Dennis, C.L. & Kingston, D. (2008). A systematic review of telephone support for women during pregnancy and the early postpartum period. *JOGNN - Journal of Obstetric, Gynecologic, & Neonatal Nursing, 37*(3), 301-314.
- Desplenter, F.A., Simoens, S. & Laekeman, G. (2006). The impact of informing psychiatric patients about their medication: a systematic review. *Pharmacy World & Science, 28*(6), 329-341.
- DeWalt, D. A., Broucksou, K.A., Hawk, V., Baker, D.W., Schillinger, D., Ruo, B.,...Pignone, M. (2009). Comparison of a one-time educational intervention to a teach-to-goal educational intervention for self-management of heart failure: design of a randomized controlled trial. *BMC Health Services Research, 9*, 99.
- Devins, G.M., Mendelsohn, D.C., Barre, P.E., Taub, K. & Binik, Y.M. (2005). Predialysis psychoeducational intervention extends survival in CKD: A 20-year follow-up. *American Journal of Kidney Diseases, 46*(6), 1088-1098.
- Deyirmenjian, M., Karam, N. & Salameh, P. (2006). Preoperative patient education for open-heart patients: A source of anxiety? *Patient Education and Counseling, 62*(1), 111-117.
- Dolbeault, S., Cayrou, S., Bredart, A., Viala, A. L., Desclaux, B., Saltel, P.,...Dickes, P. (2009). The effectiveness of a psycho-educational group after early-stage breast cancer treatment: Results of a randomized French study. *Psycho-Oncology, 18*(6), 647-656.
- Donald, K. J., McBurney, H., Teichtahl, H. & Irving, L. (2008). A pilot study of telephone based asthma management. *Australian Family Physician, 37*(3), 170-173.

- Doughty, A. H. & Kane, L. M. (2010). Teaching abuse-protection skills to people with intellectual, disabilities: A review of the literature. *Research in Developmental Disabilities, 31*(2), 331-337.
- Dracup, K., McKinley, S., Riegel, B., Mieschke, H., Doering, L.V. & Moser, D.K. (2006). A nursing intervention to reduce prehospital delay in acute coronary syndrome: a randomized clinical trial. *Journal of Cardiovascular Nursing, 21*(3), 186-193.
- Du, W., Mood, D., Gadgeel, S. & Simon, M. S. (2008). An educational video to increase clinical trials enrollment among lung cancer patients. *Journal of Thoracic Oncology, 3*(1), 23-29.
- Dufour, N., Thamsborg, G., Oefeldt, A., Lundsgaard, C. & Stender, S. (2010). Treatment of chronic low back pain: A randomized, clinical trial comparing group-based multidisciplinary biopsychosocial rehabilitation and intensive individual therapist-assisted back muscle strengthening exercises. *Spine, 35*(5), 469-476.
- Duke, S. A., Colaquiuri, S. & Colaquiuri, R. (2009). Individual patient education for people with type 2 diabetes mellitus. *Cochrane Database Systematic Review, 1*, CD005268.
- Dumrongpakapakorn, P., Hopkins, K., Sherwood, P., Zorn, K. & Donovan, H. (2009). Computer-mediated patient education: Opportunities and challenges for supporting women with ovarian cancer. *Nursing Clinics of North America, 44*(3), 339-354.
- Duncan, G. E., Anton, S. D., Sydeman, S. J., Newton, R. L., Jr., Corsica, J. A., Durning, P. E.,...Perri, M.G. (2005). Prescribing exercise at varied levels of intensity and frequency: a randomized trial. *Archives of Internal Medicine, 165*(20), 2362-2369.
- Dusek, J.A., Hibberd, P.L., Buczynski, B., Chang, B., Dusek, K.C., Johnston, J.M.,...Zusman, R.M. (2008). Stress management versus lifestyle modification on systolic hypertension and medication elimination: a randomized trial. *Journal of Alternative and Complementary Medicine, 14*(2), 129-138.
- Dyson, P. A., Beatty, S. & Matthews, D. R. (2010). An assessment of lifestyle video education for people newly diagnosed with type 2 diabetes. *Journal of Human Nutrition & Dietetics, 23*(4), 353-359.
- Eakin, E. G., Bull, S. S., Riley, K. M., Reeves, M. M., McLaughlin, P. & Gutierrez, S. (2007). Resources for health: A primary-care-based diet and physical activity intervention targeting urban Latinos with multiple chronic conditions. *Health Psychology, 26*(4), 392-400.
- Edelman, D., Oddone, E.Z., Liebowitz, R.S., Yancy, W.S. Jr., Olsen, M.K., Jeffreys, A.S.,...Gaudet, T.W. (2006). A multidimensional integrative medicine intervention to improve cardiovascular risk. *Journal of General Internal Medicine, 21*(7), 728-734.
- Edwards, A., Thomas, R., Williams, R., Ellner, A.L., Brown, P. & Elwyn, G. (2006). Presenting risk information to people with diabetes: Evaluating effects and preferences for different formats by a web-based randomized controlled trial. *Patient Education and Counseling, 63*(3), 336-349.
- Effing, T., Monninkhof, E. van der Valk, P., van der Palen, J., van Herwaarden, C., Partidge, M.,...Zielhuis, G. (2007). Self-management education for patients with chronic obstructive pulmonary disease. The Cochrane Library, 4.
- Eisermann, U., Haase, I. & Kladny, B. (2004). Computer-aided multimedia training in orthopedic

rehabilitation. *American Journal of Physical Medicine & Rehabilitation*, 83(9), 670-680.

Eklund, K., Sonn, U. & Dahlin-Ivanoff, S. (2004). Long-term evaluation of a health education programme for elderly persons with visual impairment. A randomized study. *Disability & Rehabilitation*, 26(7), 401-409.

Ekman, I., Andersson, G., Boman, K., Charlesworth, A., Cleland, J.G., Poole-Wilson, P. & Swedberg, K. (2006). Adherence and perception of medication in patients with chronic heart failure during a five-year randomised trial. *Patient Education and Counseling*, 61(3), 348-353.

Elkjaer, M., Burisch, J., Avnstrom, S., Lyngge, E. & Munkholm, P. (2010). Development of a web-based concept for patients with ulcerative colitis and 5-aminosalicylic acid treatment. *European Journal of Gastroenterology & Hepatology*, 22(6), 695-704.

Ell, K., Vourlekis, B., Xie, B., Nedjat-Haiem, F. R., Lee, P. J., Muderspach, L.,...Palinkas, L. A. (2009). Cancer treatment adherence among low-income women with breast or gynecologic cancer: A randomized controlled trial of patient navigation. *Cancer*, 115(19), 4606-4615.

Ellis, S.E., Speroff, T., Dittus, R.S., Brown, A., Pichert, J.W. & Elasy, T.A. (2004). Diabetes patient education: A meta-analysis and meta-regression. *Patient Education and Counseling*, 52(1), 97-105.

Ennis, M., Thain, J., Boggild, M., Baker, G.A. & Young, C.A. (2006). A randomized controlled trial of a health promotion education programme for people with multiple sclerosis. *Clinical Rehabilitation*, 20(9), 783-792.

Enriquez, M., Cheng, A. L., McKinsey, D.S. & Stanford, J. (2009). Development and efficacy of an intervention to enhance readiness for adherence among adults who had previously failed HIV treatment. *AIDS Patient Care & STDs*, 23(3), 177-184.

Estabrooks, P.A., Nelson, C.C., Xu, S., King, D., Bayliss, E.A., Gaglio, B.,...Glasgow, R.E. (2005). The frequency and behavioral outcomes of goal choices in the self-management of diabetes. *Diabetes Educator*, 31(3), 391-400.

Fairall, L.R., Zwarenstein, M., Bateman, E.D., Bachmann, M., Lombard, C., Majara, B.P.,...Chapman, R.D. (2005). Effect of educational outreach to nurses on tuberculosis case detection and primary care of respiratory illness: Pragmatic cluster randomised controlled trial. *BMJ: British Medical Journal*, 331(7519), 750-754.

Faller, H., Koch, G. F., Reusch, A., Pauli, P. & Allgayer, H. (2009). Effectiveness of education for gastric cancer patients: a controlled prospective trial comparing interactive vs. lecture-based programs. *Patient Education and Counseling*, 76(1), 91-98.

Faller, H., Reusch, A., Strobl, V. & Ellgring, H. (2009). Effectiveness of small-group interactive education vs. information-only lectures regarding healthier lifestyles in rehabilitation patients. A prospective controlled trial. *International Journal of Rehabilitation Research*, 32, S40-S41.

Fan, L. & Sidani, S. (2009). Effectiveness of diabetes self-management education intervention elements: a meta-analysis. *Canadian Journal of Diabetes*, 33(1), 18-26.

Farmer, A.J., Prevost, A.T., Hardeman, W., Craven, A., Sutton, S., Griffin, S.J. & Kinmonth, A.L. (2008). Protocol for SAMS (Support and Advice for Medication Study): A randomised controlled trial of an

intervention to support patients with type 2 diabetes with adherence to medication. *BMC Family Practice*, 9, 20.

Feldman, P.H., Murtaugh, C.M., Pezzin, L.E., McDonald, M.V. & Peng, T. R. (2005). Just-in-time evidence-based e-mail "reminders" in home health care: Impact on patient outcomes. *Health Services Research*, 40(3), 865-885.

Feldstein, A., Elmer, P.J., Smith, D.H., Herson, M., Orwoll, E., Chen, C.,...Swain, M.C. (2006). Electronic medical record reminder improves osteoporosis management after a fracture: A randomized, controlled trial. *Journal of the American Geriatrics Society*, 54(3), 450-457.

Fernandez, R. S., Evans, V., Griffiths, R. D. & Mostacchi, M. S. (2006). Educational interventions for mental health consumers receiving psychotropic medication: A review of the evidence. *International Journal of Mental Health Nursing*, 15(1), 70-80.

Ferrari, R., Rowe, B.H., Majumdar, S.R., Cassidy, J.D., Blitz, S., Wright, S.C. & Russell, A.S. (2005). Simple educational intervention to improve the recovery from acute whiplash: Results of a randomized, controlled trial. *Academic Emergency Medicine*, 12(8), 699-706.

Fife, B.L., Scott, L.L., Fineberg, N.S. & Zwickl, B.E. (2008). Promoting adaptive coping by persons with HIV disease: Evaluation of a patient/partner intervention model. *The Journal of the Association of Nurses in AIDS Care*, 19(1), 75-84.

Figar, S., Galarza, C., Petrik, E., Hornstein, L., Rodriguez Loria, G., Waisman, G.,...de Quiros, F.G. (2006). Effect of education on blood pressure control in elderly persons: A randomized controlled trial. *American Journal of Hypertension*, 19(7), 737-743.

Fowles, J. B., Terry, P., Xi, M., Hibbard, J., Bloom, C. T. & Harvey, L. (2009). Measuring self-management of patients' and employees' health: Further validation of the Patient Activation Measure (PAM) based on its relation to employee characteristics. *Patient Education and Counseling*, 77(1), 116-122.

Fox, M. P. (2009). A systematic review of the literature reporting on studies that examined the impact of interactive, computer-based patient education programs. *Patient Education and Counseling*, 77(1), 6-13.

Franzen, C., Brulin, C., Stenlund, H. & Bjornstig, U. (2009). Injured road users' health-related quality of life after telephone intervention: A randomised controlled trial. *Journal of Clinical Nursing*, 18(1), 108-116.

Fredericks, S. (2009). The relationship between CABG patient characteristics and perceived learning needs: A secondary analysis. *Canadian Journal of Cardiovascular Nursing*, 19(1), 13-19.

Fredericks, S. (2009). Timing for delivering individualized patient education intervention to Coronary Artery Bypass Graft patients: An RCT. *European Journal of Cardiovascular Nursing*, 8(2), 144-150.

Fredericks, S., Beanlands, H., Spalding, K. & Da Silva, M. (2010). Effects of the characteristics of teaching on the outcomes of heart failure patient education interventions: A systematic review. *European Journal of Cardiovascular Nursing*, 9(1), 30-37.

Fredericks, S., Guruge, S., Sidani, S. & Wan, T. (2010). Postoperative patient education: A systematic review. *Clinical Nursing Research*, 19(2), 144-164.

Fredericks, S., Ibrahim, S. & Puri, R. (2009). Coronary artery bypass graft surgery patient education: A systematic review. *Progress in Cardiovascular Nursing*, 24(4), 162-168.

- Friedman, D. B. & Hoffman-Goetz, L. (2008). Literacy and health literacy as defined in cancer education research: A systematic review. *Health Education Journal*, 67(4), 285-304.
- Gallant, M. & Maticka-Tyndale, E. (2004). School-based HIV prevention programmes for African youth. *Social Science & Medicine*, 58(7), 1337-1351.
- Gallefoss, F. (2004). The effects of patient education in COPD in a 1-year follow-up randomised, controlled trial. *Patient Education and Counseling*, 52(3), 259-266.
- Garrett, N., Hageman, C.M., Sibley, S.D., Davern, M., Berger, M., Brunzell, C.,...Richards, S. (2005). The effectiveness of an interactive small group diabetes intervention in improving knowledge, feeling of control, and behavior. *Health Promotion Practice*, 6(3), 320-328.
- Garside, R., Pearson, M. & Moxham, T. (2010). What influences the uptake of information to prevent skin cancer? A systematic review and synthesis of qualitative research. *Health Education Research*, 25(1), 162-182.
- Gary, R. (2006). Exercise self-efficacy in older women with diastolic heart failure: results of a walking program and education intervention. *Journal of Gerontological Nursing*, 32(7), 31-41.
- Gattellari, M. & Ward, J. E. (2005). A community-based randomised controlled trial of three different educational resources for men about prostate cancer screening. *Patient Education Counselling*, 57(2), 168-182.
- Gazmararian, J.A., Curran, J.W., Parker, R.M., Bernhardt, J.M. & DeBuono, B.A. (2005). Public Health Literacy in America: An ethical imperative. *American Journal of Preventive Medicine*, 28(3), 317- 322.
- George, S.Z., Teyhen, D.S., Wu, S.S., Wright, A., Dugan, J.L., Yang, G.,...Childs, J.D. (2009). Psychosocial education improves low back pain beliefs: Results from a cluster randomized clinical trial (NCT00373009). *Journal of Orthopaedic & Sports Physical Therapy*, 39(1), A30-A31.
- Ghahari, S., Leigh Packer, T. & Passmore, A. (2010). Effectiveness of an online fatigue self-management programme for people with chronic neurological conditions: A randomized controlled trial. *Clinical Rehabilitation*, 24(8), 727-744.
- Gies, C. E., Buchman, D., Robinson, J. & Smolen, D. (2008). Effect of an inpatient nurse-directed smoking cessation program. *Western Journal of Nursing Research*, 30(1), 6-19.
- Giesler, R.B., Given, B., Given, C.W., Rawl, S., Monahan, P., Burns, D.,...Champion, V. (2005). Improving the quality of life of patients with prostate carcinoma: A randomized trial testing the efficacy of a nurse-driven intervention. *Cancer*, 104(4), 752-762.
- Gijsbers, B., Mesters, I., Knottnerus, J.A., Kester, A.D.M. & van Schayck, C.P. (2006). The success of an educational program to promote exclusive breastfeeding for 6 months in families with a history of asthma: a randomized controlled trial. *Pediatric Asthma, Allergy & Immunology*, 19(4), 214-222.
- Gillum, T. L., Sun, C. J. & Woods, A. B. (2009). Can a health clinic-based intervention increase safety in abused women? Results from a pilot study. *Journal of Women's Health*, 18(8), 1259-1264.
- Gimenez, M., Servera, E., Abril, E., Saavedra, P., Darias, M., Gomez, A. & Hannhart, B. (2010). Comprehensive directed breathing retraining improves exertional dyspnea for men with spirometry within normal limits. *American Journal of Physical Medicine & Rehabilitation*, 89(2), 90-98.

- Giraudet-Le Quintrec, J., Mayoux-Benhamou, A., Ravaud, P., Champion, K., Dernis, E., Zerkak, D.,...Dougados, M. (2007). Effect of a collective educational program for patients with rheumatoid arthritis: A prospective 12-month randomized controlled trial. *Journal of Rheumatology*, 34(8), 1684-1691.
- Glasgow, R.E., Estabrooks, P.A., Marcus, A.C., Smith, T.L., Gaglio, B., Levinson, A.H. & Tong, S. (2008). Evaluating initial reach and robustness of a practical randomized trial of smoking reduction. *Health Psychology*, 27(6), 780-788.
- Glasscoe, C. A. & Quittner, A. L. (2008). Psychological interventions for people with cystic fibrosis and their families. *Cochrane Database of Systematic Reviews*, (3), CD003148.
- Glazebrook, C., Garrud, P., Avery, A, Coupland, C. & Williams, H. (2006). Impact of a multimedia intervention "Skinsafe" on patients' knowledge and protective behaviors. *Preventive Medicine*, 42(6), 449-454.
- Gleeson-Kreig, J. M. (2006). Self-monitoring of physical activity: Effects on self-efficacy and behavior in people with type 2 diabetes. *The Diabetes Educator*, 32(1), 69-77.
- Glynn, L. G., Murphy, A. W., Smith, S. M., Schroeder, K. & Fahey, T. (2010). Interventions used to improve control of blood pressure in patients with hypertension. *Cochrane Database of Systematic Reviews*, 3, CD005182.
- Godino, C., Jodar, L., Duran, A., Martinez, I. & Schiaffino, A. (2006). Nursing education as an intervention to decrease fatigue perception in oncology patients. *European Journal of Oncology Nursing*, 10(2), 150-155.
- Goeppinger, J., Armstrong, B., Schwartz, T., Ensley, D. & Brady, T. (2007). Self-management education for persons with arthritis: Managing comorbidity and eliminating health disparities. *Arthritis and Rheumatism*, 57(6), 1081-1088.
- Goeppinger, J., Lorig, K. R., Ritter, P. L., Mutatkar, S., Villa, F., & Gizlice, Z. (2009). Mail-delivered arthritis self-management tool kit: A randomized trial and longitudinal followup. *Arthritis & Rheumatism*, 61(7), 867-875.
- Goldsworthy, S., Lawrence, N. & Goodman, W. (2006). The use of personal digital assistants at the point of care in an undergraduate nursing program. *CIN: Computers, Informatics, Nursing*, 24(3), 138-143.
- Gong, J., Stanton, B., Lunn, S., Deveaux, L., Li, X., Marshall, S.,...Chen, X. (2009). Effects through 24 months of an HIV/AIDS prevention intervention program based on protection motivation theory among preadolescents in the Bahamas. *Pediatrics*, 123(5), e917-e928.
- Goudswaard, A. N., Stolk, R.P., Zuithoff, N., de Valk, H. & Rutten, G. (2004). Long-term effects of self-management education for patients with Type 2 diabetes taking maximal oral hypoglycaemic therapy: A randomized trial in primary care. *Diabetic Medicine*, 21(5), 491-496.
- Goulding, L., Furze, G. & Birks, Y. (2010). Randomized controlled trials of interventions to change maladaptive illness beliefs in people with coronary heart disease: Systematic review. *Journal of Advanced Nursing*, 66(5), 946-961.

- Green, T., Haley, E., Eliasziw, M. & Hoyte, K. (2007). Education in stroke prevention: Efficacy of an educational counselling intervention to increase knowledge in stroke survivors. *Canadian Journal of Neuroscience Nursing, 29*(2), 13-20.
- Griffiths, K.M. & Christensen, H. (2007). Internet-based mental health programs: A powerful tool in the rural medical kit. *The Australian Journal of Rural Health, 15*(2), 81-87.
- Grime, J., Blenkinsopp, A., Raynor, D., Pollock, K. & Knapp, P. (2007). The role and value of written information for patients about individual medicines: A systematic review. *Health Expectations, 10*(3), 286-298.
- Grosset, K. A. & Grosset, D. G. (2007). Effect of educational intervention on medication timing in Parkinson's disease: A randomized controlled trial. *BMC Neurology, 7*, 20.
- Guo, L., Jiang, Y., Yatsuya, H., Yoshida, Y. & Sakamoto, J. (2009). Group education with personal rehabilitation for idiopathic Parkinson's disease. *Canadian Journal of Neurological Sciences, 36*(1), 51-59.
- Gwadry-Sridhar, F., Arnold, J., Zhang, Y., Brown, J. Marchiori, G. & Guyatt, G. (2005). Pilot study to determine the impact of a multidisciplinary educational intervention in patients hospitalized with heart failure. *American Heart Journal, 150*(5), 982.
- Gysels, M. & Higginson, I. J. (2007). Interactive technologies and videotapes for patient education in cancer care: Systematic review and meta-analysis of randomised trials. *Support Care in Cancer, 15*(1), 7-20.
- Hack, T.F., Pickles, T., Bultz, B.D., Ruether, J.D., & Degner, L.F. (2007) Impact of providing audiotapes of primary treatment consultations to men with prostate cancer: A multi-site, randomized controlled trial. *Psycho-Oncology, 16*(6), 543-552.
- Haines, T., Gross, A.R., Burnie, S., Goldsmith, C.H., Perry, L., Graham, N., & Cervical Overview Group (COG) (2009). A Cochrane review of patient education for neck pain. *The Spine Journal, 9*(10), 859-871.
- Haines, T. P., Hill, K.D., Bennell, K.L. & Osborne, R. (2006). Patient education to prevent falls in subacute care. *Clinical Rehabilitation, 20*(11), 970-979.
- Hammond, A. & Freeman, K. (2006). Community patient education and exercise for people with fibromyalgia: A parallel group randomized controlled trial. *Clinical Rehabilitation, 20*(10), 835-846.
- Hammond, A. & Freeman, K. (2004). The long-term outcomes from a randomized controlled trial of an educational-behavioural joint protection programme for people with rheumatoid arthritis. *Clinical Rehabilitation, 18*(5), 520-528.
- Handley, M., MacGregor, K., Schillinger, D., Sharifi, C., Wong, S. & Bodenheimer, T. (2006). Using action plans to help primary care patients adopt healthy behaviors: A descriptive study. *Journal of the American Board of Family Medicine, 19*(3), 224-31.
- Hanssen, T.A., Nordrehaug, J.E., Eide, G.E. & Hanestad, B.R. (2007). Improving outcomes after myocardial infarction: A randomized controlled trial evaluating effects of a telephone follow-up intervention. *European Journal of Cardiovascular Prevention & Rehabilitation, 14*(3), 429-437.

- Hansson, M., Bodlund, O. & Chotai, J. (2008). Patient education and group counselling to improve the treatment of depression in primary care: A randomized controlled trial. *Journal of Affective Disorders*, 105(1-3), 235-240.
- Harrington, R., Taylor, G., Hollinghurst, S., Reed, M., Kay, H. & Wood, V. A. (2010). A community-based exercise and education scheme for stroke survivors: A randomized controlled trial and economic evaluation. *Clinical Rehabilitation*, 24(1), 3-15.
- Hartman, J. H., Bena, J., McIntyre, S., & Albert, N. M. (2009). Does a photo diary decrease stress and anxiety in children undergoing magnetic resonance imaging? A randomized, controlled study. *Journal of Radiology Nursing*, 28(4), 122-128.
- Hausenblas, H.A., Brewer, B.W., Van Raalte, J.L., Cook, B., Symons Downs, D., Weis, C.A.,...Cruz, A. (2008). Development and evaluation of a multimedia CD-ROM for exercise during pregnancy and postpartum. *Patient Education and Counseling*, 70(2), 215-219.
- Hawley, S.T., Zikmund-Fisher, B., Ubel, P., Jancovic, A., Lucas, T. & Fagerlin, A. (2008). The impact of the format of graphical presentation on health-related knowledge and treatment choices. *Patient Education and Counseling*, 73(3), 448-455.
- Haywood, K., Marshall, S. & Fitzpatrick, R. (2006). Patient participation in the consultation process: A structured review of intervention strategies. *Patient Education and Counseling*, 63(1-2), 12-23.
- Hearnshaw, H., Lindenmeyer, A., Vermeire, E., Van Royen, P., Wens, J. & Biot, Y. (2006). Interventions to improve adherence to medication in people with type 2 diabetes mellitus: The role of nurses. *European Diabetes Nursing*, 3(2), 73-77.
- Heaven, C., Clegg, J. & Maguire, P. (2006). Transfer of communication skills training from workshop to workplace: The impact of clinical supervision. *Patient Education and Counseling*, 60(3), 313-325.
- Heikkinen, K., Helena, L., Taina, N., Anne, K. & Sanna, S. (2008). A comparison of two educational interventions for the cognitive empowerment of ambulatory orthopaedic surgery patients. *Patient Education and Counseling*, 73(2), 272-279.
- Helmes, A.W., Culver, J.O. & Bowen, D.J. (2006). Results of a randomized study of telephone versus in-person breast cancer risk counseling. *Patient Education & Counseling*, 64(1-3), 96-103.
- Henrotin, Y.E., Cedraschi, C., Duplan, B., Bazin, T. & Duquesnoy, B. (2006). Information and low back pain management: A systematic review. *Spine*, 31(11), E326-E334.
- Henry, J.A., Loovis, C., Montero, M., Kaelin, C., Anselmi, K., Coombs, R.,...James, K.E. (2007). Randomized clinical trial: Group counseling based on tinnitus retraining therapy. *Journal of Rehabilitation Research & Development*, 44(1), 21-32.
- Hermanns, N., Kulzer, B., Kubiak, T., Krichbaum, M. & Haak, T. (2007). The effect of an education programme (HyPOS) to treat hypoglycaemia problems in patients with type 1 diabetes. *Diabetes/ Metabolism Research and Reviews*, 23(7), 528-538.
- Hersch, J., Juraskova, I., Price, M. & Mullan, B. (2009). Psychosocial interventions and quality of life in

gynaecological cancer patients: A systematic review. *Psycho-Oncology*, 18(8), 795-810.

Herschorn, S., Becker, D., Miller, E., Thompson, M. & Forte, L. (2004). Impact of a health education intervention in overactive bladder patients. *The Canadian Journal of Urology*, 11(6), 2430-2437.

Hesselink, A.E., Penninx, B.W., van der Windt, D.A., van Duin, B.J., de Vries, P., Twisk, J.W.,...van Eijk, J.T. (2004). Effectiveness of an education programme by a general practice assistant for asthma and COPD patients: Results from a randomised controlled trial. *Patient Education and Counseling*, 55(1), 121-128.

Hickson, L., Worrall, L. & Scarinci N. (2007). A randomized controlled trial evaluating the Active Communication Education program for older people with hearing impairment. *Ear & Hearing*, 28(2), 212-230.

Hill, A. & Brettle, A. (2006). Counselling older people: What can we learn from research evidence? *Journal of Social Work Practice*, 20(3), 281-297.

Hill, A. M., McPhail, S., Hoffmann, T., Hill, K., Oliver, D., Beer, C.,...Haines, T. (2009). A randomized trial comparing digital video disc with written delivery of falls prevention education for older patients in hospital. *Journal of the American Geriatrics Society*, 57(8), 1458-1463.

Hillhouse, J., Turrisi, R., Stapleton, J., & Robinson, J. (2010). Effect of seasonal affective disorder and pathological tanning motives on efficacy of an appearance-focused intervention to prevent skin cancer. *Archives of Dermatology*, 146(5), 485-491.

Ho, M. J., Yao, G., Lee, K. L., Hwang, T. J. & Beach, M. C. (2010). Long-term effectiveness of patient-centered training in cultural competence: What is retained? What is lost? *Academic Medicine*, 85(4), 660-664.

Ho, S. M., Heh, S. S., Jevitt, C. M., Huang, L. H., Fu, Y. Y., & Wang, L. L. (2009). Effectiveness of a discharge education program in reducing the severity of postpartum depression: A randomized controlled evaluation study. *Patient Education and Counseling*, 77(1), 68-71.

Hoey, L. M., Ieropoli, S.C., White, V. M. & Jefford, M. (2008). Systematic review of peer-support programs for people with cancer. *Patient Education and Counseling*, 70(3), 315-337.

Hoffmann, T., McKenna, K., Worrall, L. & Read, S.J. (2007). Randomised trial of a computer-generated tailored written education package for patients following stroke. *Age and Ageing*, 36(3), 280-286.

Hoffmann, T. & Worrall, L. (2004). Designing effective written health education materials: considerations for health professionals. *Disability and Rehabilitation*, 26(19), 1166-1173.

Hokanson, J.M., Anderson, R.L., Hennrikus, D.J., Lando, H.A. & Kendall, D.M. (2006). Integrated tobacco cessation counseling in a diabetes self-management training program: A randomized trial of diabetes and reduction of tobacco. *The Diabetes Educator*, 32(4), 562-570.

Holbrook, A., Labiris, R., Goldsmith, C.H., Ota, K., Harb, S. & Sebaldt, R.J. (2007). Influence of decision aids on patient preferences for anticoagulant therapy: A randomized trial. *CMAJ: Canadian Medical Association Journal*, 176(11), 1583-1587.

- Holland, R., Lenaghan, E., Harvey, I., Smith, R., Shepstone, L., Lipp A.,...Hand, C. (2005). Does home based medication review keep older people out of hospital? The HOMER randomised controlled trial. *BMJ: British Medical Journal*, 330(7486), 293-295.
- Holland, S.K., Greenberg, J., Tidwell, L., Malone, J., Mullan, J. & Newcomer, R. (2005). Community-based health coaching, exercise, and health service utilization. *Journal of Aging and Health*, 17(6), 697-716.
- Holt, C. L., Wynn, T. A., Litaker, M. S., Southward, P., Jeames, S. & Schulz, E. (2009). A comparison of a spiritually based and non-spiritually based educational intervention for informed decision making for prostate cancer screening among church-attending African-American men. *Urologic Nursing*, 29(4), 249-258.
- Huang, H., Liu, C., Huang, Y. & Kernohan, W.G. (2010). Community-based interventions to reduce falls among older adults in Taiwan -- Long time follow-up randomised controlled study. *Journal of Clinical Nursing*, 19(7-8), 959-968.
- Huang, J. P., Chen, H. H. & Yeh, M. L. (2009). A comparison of diabetes learning with and without interactive multimedia to improve knowledge, control, and self-care among people with diabetes in Taiwan. *Public Health Nursing*, 26(4), 317-328.
- Huang, T.T. & Acton, G.J. (2004). Effectiveness of home visit falls prevention strategy for Taiwanese community-dwelling elders: Randomized trial. *Public Health Nursing*, 21(3), 247-256.
- Huang, T.T., Li, Y.T. & Wang, C.H. (2008). Individualized programme to promote self-care among older adults with asthma: Randomized controlled trial. *Journal of Advanced Nursing*, 65(2), 348-358.
- Hubbard, G., Kidd, L., Donaghy, E., McDonald, C. & Kearney, N. (2007). A review of literature about involving people affected by cancer in research, policy and planning and practice. *Patient Education and Counseling*, 65(1), 21-33.
- Hunter Fager, J. & Mazurek Melnyk, B. (2004). The effectiveness of intervention studies to decrease alcohol use in college undergraduate students: An integrative analysis. *Worldviews on Evidence-Based Nursing*, 1(2), 102-119.
- Hutt, E., Radcliff, T. A., Oman, K. S., Fink, R., Ruscin, J. M., Linnebur, S.,...McNulty, M. (2010). Impact of NHAP guideline implementation intervention on staff and resident vaccination rates. *Journal of the American Medical Directors Association*, 11(5), 365-370.
- Higgins, A., Barker, P. & Begley, C.M. (2006). Sexual health education for people with mental health problems: What can we learn from the literature? *Journal of Psychiatric & Mental Health Nursing*, 13(6), 687-697.
- Idriss, N. Z., Alikhan, A., Baba, K., & Armstrong, A. W. (2009). Online, video-based patient education improves melanoma awareness: A randomized controlled trial. *Telemedicine Journal and E-Health*, 15(10), 992-997.
- Irwin, M.R., Olmstead, R. & Oxman, M.N. (2007). Augmenting immune responses to varicella zoster virus in older adults: A randomized, controlled trial of Tai Chi. *Journal of the American Geriatrics Society*, 55(4),

511-517.

Iserning, E., Capra, S. & Bauer, J. (2004). Patient satisfaction is rated higher by radiation oncology outpatients receiving nutrition intervention compared with usual care. *Journal of Human Nutrition and Dietetics*, 17(2), 145-152.

Ishikawa, H. & Yano, E. (2008). Patient health literacy and participation in the health-care process. *Health Expectations*, 11(2), 113-122.

Ismail, K., Thomas, S.M., Maissi, E., Chalder, T., Schmidt, U., Bartlett, J.,...Treasure, J. (2008). Motivational enhancement therapy with and without cognitive behavior therapy to treat type 1 diabetes: A randomized trial. *Annals of Internal Medicine*, 149(10), 708-719.

Jack, L. Jr., Liburd, L., Spencer, T. & Airhihenbuwa, C.O. (2004). Understanding the environmental issues in diabetes self-management education research: A reexamination of 8 studies in community-based settings. *Annals of Internal Medicine*, 140(11), 964-971.

Jahanfar, S., Lye, M.S. & Rampal, L. (2009). A randomised controlled trial of peer-adult-led intervention on improvement of knowledge, attitudes and behaviour of university students regarding HIV/AIDS in Malaysia. *Singapore Medical Journal*, 50(2), 173-180.

Janda, M., Baade, P. D., Youl, P. H., Aitken, J. F., Whiteman, D. C., Gordon, L. & Neale, R.E. (2010). The skin awareness study: Promoting thorough skin self-examination for skin cancer among men 50 years or older. *Contemporary Clinical Trials*, 31(1), 119-130.

Jansá, M., Vidal, M., Viaplana, J., Levy, I., Conget, I., Gomis, R. & Esmatjes, E. (2006). Telecare in a structured therapeutic education programme addressed to patients with type 1 diabetes and poor metabolic control. *Diabetes Research and Clinical Practice*, 74(1), 26-32.

Jansen, J., van Weert, J., van Dulmen, S., Heeren, T. & Bensing, J. (2007). Patient education about treatment in cancer care: An overview of the literature on older patients' needs. *Cancer Nursing*, 30(4), 251-260.

Jansson, M. & Linton, S.J. (2005). Cognitive-behavioral group therapy as an early intervention for insomnia: A randomized controlled trial. *Journal of Occupational Rehabilitation*, 15(2), 177-190.

Jerant, A., Moore-Hill, M. & Franks, P. (2009). Home-based, peer-led chronic illness self-management training: findings from a 1-year randomized controlled trial. *Annals of Family Medicine*, 7(4), 319-327.

Jeste, D.V., Dunn, L.B., Folsom, D.P. & Zisook, D. (2008). Multimedia educational aids for improving consumer knowledge about illness management and treatment decisions: A review of randomized controlled trials. *Journal of Psychiatric Research*, 42(1), 1-21.

Johansson, K., Salanterä, S., Heikkinen, K., Kuusisto, A., Virtanen, H. & Leino-Kilpi, H. (2004). Surgical patient education: Assessing the interventions and exploring the outcomes from experimental and quasiexperimental studies from 1990 to 2003. *Clinical Effectiveness in Nursing*, 8(2), 81-92.

Johansson, K., Salanterä, S. & Katajisto, J. (2007). Empowering orthopaedic patients through preadmission education: Results from a clinical study. *Patient Education and Counseling*, 66(1), 84-91.

Johansson, K., Nuutila, L., Virtanen, H., Katajisto, J. & Salanterä, S. (2005). Preoperative education for orthopaedic patients: Systematic review. *Journal of Advanced Nursing*, 50(2), 212-223.

Johnson, A. & Sandford, J. (2005). Written and verbal information versus verbal information only for patients being discharged from acute hospital settings to home: Systematic review. *Health Education Research*, 20(4), 423-429.

Jones, L.A., Weymiller, A.J., Shah, N., Bryant, S.C., Christianson, T.J., Guyatt, G.H.,...Montori, V.M. (2009). Should clinicians deliver decision aids? Further exploration of the Statin Choice randomized trial results. *Medical Decision Making*, 29(4), 468-474.

Jones, R.B., Pearson, J., Cawsey, A.J., Bental, D., Barrett, A., White, J.,...Gilmour, W.H. (2006). Effect of different forms of information produced for cancer patients on their use of the information, social support, and anxiety: Randomised trial. *BMJ: British Medical Journal*, 332(7547), 942-948.

Jorm, A.F., Kitchener, B.A., O'Kearney, R. & Dear, K.B. (2004). Mental health first aid training of the public in a rural area: A cluster randomized trial [ISRCTN53887541]. *BMC Psychiatry*, 4, 33.

Kakudate, N., Morita, M., Sugai, M. & Kawanami, M. (2009). Systematic cognitive behavioral approach for oral hygiene instruction: a short-term study. *Patient Education and Counseling*, 74(2), 191-196.

Karlsen, B., Idsoe, T., Dirdal, I., Rokne Hanestad, B. & Bru, E. (2004). Effects of a group-based counselling programme on diabetes-related stress, coping, psychological well-being and metabolic control in adults with type 1 or type 2 diabetes. *Patient Education and Counseling*, 53(3), 299-308.

Karlson, E.W., Liang, M.H., Eaton, H., Huang, J., Fitzgerald, L., Rogers, M.P. & Daltroy, L.H. (2004). A randomized clinical trial of a psychoeducational intervention to improve outcomes in systemic lupus erythematosus. *Arthritis and Rheumatism*, 50(6), 1832-1841.

Katz, D.A., Muehlenbruch, D.R., Brown, R.L., Fiore, M.C., Baker, T.B. & AHRQ Smoking Cessation Guideline Study Group. (2004). Effectiveness of implementing the Agency for Healthcare Research and Quality Smoking Cessation Clinical Practice Guideline: A randomized, controlled trial. *JNCI: Journal of the National Cancer Institute*, 96(8), 594-603.

Katz, M.G., Kripalani, S. & Weiss, B.D. (2006). Use of pictorial aids in medication instructions: A review of the literature. *American Journal of Health-System Pharmacy*, 63(23), 2391-2397.

Keller, D.L., Wright, J. & Pace, H.A. (2008). Impact of health literacy on health outcomes in ambulatory care patients: A systematic review. *The Annals of Pharmacotherapy*, 42(9), 1272-1281.

Kelley, K. & Abraham, C. (2004). RCT of a theory-based intervention promoting healthy eating and physical activity amongst out-patients older than 65 years. *Social Science & Medicine*, 59(4), 787-797.

Kennedy, A. P., Nelson, E., Reeves, D., Richardson, G., Roberts, C., Robinson, A.,...The North-West Regional Gastrointestinal Research Group. (2004). A randomised controlled trial to assess the effectiveness and cost of a patient orientated self management approach to chronic inflammatory bowel disease. *Gut*, 53(11), 1639-1645.

Keulers, B.J., Welters, C.F., Spauwen, P.H. & Houpt, P. (2007). Can face-to-face patient education be replaced by computer-based patient education? A randomised trial. *Patient Education and Counseling*,

67(1-2), 176-182.

Kielty, L.A. (2008). Patient education and endoscopy: A literature review. *Gastrointestinal Nursing*, 6(7), 28-36.

Kiesler, D.J. & Auerbach, S.M. (2006). Optimal matches of patient preferences for information, decision-making and interpersonal behavior: Evidence, models and interventions. *Patient Education and Counseling*, 61(3), 319-341.

Kim, C.J. & Kang, D.H. (2006). Utility of a Web-based intervention for individuals with type 2 diabetes: the impact on physical activity levels and glycemic control. *CIN: Computers, Informatics, Nursing*, 24(6), 337-345.

Kim, J.E., Dodd, M., West, C., Paul, S., Facione, N., Schumacher, K.,...Miaskowski, C. (2004). The PRO-SELF pain control program improves patients' knowledge of cancer pain management. *Oncology Nursing Forum*, 31(6), 1137-1143.

Kim, H.S., Yoo, Y.S. & Shim, H.S. (2005). Effects of an Internet-based intervention on plasma glucose levels in patients with type 2 diabetes. *Journal of Nursing Care Quality*, 20(4), 335-340.

Kim, M.T., Han, H.R., Song, H.J., Lee, J.E., Kim, J., Ryu, J.P. & Kim, K.B. (2009). A community-based, culturally tailored behavioral intervention for Korean Americans with type 2 diabetes. *The Diabetes Educator*, 35(6), 986-994.

Kincade, J.E., Dougherty, M.C., Busby-Whitehead, J., Carlson, J.R., Nix, W.B., Kelsey, D.T.,...Rix, A.D. (2005). Self-monitoring and pelvic floor muscle exercises to treat urinary incontinence. *Urologic Nursing*, 25(5), 353-363.

King, A.B., Wolfe, G.S. & Armstrong, D.U. (2007). Evaluation of a patient education booklet (SIMPLESTART) effect on postprandial glucose control in type 2 diabetes. *Diabetes Technology & Therapeutics*, 9(3), 241-245.

King, A.C., Friedman, R., Marcus, B., Castro, C., Napolitano, M., Ahn, D. & Baker, L. (2007). Ongoing physical activity advice by humans versus computers: The Community Health Advice by Telephone (CHAT) trial. *Health Psychology*, 26(6), 718-727.

King, A.C., Marcus, B., Ahn, D., Dunn, A.L., Rejeski, W.J., Sallis, J.F.,...Activity Counseling Trial Research Group. (2006). Identifying subgroups that succeed or fail with three levels of physical activity intervention: The Activity Counseling Trial. *Health Psychology*, 25(3), 336-347.

King, K., Witten, B., Brown, J.M., Whitlock, R.W. & Waterman, A.D. (2008). The Missouri kidney program's patient education program: a 12-year retrospective analysis. *Nephrology News & Issues*, 22(12), 44.

Kingston, G., Gray, M.A. & Williams, G. (2010). A critical review of the evidence on the use of videotapes or DVD to promote patient compliance with home programmes. *Disability and Rehabilitation: Assistive Technology*, 5(3), 153-163.

Kinnane, N., Stuart, E., Thompson, L., Evans, K. & Schneider-Kolsky, M. (2008). Evaluation of the

addition of video-based education for patients receiving standard pre-chemotherapy education. *European Journal of Cancer Care*, 17(4), 328-339.

Kinnersley, P., Edwards, A.G., Hood, K., Cadbury, N., Ryan, R., Prout, H.,...Butler, C. (2007). Interventions before consultations for helping patients address their information needs. *Cochrane Database of Systematic Reviews*, 18(3), CD004565.

Kinnersley, P., Edwards, A., Hood, K., Ryan, R., Prout, H., Cadbury, N.,...Butler, C. (2008). Interventions before consultations to help patients address their information needs by encouraging question asking: Systematic review. *BMJ: British Medical Journal*, 337, a485.

Kirk, A.F., Barnett, J. & Mutrie, N. (2007). Physical activity consultation for people with type 2 diabetes: evidence and guidelines. *Diabetic Medicine*, 24(8), 809-816.

Kirsch, S.E. & Lewis, F.M. (2004). Using the world wide web in health-related intervention research. A review of controlled trials. *CIN: Computers, Informatics, Nursing*, 22(1), 8-18.

Kline, K. S., Scott, L.D. & Britton, A.S. (2007). The use of supportive-educative and mutual goal-setting strategies to improve self-management for patients with heart failure. *Home Healthcare Nurse*, 25(8), 502-510.

Koff, P.B., Jones, R.H., Cashman, J.M., Voelkel, N.F. & Vandivier, R.W. (2009). Proactive integrated care improves quality of life in patients with COPD. *The European Respiratory Journal*, 33(5), 1031-1038.

Kongsted, A., Qerama, E., Kasch, H., Bach, F.W., Korsholm, L., Jensen, T.S. & Bendix, T. (2008). Education of patients after whiplash injury: Is oral advice any better than a pamphlet? *Spine*, 33(22), E843-E848.

Kotz, D., Huibers, M. J., West, R. J., Wesseling, G. & van Schayck, O. C. (2009). What mediates the effect of confrontational counselling on smoking cessation in smokers with COPD? *Patient Education and Counseling*, 76(1), 16-24.

Kotz, D., Wesseling, G., Huibers, M.J. & van Schayck, O.C. (2007). Efficacy of confrontational counselling for smoking cessation in smokers with previously undiagnosed mild to moderate airflow limitation: Study protocol of a randomized controlled trial. *BMC Public Health*, 7, 332.

Koumantakis, G.A., Watson, P.J. & Oldham, J.A. (2005). Trunk muscle stabilization training plus general exercise versus general exercise only: Randomized controlled trial of patients with recurrent low back pain. *Physical Therapy*, 85(3), 209-225.

Kovacs, F., Abaira, V., Santos, S., Diaz, E., Gestoso, M., Muriel, A.,...Spanish Back Pain Research Network. (2007). A comparison of two short education programs for improving low back pain-related disability in the elderly: A cluster randomized controlled trial. *Spine*, 32(10), 1053-1059.

Kramer, S.E., Allessie, G.H.M., Dondorp, A.W., Zekveld, A.A. & Kapteyn, T.S. (2005). A home education program for older adults with hearing impairment & their significant others: A randomized trial evaluating short- and long-term effects. *International Journal of Audiology*, 44(5), 255-264.

Kreman, R., Yates, B.C., Agrawal, S., Fiandt, K., Briner, W. & Shurmur, S. (2006). The effects of

motivational interviewing on physiological outcomes. *Applied Nursing Research*, 19(3), 167-170.

Kripalani, S., Robertson, R., Love-Ghaffari, M.H., Henderson, L.E., Praska, J., Strawder, A.,...Jacobson, T.A. (2007). Development of an illustrated medication schedule as a low-literacy patient education tool. *Patient Education and Counseling*, 66(3), 368-377.

Kripalani, S., Sharma, J., Justice, E., Justice, J., Spiker, C., Laufman, L.E.,...Jacobson, T.A. (2007). Low-literacy interventions to promote discussion of prostate cancer: A randomized controlled trial. *American Journal of Preventive Medicine*, 33(2), 83-90.

Kripalani, S., Yao, X. & Haynes, R.B. (2007). Interventions to enhance medication adherence in chronic medical conditions: A systematic review. *Archives of Internal Medicine*, 167(6), 540-550.

Krishna, S., Boren, S.A. & Balas, E.A. (2009). Healthcare via cell phones: A systematic review. *Telemedicine Journal and E-Health*, 15(3), 231-240.

Krist, A. H., Woolf, S.H., Johnson, R.E. & Kerns, J.W. (2007). Patient education on prostate cancer screening and involvement in decision making. *Annals of Family Medicine*, 5(2), 112-119.

Kroeze, W., Oenema, A., Campbell, M. & Brug, J. (2008). Comparison of use and appreciation of a print-delivered versus CD-ROM-delivered, computer-tailored intervention targeting saturated fat intake: randomized controlled trial. *Journal of Medical Internet Research*, 10(2), e12.

Kroeze, W., Oenema, A., Dagnelie, P.C. & Brug, J. (2008). Examining the minimal required elements of a computer-tailored intervention aimed at dietary fat reduction: Results of a randomized controlled dismantling study. *Health Education Research*, 23(5), 880-891.

Kroeze, W., Werkman, A. & Brug, J. (2006). A systematic review of randomized trials on the effectiveness of computer-tailored education on physical activity and dietary behaviors. *Annals of Behavioral Medicine*, 31(3), 205-223.

Krones, T., Keller, H., Becker, A., Sonnichsen, A., Baum, E. & Donner-Banzhoff, N. (2010). The theory of planned behaviour in a randomized trial of a decision aid on cardiovascular risk prevention. *Patient Education and Counseling*, 78(2), 169-176.

Krousel-Wood, M.A., Berger, L., Jiang, X., Blonde, L., Myers, L. & Webber, L. (2008). Does home-based exercise improve body mass index in patients with type 2 diabetes? Results of a feasibility trial. *Diabetes Research and Clinical Practice*, 79(2), 230-236.

Kuhl, E. A., Sears, S. F., Vazquez, L. D. & Conti, J. B. (2009). Patient-assisted computerized education for recipients of implantable cardioverter defibrillators: A randomized controlled trial of the PACER program. *Journal of Cardiovascular Nursing*, 24(3), 225-231.

Kulp, J.L., Rane, S. & Bachmann, G. (2004). Impact of preventive osteoporosis education on patient behavior: immediate and 3-month follow-up. *Menopause*, 11(1), 116-119.

Kulzer, B., Hermanns, N., Reinecker, H. & Haak, T. (2007). Effects of self-management training in type 2 diabetes: A randomized, prospective trial. *Diabetic Medicine*, 24(4), 415-423.

- Kwon, H. S., Cho, J. H., Kim, H. S., Song, B. R., Ko, S. H., Lee, J. M.,...Yoon, K. H. (2004). Establishment of blood glucose monitoring system using the internet. *Diabetes Care*, 27(2), 478-483.
- Lamb, A.L., Finlayson, M., Mathiowetz, V. & Chen, H.Y. (2005). The outcomes of using self-study modules in energy conservation education for people with multiple sclerosis. *Clinical Rehabilitation*, 19(5), 475-481.
- Langeland, E., Riise, T., Hanestad, B.R., Nortvedt, M.W., Kristoffersen, K. & Wahl, A.K. (2006). The effect of salutogenic treatment principles on coping with mental health problems: A randomised controlled trial. *Patient Education and Counseling*, 62(2), 212-219.
- Lavery, L.A., Higgins, K.R., Lanctot, D.R., Constantinides, G.P., Zamorano, R.G., Athanasiou, K.A.,...Agrawal, C.M. (2007). Preventing diabetic foot ulcer recurrence in high-risk patients: Use of temperature monitoring as a self-assessment tool. *Diabetes Care*, 30(1), 14-20.
- Lawson, P. J. & Flocke, S. A. (2009). Teachable moments for health behavior change: A concept analysis. *Patient Education and Counseling*, 76(1), 25-30.
- Lee, L., Packer, T.L., Tang, S.H. & Girdler, S. (2008). Self-management education programs for age-related macular degeneration: A systematic review. *Australasian Journal on Ageing*, 27(4), 170-176.
- Lee, J.T. & Yen, H. (2007). Randomized controlled evaluation of a theory-based postpartum sexual health education programme. *Journal of Advanced Nursing*, 60(4), 389-401.
- Leeks, K. D., Hopkins, D. P., Soler, R. E., Aten, A., Chattopadhyay, S. K., & Task Force on Community Preventive Services (2010). Worksite-based incentives and competitions to reduce tobacco use. A systematic review. *American Journal of Preventive Medicine*, 38(2 Suppl), S263-274.
- Lehna C. (2007). The impact of health literacy on patient outcomes. *Care Management*, 13(6), 27-32.
- Lemstra, M. & Olszynski, W.P. (2005). The effectiveness of multidisciplinary rehabilitation in the treatment of fibromyalgia: a randomized controlled trial. *Clinical Journal of Pain*, 21(2), 166-174.
- Leonhardt, C., Keller, S., Chenot, J.F., Luckmann, J., Basler, H.D, Wegscheider, K.,...Becker, A. (2008). TTM-based motivational counselling does not increase physical activity of low back pain patients in a primary care setting--A cluster-randomized controlled trial. *Patient Education and Counseling*, 70(1), 50-60.
- Leung, K.Y., Lee, C.P., Chan, H.Y., Tang, M.H., Lam, Y.H. & Lee, A. (2004). Randomised trial comparing an interactive multimedia decision aid with a leaflet and a video to give information about prenatal screening for Down syndrome. *Prenatal Diagnosis*, 24(8), 613-618.
- Levitt, A. J., Mueser, K. T., Degenova, J., Lorenzo, J., Bradford-Watt, D., Barbosa, A.,...Chernick, M. (2009). Randomized controlled trial of illness management and recovery in multiple-unit supportive housing. *Psychiatric Services*, 60(12), 1629-1636.
- Li, H.C.W., Lopez, V. & Lee, T.L.I. (2007). Psychoeducational preparation of children for surgery: the importance of parental involvement. *Patient Education and Counseling*, 65(1), 34-41.
- Lin, J.S., Whitlock, E., O'Connor, E. & Bauer, V. (2008). Behavioral counseling to prevent sexually

transmitted infections: A systematic review for the U.S. Preventive Services Task Force. *Annals of Internal Medicine*, 149(7), 497-508.

Lin, S., Neoh, C., Huang, Y., Wang, K., Ng, H. & Shi, H. (2010). Educational program for myofascial pain syndrome. *Journal of Alternative and Complementary Medicine*, 16(6), 633-640.

Lindberg, N.M., Stevens, V.J., Smith, S., Glasgow, R.E. & Toobert, D.J. (2009). A brief intervention designed to increase breast cancer self-screening. *American Journal of Health Promotion*, 23(5), 320-323.

Lindenmeyer, A., Hearnshaw, H., Vermeire, E., Van Royen, P., Wens, J., & Biot, Y. (2006). Interventions to improve adherence to medication in people with type 2 diabetes mellitus: A review of the literature on the role of pharmacists. *Journal of Clinical Pharmacy and Therapeutics*, 31(5), 409-419.

Lindskov, S., Westergren, A. & Hagell, P. (2007). A controlled trial of an educational programme for people with Parkinson's disease. *Journal of Nursing and Healthcare of Chronic Illness in association with Journal of Clinical Nursing*, 16(11C), 368-376.

Linne, A.B. & Liedholm, H. (2006). Effects of an interactive CD-program on 6 months readmission rate in patients with heart failure - A randomised, controlled trial [NCT00311194]. *BMC Cardiovascular Disorders*, 6, 30.

Lintonen, T.P., Konu, A.I. & Seedhouse, D. (2008). Information technology in health promotion. *Health Education Research*, 23(3), 560-566.

Little, P., Rumsby, K., Kelly, J., Watson, L., Moore, M., Warner, G.,...Williamson, I. (2005). Information leaflet and antibiotic prescribing strategies for acute lower respiratory tract infection: a randomized controlled trial. *JAMA: Journal of the American Medical Association*, 293(24), 3029-3035.

Liu, C. J., Kemper, S. & McDowd, J. (2009). The use of illustration to improve older adults' comprehension of health-related information: Is it helpful? *Patient Education and Counseling*, 76(2), 283-288.

Lo, S., Hayter, M., Hsu, M., Lin, S. & Lin, S. (2010). The effectiveness of multimedia learning education programs on knowledge, anxiety and pressure garment compliance in patients undergoing burns rehabilitation in Taiwan: An experimental study. *Journal of Clinical Nursing*, 19(1-2), 129-137.

Lock, C.A. (2004). Screening and brief alcohol interventions: what, why, who, where and when? A review of the literature. *Journal of Substance Use*, 9(2), 91-101.

Lopez, M.L., Iglesias, J.M., del Valle, M.O., Comas, A., Fernandez, J.M., de Vries, H.,...FAPACAN Group. (2007). Impact of a primary care intervention on smoking, drinking, diet, weight, sun exposure, and work risk in families with cancer experience. *Cancer Causes & Control*, 18(5), 525-535.

Lorig, K.R., Ritter, P.L., Laurent, D.D. & Fries, J.F. (2004). Long-term randomized controlled trials of tailored-print and small-group arthritis self-management interventions. *Medical Care*, 42(4), 346-354.

Lorig, K., Ritter, P.L., Villa, F.J. & Armas, J. (2009). Community-based peer-led diabetes self-management: A randomized trial. *Diabetes Educator*, 35(4), 641-651.

Loveman, E., Frampton, G.K. & Clegg, A.J. (2008). The clinical effectiveness of diabetes education models for Type 2 diabetes: A systematic review. *Health Technology Assessment*, 12(9), 1-116.

Lowe, D.B., Sharma, A.K. & Leathley, M.J. (2007). The carefile project: A feasibility study to examine the effects of an individualized information booklet on patients after stroke. *Age & Ageing*, 36(1), 83-89.

- Lustria, M.L., Cortese, J., Noar, S.M. & Glueckauf, R.L. (2009). Computer-tailored health interventions delivered over the web: Review and analysis of key components. *Patient Education and Counseling*, 74(2), 156-173.
- MacDonald, G. (2002). Transformative unlearning: Safety, discernment and communities of learning. *Nursing Inquiry*, 9(3), 170-178.
- Machtinger, E.L., Wang, F., Chen, L.L., Rodriguez, M., Wu, S. & Schillinger, D. (2007). A visual medication schedule to improve anticoagulation control: A randomized controlled trial. *The Joint Commission Journal on Quality and Patient Safety*, 33(10), 625-635.
- Mackay, J., Schulz, P., Rubinelli, S. & Pithers, A. (2007). Online patient education and risk assessment: Project OPERA from Cancerbackup. Putting inherited breast cancer risk information into context using argumentation theory. *Patient Education and Counseling*, 67(3), 261-266.
- Magar, Y., Vervloet, D., Steenhouwer, F., Smaga, S., Mechin, H., Rocca Serra, J.P.,...d'Ivernois, J.F. (2005). Assessment of a therapeutic education programme for asthma patients: "Un souffle nouveau". *Patient Education and Counseling*, 58(1), 41-46.
- Makoul, G., Cameron, K. A., Baker, D. W., Francis, L., Scholtens, D. & Wolf, M. S. (2009). A multimedia patient education program on colorectal cancer screening increases knowledge and willingness to consider screening among Hispanic/Latino patients. *Patient Education and Counseling*, 76(2), 220-226.
- Malm, D., Karlsson, J.E. & Fridlund, B. (2007). Effects of a self-care program on the health-related quality of life of pacemaker patients: A nursing intervention study. *Canadian Journal of Cardiovascular Nursing*, 17(1), 15-26.
- Maltais, F., Bourbeau, J., Shapiro, S., Lacasse, Y., Perrault, H., Baltzan, M.,...Bernard, S. (2008). Effects of home-based pulmonary rehabilitation in patients with chronic obstructive pulmonary disease: A randomized trial. *Annals of Internal Medicine*, 149(12), 869-878.
- Mancuso, C. A., Sayles, W., & Allegrante, J. P. (2010). Randomized trial of self-management education in asthmatic patients and effects of depressive symptoms. *Annals of Allergy, Asthma & Immunology*, 105(1), 12-19.
- Mandelblatt, J.S., Cullen, J., Lawrence, W.F., Stanton, A.L., Yi, B., Kwan, L. & Ganz, P.A. (2008). Economic evaluation alongside a clinical trial of psycho-educational interventions to improve adjustment to survivorship among patients with breast cancer. *Journal of Clinical Oncology*, 26(10), 1684-1690.
- Mank, A. & Molenaar, S. (2008). An interactive CD-ROM to inform patients about stem cell transplantation. *Patient Education and Counseling*, 73(1), 121-126.
- Manne, S.L., Coups, E.J., Markowitz, A., Meropol, N.J., Haller, D., Jacobsen, P.B.,...Winkel, G. (2009). A randomized trial of generic versus tailored interventions to increase colorectal cancer screening among intermediate risk siblings. *Annals of Behavioral Medicine*, 37(2), 207-217.
- Manning, D.M., O'Meara, J.G., Williams, A.R., Rahman, A., Tammel, K.J., Myhre, D. & Carter, L. (2007). 3D: A tool for medication discharge education. *Quality and Safety in Health Care*, 16(1), 71-76.

- Manns, B.J., Taub, K., VanderStraeten, C., Jones, H., Mills, C., Visser, M. & McLaughlin, K. (2005). The impact of education on chronic kidney disease patients' plans to initiate dialysis with self-care dialysis: A randomized trial. *Kidney International*, 68(4), 1777-1783
- Marco, C.A., Marco, A.P., Plewa, M.C., Buderer, N., Bowles, J. & Lee, J. (2006). The verbal numeric pain scale: Effects of patient education on self-reports of pain. *Academic Emergency Medicine*, 13(8), 853-859.
- Marks, R., Allegrante, J.P. & Lorig, K. (2005). A review and synthesis of research evidence for self-efficacy-enhancing interventions for reducing chronic disability: Implications for health education practice (part II). *Health Promotion Practice*, 6(2), 148-156.
- Marsch, L.A. & Bickel, W.K. (2004). Efficacy of computer-based HIV/AIDS education for injection drug users. *American Journal of Health Behavior*, 28(4), 316-327.
- Martin, J.T., Hoffman, M.K. & Kaminski, P.F. (2005). NPs vs. IT for effective colposcopy patient education. *Nurse Practitioner*, 30(4), 52-53.
- Martin, M.A., Catrambone, C., Kee, R.A., Evans, A.T., Sharp, L.K., Lyttle, C.,...The Chicago Initiative to Raise Asthma Health Equity Investigative Team. (2009). Improving asthma self-efficacy: Developing & testing a pilot community-based asthma intervention for African American adults. *Journal of Allergy and Clinical Immunology*, 123(1), 153-159.
- Martire, L.M., Schulz, R., Keefe, F.J., Rudy, T.E. & Starz, T.W. (2007). Couple-oriented education and support intervention: Effects on individuals with osteoarthritis and their spouses. *Rehabilitation Psychology*, 52(2), 121-132.
- Mayoux-Benhamou, A., Giraudet-Le Quintrec, J.S., Ravaud, P., Champion, K., Dernis, E., Zerkak, D.,...Dougados, M. (2008). Influence of patient education on exercise compliance in rheumatoid arthritis: A prospective 12-month randomized controlled trial. *Journal of Rheumatology*, 35(2), 216-223.
- Mazor, K.M., Baril, J., Dugan, E., Spencer, F., Burgwinkle, P. & Gurwitz, J.H. (2007). Patient education about anticoagulant medication: Is narrative evidence or statistical evidence more effective? *Patient Education and Counseling*, 69(1-3), 145-157.
- McDonald, D.D., Goncalves, P.H., Almario, V.E., Krajewski, A.L., Cervera, P.L., Kaeser, D.M.,...Moose, P.E. (2006). Assisting women to learn myocardial infarction symptoms. *Public Health Nursing*, 23(3), 216-223.
- McDonald, D. D., Martin, D., Foley, D., Baker, L., Hintz, D., Faure, L.,...Price, S. (2010). Motivating people to learn cardiopulmonary resuscitation and use of automated external defibrillators. *Journal of Cardiovascular Nursing*, 25(1), 69-74.
- McDonald, D., Monaco, A., Guo, R., Fiano, J., Matney, L., Turner, G.,...Taboada, S. (2009). The effect of personal relevance on learning stroke symptoms/response. *Western Journal of Nursing Research*, 31(2), 141-152.
- McDonald, M.V., Pezzin, L.E., Feldman, P.H., Murtaugh, C.M. & Peng, T.R. (2005). Can just-in-time,

evidence-based "reminders" improve pain management among home health care nurses and their patients? *Journal of Pain and Symptom Management*, 29(5), 474-488.

McDonald, S., Hetrick, S.E. & Green, S. (2004). Pre-operative education for hip or knee replacement. *Cochrane Database of Systematic Reviews*, (1), CD003526.

McDoniel, S. O., Wolskee, P. & Shen, J. (2010). Treating obesity with a novel hand-held device, computer software program, and Internet technology in primary care: the SMART motivational trial. *Patient Education and Counseling*, 79(2), 185-191.

McDonough, R.P., Doucette, W.R., Kumbera, P. & Klepser, D.G. (2005). An evaluation of managing and educating patients on the risk of glucocorticoid-induced osteoporosis. *Value in Health*, 8(1), 24-31.

McGillion, M., Watt-Watson, J., LeFort, S. & Stevens, B. (2007). Positive shifts in the perceived meaning of cardiac pain following a psychoeducation program for chronic stable angina. *Canadian Journal of Nursing Research*, 39(2), 48-65.

McLeod, D., Pullon, S., Benn, C., Cookson, T., Dowell, A., Viccars, A.,...Cooke, M. (2004). Can support and education for smoking cessation and reduction be provided effectively by midwives within primary maternity care? *Midwifery*, 20(1), 37-50.

Menendez-Jandula, B., Souto, J.C., Oliver, A., Montserrat, I., Quintana, M., Gich, I.,...Fontcuberta, J. (2005). Comparing self-management of oral anticoagulant therapy with clinic management: A randomized trial. *Annals of Internal Medicine*, 142(1), 1-10.

Menon, U., Szalacha, L., Belue, R., Rugen, K., Martin, K.R. & Kinney, A.Y. (2008). Interactive, culturally sensitive education on colorectal cancer screening. *Medical Care*, 46(9 Suppl 1), S44-S50.

Merchant, R. C., Clark, M. A., Mayer, K. H., Seage Iii, G. R., DeGruttola, V. G. & Becker, B. M. (2009). Video as an effective method to deliver pretest information for rapid human immunodeficiency testing. *Academic Emergency Medicine*, 16(2), 124-135.

Merchant, R. M., Abella, B. S., Abotsi, E. J., Smith, T. M., Long, J. A., Trudeau, M. E.,...Asch, D.A. (2010). Cell phone cardiopulmonary resuscitation: Audio instructions when needed by lay rescuers: a randomized, controlled trial. *Annals of Emergency Medicine*, 55(6), 538-543.

Merriam, P. A., Tellez, T. L., Rosal, M. C., Olendzki, B. C., Ma, Y., Pagoto, S. L. & Ockene, I.S. (2009). Methodology of a diabetes prevention translational research project utilizing a community-academic partnership for implementation in an underserved Latino community. *BMC Medical Research Methodology*, 9, 20.

Metcalf, C.A., Malotte, C.K., Douglas, J.M.Jr., Paul, S.M., Dillon, B.A., Cross, H.,...Peterman, T.A. (2005). Efficacy of a booster counseling session 6 months after HIV testing and counseling: A randomized, controlled trial (RESPECT-2). *Sexually Transmitted Diseases*, 32(2), 123-129.

Meyer, B., Berger, T., Caspar, F., Beevers, C.G., Andersson, G. & Weiss, M. (2009). Effectiveness of a novel integrative online treatment for depression (Deprexis): Randomized controlled trial. *Journal of Medical Internet Research*, 11(2), e15.

- Meyer, K.G., Fasshauer, M., Nebel, I.T. & Paschke, R. (2004). Comparative analysis of conventional training and a computer-based interactive training program for celiac disease patients. *Patient Education and Counseling*, 54(3), 353-360.
- Miaskowski, C., Dodd, M., West, C., Schumacher, K., Paul, S.M., Tripathy, D. & Koo, P. (2004). Randomized clinical trial of the effectiveness of a self-care intervention to improve cancer pain management. *Journal of Clinical Oncology*, 22(9), 1713-1720.
- Middleton, S., Donnelly, N., Harris, J. & Ward, J. (2005). Nursing intervention after carotid endarterectomy: A randomized trial of Co-ordinated Care Post-Discharge (CCPD). *Journal of Advanced Nursing*, 52(3), 250-261.
- Milani, R.V. & Lavie, C.J. (2009). Impact of worksite wellness intervention on cardiac risk factors and one-year health care costs. *The American Journal of Cardiology*, 104(10), 1389-1392.
- Miller, D. P. Jr., Kimberly, J. R. Jr., Case, L. D. & Wofford, J. L. (2005). Using a computer to teach patients about fecal occult blood screening. A randomized trial. *Journal of General Internal Medicine*, 20(11), 984-988.
- Miller, J. S., Litva, A. & Gabbay, M. (2009). Motivating patients with shoulder and back pain to self-care: Can a videotape of exercise support physiotherapy? *Physiotherapy*, 95(1), 29-35.
- Miller, S.M., Fleisher, L., Roussi, P., Buzaglo, J.S., Schnoll, R., Slater, E.,...Popa-Mabe, M. (2005). Facilitating informed decision making about breast cancer risk and genetic counseling among women calling the NCI's Cancer Information Service. *Journal of Health Communication*, 10(Suppl 1), 119-136.
- Minnie, K.S., van der Walt, S.J. & Klopper, H.C. (2009). A systematic review of counselling for HIV testing of pregnant women. *Journal of Clinical Nursing*, 18(13), 1827-1841.
- Mollaoglu, M. & Beyazit, E. (2009). Influence of diabetic education on patient metabolic control. *Applied Nursing Research*, 22(3), 183-190.
- Moller, T., Borregaard, N., Tvede, M. & Adamsen, L. (2005). Patient education -- A strategy for prevention of infections caused by permanent central venous catheters in patients with haematological malignancies: A randomized clinical trial. *Journal of Hospital Infection*, 61(4), 330-341.
- Moriyama, M., Nakano, M., Kuroe, Y., Nin, K., Niitani, M. & Nakaya, T. (2009). Efficacy of a self-management education program for people with type 2 diabetes: Results of a 12 month trial. *Japan Journal of Nursing Science*, 6(1), 51-63.
- Morone, N.E., Rollman, B.L., Moore, C.G., Li, Q. & Weiner, D.K. (2009). A mind-body program for older adults with chronic low back pain: Results of a pilot study. *Pain Medicine*, 10(8), 1395-1407.
- Morrow, D.G., Weiner, M., Steinley, D., Young, J. & Murray, M.D. (2007). Patients' health literacy and experience with instructions: Influence preferences for heart failure medication instructions. *Journal of Aging and Health*, 19(4), 575-593.
- Mosca, L., Christian, A. H., Mochari-Greenberger, H., Kligfield, P. & Smith, S. C. Jr. (2010). A randomized clinical trial of secondary prevention among women hospitalized with coronary heart disease. *Journal of Women's Health*, 19(2), 195-202.

- Moss-Morris, R., McAlpine, L., Disbury, L.P. & Spence, M.J. (2010). A randomized controlled trial of a cognitive behavioural therapy-based self-management intervention for irritable bowel syndrome in primary care. *Psychological Medicine*, 40(1), 85-94.
- Murray, E., Burns, J., See, T.S., Lai, R. & Nazareth, I. (2005). Interactive Health Communication Applications for people with chronic disease. *Cochrane Database of Systematic Reviews* (4):CD004274.
- Murray, E., McCambridge, J., Khadjesari, Z., White, I.R., Thompson, S.G., Godfrey, C.,...Wallace, P. (2007). The DYD-RCT protocol: An on-line randomised controlled trial of an interactive computer-based intervention compared with a standard information website to reduce alcohol consumption among hazardous drinkers. *BMC Public Health*, 7, 306.
- Murray, M. A., Brunier, G., Chung, J. O., Craig, L. A., Mills, C., Thomas, A. & Stacey, D. (2009). A systematic review of factors influencing decision-making in adults living with chronic kidney disease. *Patient Education and Counseling*, 76(2), 149-158.
- Naar-King, S., Parsons, J.T., Murphy, D.A., Chen, X., Harris, D.R. & Belzer, M.E. (2009). Improving health outcomes for youth living with the human immunodeficiency virus: A multisite randomized trial of a motivational intervention targeting multiple risk behaviors. *Archives of Pediatrics and Adolescent Medicine*, 163(12), 1092-1098.
- Napolitano, M.A., Whiteley, J.A., Papandonatos, G., Dutton, G., Farrell, N.C., Albrecht, A.,...Marcus, B.H. (2006). Outcomes from the women's wellness project: A community-focused physical activity trial for women. *Preventive Medicine*, 43(6), 447-453.
- Navarre, M., Patel, H., Johnson, C.E., Durance, A., McMorris, M., Bria, W. & Erickson, S.R. (2007). Influence of an interactive computer-based inhaler technique tutorial on patient knowledge and inhaler technique. *Annals of Pharmacotherapy*, 41(2), 216-221.
- Nebel, I.T., Klemm, T., Fasshauer, M., Muller, U., Verlohren, H.J., Klaiberg, A. & Paschke, R. (2004). Comparative analysis of conventional and an adaptive computer-based hypoglycaemia education programs. *Patient Education and Counseling*, 53(3), 315-318.
- New, N.F. (2007). *The development and outcomes of a co-created diabetes self-management education intervention: a pilot study*. Colorado: University of Colorado Health Sciences Center.
- Newton, M.S. & Ciliska, D. (2006). Internet-based innovations for the prevention of eating disorders: A systematic review. *Eating Disorders*, 14(5), 365-384.
- Nicolson, D.J., Knapp, P., Raynor, D.K., Grime, J. & Pollock, K. (2006). Do themes in consumer medicines information literature reviews reflect those important to stakeholders? *Patient Education and Counseling*, 64(1-3), 112-118.
- Nielsen, D., Ryg, J., Nissen, N., Nielsen, W., Knold, B. & Brixen, K. (2008). Multidisciplinary patient education in groups increases knowledge on osteoporosis: A randomized controlled trial. *Scandinavian Journal of Public Health*, 36(4), 346-352.
- Niemiec, C.P., Ryan, R.M., Deci, E.L. & Williams, G.C. (2009). Aspiring to physical health: The role of aspirations for physical health in facilitating long-term tobacco abstinence. *Patient Education and Counseling*, 74(2), 250-257.
- Nieto-Vazquez, M., Tejada, M. J., Colin, J. & Matos, A. (2009). Results of an osteoporosis educational intervention randomized trial in a sample of Puerto-Rican women. *Journal of Cultural Diversity*, 16(4), 171-177.

- Noar, S.M., Palmgreen, P., Chabot, M., Dobransky, N. & Zimmerman, R.S. (2009). A 10-year systematic review of HIV/AIDS mass communication campaigns: Have we made progress? *Journal of Health Communication, 14*(1), 15-42.
- Nobili, M.P., Piergrossi, S., Brusati, V. & Moja, E.A. (2007). The effect of patient-centered contraceptive counseling in women who undergo a voluntary termination of pregnancy. *Patient Education and Counseling, 65*(3), 361-368.
- Noel-Weiss, J., Rupp, A., Cragg, B., Bassett, V. & Woodend, A.K. (2006). Randomized controlled trial to determine effects of prenatal breastfeeding workshop on maternal breastfeeding self-efficacy and breastfeeding duration. *JOGNN - Journal of Obstetric, Gynecologic, & Neonatal Nursing, 35*(5), 616-624.
- Norweg, A.M., Whiteson, J., Malgady, R., Mola, A. & Rey, M. (2005). The effectiveness of different combinations of pulmonary rehabilitation program components: A randomized controlled trial. *CHEST, 128*(2), 663-672.
- O'Connor, T. M., Jago, R. & Baranowski, T. (2009). Engaging parents to increase youth physical activity a systematic review. *American Journal of Preventive Medicine, 37*(2), 141-149.
- Oliveira, A., Gevirtz, R. & Hubbard, D. (2006). A psycho-educational video used in the emergency department provides effective treatment for whiplash injuries. *Spine, 31*(15), 1652-1657.
- Oliveria, S.A., Dusza, S.W., Phelan, D.L., Ostroff, J.S., Berwick, M. & Halpern, A.C. (2004). Patient adherence to skin self-examination. Effect of nurse intervention with photographs. *American Journal of Preventive Medicine, 26*(2), 152-155.
- Ooi, G.S., Rodrigo, C., Cheong, W.K., Mehta, R.L., Bowen, G. & Shearman, C.P. (2007). An evaluation of the value of group education in recently diagnosed diabetes mellitus. *International Journal of Lower Extremity Wounds, 6*(1), 28-33.
- Ormandy, P. (2008). Information topics important to chronic kidney disease patients: A systematic review. *Journal of Renal Care, 34*(1), 19-27.
- Osterman, R. L. C. (2009). *Motivational interviewing intervention to decrease alcohol use during pregnancy*. University of Cincinnati.
- Ostwald, S.K., Davis, S., Hersch, G., Kelley, C. & Godwin, K.M. (2008). Evidence-based educational guidelines for stroke survivors after discharge home. *Journal of Neuroscience Nursing, 40*(3), 173-179.
- Paasche-Orlow, M.K., Parker, R.M., Gazmararian, J.A., Nielsen-Bohlman, L.T. & Rudd, R.R. (2004). The prevalence of limited health literacy. *Journal of General Internal Medicine, 20*(2), 175-184.
- Paasche-Orlow, M.K., Schillinger, D., Greene, S.M. & Wagner, E.H. (2006). How health care systems can begin to address the challenge of limited health literacy. *Journal of General Internal Medicine, 21*(8), 884-887.
- Paasche-Orlow, M.K. & Wolf, M.S. (2007) Evidence does not support clinical screening of literacy. *Journal of General Internal Medicine, 23*(1), 100-102.
- Paasche-Orlow, M.K. & Wolf, M.S. (2007). The causal pathways linking health literacy to health outcomes. *American Journal of Health Behavior, 31*(Suppl 1), S19-S26.
- Padula, C.A., Yeaw, E. & Mistry, S. (2009). A home-based nurse-coached inspiratory muscle training intervention in heart failure. *Applied Nursing Research, 22*(1), 18-25.

- Patrick, K., Raab, F., Adams, M.A., Dillon, L., Zabinski, M., Rock, C.L.,...Norman, G.C. (2009). A text message-based intervention for weight loss: randomized controlled trial. *Journal of Medical Internet Research, 11*(1), e1.
- Pearce, K.A., Love, M.M., Shelton, B.J., Schoenberg, N.E., Williamson, M.A., Barron, M.A. & Houlihan, J.M. (2008). Cardiovascular risk education and social support (CaRESS): Report of randomized controlled trial from the Kentucky Ambulatory Network (KAN). *Journal of American Board of Family Medicine, 21*(4), 269-281.
- Percac-Lima, S., Grant, R.W., Green, A.R., Ashburner, J.M., Gamba, G., Oo, S.,...Atlas, S.J. (2008). A culturally tailored navigator program for colorectal cancer screening in a community health center: A randomized, controlled trial. *Journal of General Internal Medicine, 24*(2), 211-217.
- Petersen, R., Albright, J., Garrett, J.M. & Curtis, K.M. (2007). Pregnancy and std prevention counseling using an adaptation of motivational interviewing: a randomized controlled trial. *Perspectives on Sexual and Reproductive Health, 39*(1), 21-28.
- Petty, T.L., Dempsey, E.C., Collins, T., Pluss, W., Lipkus, I., Cutter, G.R.,...Weil, K.C. (2006). Impact of customized videotape education on quality of life in patients with chronic obstructive pulmonary disease. *Journal of Cardiopulmonary Rehabilitation, 26*(2), 112-117.
- Philippot, P., Lenoir, N., D'Hoore, W. & Bercy, P. (2005). Improving patients' compliance with the treatment of periodontitis: A controlled study of behavioural intervention. *Journal of Clinical Periodontology, 32*(6), 653-658.
- Phipps, H., Charlton, S. & Dietz, H.P. (2009). Can antenatal education influence how women push in labour? A pilot randomised controlled trial on maternal antenatal teaching for pushing in second stage of labour (PUSH STUDY). *Australian and New Zealand Journal of Obstetrics & Gynaecology, 49*(3), 274-278.
- Pickett-Schenk, S.A., Cook, J.A., Steigman, P., Lippincott, R., Bennett, C. & Grey, D.D. (2006). Psychological well-being and relationship outcomes in a randomized study of family-led education. *Archives of General Psychiatry, 63*(9), 1043-1050.
- Pierce, L. L., Steiner, V. L., Khuder, S. A., Govoni, A. L. & Horn, L. J. (2009). The effect of a web-based stroke intervention on carers' well-being and survivors' use of healthcare services. *Disability and Rehabilitation, 31*(20), 1676-1684.
- Pignone, M., DeWalt, D.A., Sheridan, S., Berkman, N. & Lohr, K.N. (2005). Interventions to improve health outcomes for patients with low literacy: A systematic review. *Journal of General Internal Medicine, 20*(2), 185-192.
- Pinto, B.M., Frierson, G.M., Rabin, C, Trunzo, J.J., & Marcus, B.H. (2005). Home-based physical activity intervention for breast cancer patients. *Journal of Clinical Oncology, 23*(15), 3577-3587.
- Plow, M. A., Mathiowetz, V. & Lowe, D. A. (2009). Comparing individualized rehabilitation to a group wellness intervention for persons with multiple sclerosis. *American Journal of Health Promotion, 24*(1), 23-26.
- Powell, L. H., Calvin, J. E. Jr., Richardson, D., Janssen, I., Mendes de Leon, C.F., Flynn, K. J.,...Avery, E. (2010). Self-management counseling in patients with heart failure: The heart failure adherence and retention randomized behavioral trial. *JAMA: Journal of the American Medical Association, 304*(12), 1331-1338.
- Prochaska, J.O., Butterworth, S., Redding, C.A., Burden, V., Perrin, N., Leo, M.,...Prochaska, J.M.

(2008). Initial efficacy of MI, TTM tailoring and HRI's with multiple behaviors for employee health promotion. *Preventive Medicine, 46*(3), 226-231.

Proudfoot, J., Parker, G., Hyett, M., Manicavasagar, V., Smith, M., Grdovic, S. & Greenfield, L. (2007). Next generation of self-management education: Web-based bipolar disorder program. *Australian & New Zealand Journal of Psychiatry, 41*(11), 903-909.

Prouse, J. (2010). The impact of methods of information on chemotherapy-related side effects. *Clinical Journal of Oncology Nursing, 14*(2), 206-211.

Quinn, C.C., Clough, S.S., Minor, J.M., Lender, D., Okafor, M.C. & Gruber-Baldini, A. (2008). WellDoc mobile diabetes management randomized controlled trial: Change in clinical and behavioral outcomes and patient and physician satisfaction. *Diabetes Technology & Therapeutics, 10*(3), 160-168.

Rachmani, R., Slavachevski, I., Berla, M., Frommer-Shapira, R. & Ravid, M. (2005). Teaching and motivating patients to control their risk factors retards progression of cardiovascular as well as microvascular sequelae of type 2 diabetes mellitus. *Diabetic Medicine, 22*(4), 410-414.

Rachmani, R., Slavacheski, I., Berla, M., Frommer-Shapira, R. & Ravid, M. (2005). Treatment of high-risk patients with diabetes: Motivation and teaching intervention: A randomized, prospective 8-year follow-up study. *Journal of the American Society of Nephrology, 16*(Suppl 1), S22-S26.

Rawl, S.M., Champion, V.L., Scott, L.L., Zhou, H., Monahan, P., Ding, Y.,...Skinner, C.S. (2008). A randomized trial of two print interventions to increase colon cancer screening among first-degree relatives. *Patient Education and Counseling, 71*(2), 215-227.

Reid, R.D., Pipe, A.L., Quinlan, B. & Oda, J. (2007). Interactive voice response telephony to promote smoking cessation in patients with heart disease: A pilot study. *Patient Education and Counseling, 66*(3), 319-326.

Rezaei, M.B., Seydi, S. & Alizadeh, S.M. (2004). Effects of 2 educational methods on the knowledge, attitude, and practice of women high school teachers in prevention of cervical cancer. *Cancer Nursing, 27*(5), 364-369.

Ringstrom, G., Storsrud, S., Posserud, I., Lundqvist, S., Westman, B. & Simren, M. (2010). Structured patient education is superior to written information in the management of patients with irritable bowel syndrome: A randomized controlled trial. *European Journal of Gastroenterology & Hepatology, 22*(4), 420-428.

Rintala, D.H., Garber, S.L., Friedman, J.D. & Holmes, S.A. (2008). Preventing recurrent pressure ulcers in veterans with spinal cord injury: Impact of a structured education and follow-up intervention. *Archives of Physical Medicine & Rehabilitation, 89*(8), 1429-1441.

Rooks, D.S., Gautam, S., Romeling, M., Cross, M.L., Stratigakis, D., Evans, B.,...Katz, J.N. (2007). Group exercise, education, and combination self-management in women with fibromyalgia: a randomized trial. *Archives of Internal Medicine, 167*(20), 2192-2200.

Rootman, I. (2006). Health Literacy: Where are the Canadian Doctors? *CMAJ, 175*(6), 606-607.

Rootman, I. & Edwards, P. (2006). As the ship sails forth. *Canadian Journal of Public Health, 97*(Suppl 2), S43-47.

Rootman, I. & Gordon-El-Bihbety, D. (2008). *A vision for a Health Literate Canada: Report of the Expert Panel on Health Literacy*. Retrieved from www.cpha.ca/uploads/portals/h-l/report_e.pdf.

- Rootman, I. & Ronson, B. (2005). Literacy and health research in Canada: Where have we been and where should we go? *Canadian Journal of Public Health*; 96(Suppl 2), S62-77.
- Rootmensen, G.N., van Keimpema, A.R., Looyen, E.E., van der Schaaf, L., de Haan, R.J. & Jansen, H.M. (2008). The effects of additional care by a pulmonary nurse for asthma and COPD patients at a respiratory outpatient clinic: Results from a double blind, randomized clinical trial. *Patient Education and Counseling*, 70(2), 179-186.
- Rosen, N. O., Knauper, B., Di Dio, P., Morrison, E., Tabing, R., Feldstain, A.,...Rosberger, Z. (2010). The impact of intolerance of uncertainty on anxiety after receiving an informational intervention about HPV: A randomised controlled study. *Psychology & Health*, 25(6), 651-668.
- Ross, R., Blair, S.N., Godwin, M., Hotz, S., Katzmarzyk, P.T., Lam, M.,...Macdonald, S. (2009). Prevention and reduction of obesity through active living (PROACTIVE): Rationale, design and methods. *British Journal of Sports Medicine*, 43(1), 57-63.
- Rossi, M., McClellan, R., Chou, L. & Davis, K. (2004). Informed consent for ankle fracture surgery: Patient comprehension of verbal and videotaped information. *Foot & Ankle International*, 25(10), 756-762.
- Rothman, R.L., DeWalt, D.A., Malone, R., Bryant, B., Shintani, A., Crigler, B.,...Pignone, M. (2004). Influence of patient literacy on the effectiveness of a primary care-based diabetes disease management program. *JAMA*, 292(14), 1711-1716.
- Roubidoux, M.A. (2005). Breast cancer detective: A computer game to teach breast cancer screening to Native American patients. *Journal of Cancer Education*, 20(1 Suppl), 87-91.
- Rudd, R.E & Anderson, J.E. (2007). *The Health Literacy Environment of Hospitals and Health Centers. Partners for Action: Making Your Healthcare Facility Literacy-Friendly*. Cambridge MA: National Center for the Study of Adult Learning and Literacy.
- Rudd, R. E., Blanch, D. C., Gall, V., Chibnik, L. B., Wright, E. A., Reichmann, W.,...Katz, J.N. (2009). A randomized controlled trial of an intervention to reduce low literacy barriers in inflammatory arthritis management. *Patient Education and Counseling*, 75(3), 334-339.
- Rudd, R., Kirsch, I. & Yamamoto, K. (2004). *Literacy and Health In America*. Princeton NJ: Educational Testing Services.
- Rueda, S., Park-Wyllie, L.Y., Bayoumi, A., Tynan, A.M., Antoniou, T., Rourke, S. & Glazier, R. (2006). Patient support and education for promoting adherence to highly active antiretroviral therapy for HIV/AIDS. *Cochrane Database of Systematic Reviews*, (3), CD001442.
- Ruffinengo, C., Versino, E. & Renga, G. (2009). Effectiveness of an informative video on reducing anxiety levels in patients undergoing elective coronarography: an RCT. *European Journal of Cardiovascular Nursing*, 8(1), 57-61.
- Ruoff, G. (2005). A method that dramatically improves patient adherence to depression treatment. *Journal of Family Practice*, 54(10), 846-852.
- Ruppar, T.M., Conn, V.S. & Russell, C.L. (2008). Medication adherence interventions for older adults: Literature review. *Research and Theory for Nursing Practice*, 22(2), 114-147.
- Ryan, C. G., Gray, H. G., Newton, M. & Granat, M. H. (2010). Pain biology education and exercise classes compared to pain biology education alone for individuals with chronic low back pain: A pilot

randomised controlled trial. *Manual Therapy*, 15(4), 382-387.

Sahebalzamani, M., Aliloo, L. & Shakibi, A. (2009). The efficacy of self-care education on rehabilitation of stroke patients. *Saudi Medical Journal*, 30(4), 550-554.

Sampaio-Sa, M., Page-Schafer, K., Bangsberg, D.R., Evans, J., Dourado Mde, L., Teixeira, C.,...Brites, C. (2008). 100% adherence study: Educational workshops vs. video sessions to improve adherence among ART-naïve patients in Salvador, Brazil. *AIDS and Behavior*, 12(4 Suppl), S54-S62.

Samuel-Hodge, C.D., Keyserling, T.C., Park, S., Johnston, L.F., Gizlice, Z. & Bangdiwala, S.K. (2009). A randomized trial of a church-based diabetes self-management program for African Americans with type 2 diabetes. *The Diabetes Educator*, 35(3), 439-454.

Sanchez, J. P., Kaltwasser, S., McClellan, M., Burton, W. B., Blank, A. & Calderon, Y. (2010). Educational video tool to increase syphilis knowledge among black and Hispanic male patients. *Journal of Health Care for the Poor and Underserved*, 21(1), 371-385.

Sanders, D.L. & Aronsky, D. (2006). Biomedical informatics applications for asthma care: A systematic review. *Journal of the American Medical Informatics Association*, 13(4), 418-427.

Sanders, K.A., Donahue, R.G. & Kerns, R.D. (2007). Application of psychological strategies for pain management in primary care. *Journal of Clinical Outcomes Management*, 14(11), 603-609.

Sandgren, A.K. & McCaul, K.D. (2007). Long-term telephone therapy outcomes for breast cancer patients. *Psycho-Oncology*, 16(1), 38-47.

Santo, A., Laizner, A.M. & Shohet, L. (2005). Exploring the value of audiotapes for health literacy: A systematic review. *Patient Education and Counseling*, 58(3), 234-243.

Sarkadi, A. & Rosenqvist, U. (2004). Experience-based group education in type 2 diabetes: A randomised controlled trial. *Patient Education and Counseling*, 53(3), 291-298.

Scain, S.F., Friedman, R. & Gross, J.L. (2009). A structured educational program improves metabolic control in patients with type 2 diabetes: A randomized controlled trial. *Diabetes Educator*, 35(4), 603-611.

Schaefer, C.T. (2008). Integrated review of health literacy interventions. *Orthopaedic Nursing*, 27(5), 302-317.

Schaffer, S.D. & Tian, L. (2004). Promoting adherence: Effects of theory-based asthma education. *Clinical Nursing Research*, 13(1), 69-89.

Schedlbauer, A., Davies, P. & Fahey, T. (2010). Interventions to improve adherence to lipid lowering medication. *Cochrane Database of Systematic Reviews*, (3), CD004371.

Schillinger, D. (2007). Literacy and health communication: reversing the 'inverse care law'. *The American Journal of Bioethics*, 7(11), 15-20.

Schillinger, D., Piette, J., Grumbach, K., Wang, F., Wilson, C., Daher, C.,...Bindman, A.B. (2003) Closing the loop: Physician communication with diabetic patients who have low health literacy. *Archives of Internal Medicine*, 163(1), 83-90.

- Schnellinger, M., Finkelstein, M., Thygeson, M. V., Vander Velden, H., Karpas, A. & Madhok, M. (2010). Animated video vs pamphlet: Comparing the success of educating parents about proper antibiotic use. *Pediatrics*, 125(5), 990-996.
- Schousboe, J.T., DeBold, R.C., Kuno, L.S., Weiss, T.W., Chen, Y. & Abbott, T.A. (2005). Education and phone follow-up in postmenopausal women at risk for osteoporosis: Effects on calcium intake, exercise frequency, and medication use. *Disease Management & Health Outcomes*, 13(6), 395-404.
- Schroeder, K., Fahey, T. & Ebrahim, S. (2004). Interventions for improving adherence to treatment in patients with high blood pressure in ambulatory settings. *Cochrane Database of Systematic Reviews*, (2), CD004804.
- Scura, K.W., Budin, W. & Garfing, E. (2004). Telephone social support and education for adaptation to prostate cancer: A pilot study. *Oncology Nursing Forum*, 31(2), 335-338.
- Shah, A., Blackhall, K., Ker, K. & Patel, D. (2009). Educational interventions for the prevention of eye injuries. *Cochrane Database of Systematic Reviews*, (4), CD006527.
- Shahab, L. & McEwen, A. (2009). Online support for smoking cessation: A systematic review of the literature. *Addiction*, 104(11), 1792-1804.
- Shaikh, A. A., Hussain, S. M., Rahn, S. & Desilets, D. J. (2010). Effect of an educational pamphlet on colon cancer screening: A randomized, prospective trial. *European Journal of Gastroenterology & Hepatology*, 22(4), 444-449.
- Sheard, C. & Garrud, P. (2006). Evaluation of generic patient information: Effects on health outcomes, knowledge and satisfaction. *Patient Education and Counseling*, 61(1), 43-47.
- Sheppard, V. B., Williams, K. P., Harrison, T. M., Jennings, Y., Lucas, W., Stephen, J.,... Taylor, K.L. (2010). Development of decision-support intervention for Black women with breast cancer. *Psycho-Oncology*, 19(1), 62-70.
- Sherman, K.J., Cherkin, D.C., Erro, J., Miglioretti, D.L. & Deyo, R.A. (2005). Comparing yoga, exercise, and a self-care book for chronic low back pain: A randomized, controlled trial. *Annals of Internal Medicine*, 143(12), 849-856.
- Sherwood, P., Given, B.A., Given, C.W., Champion, V.L., Doorenbos, A.Z., Azzouz, F.,... Monahan, P.O. (2005). A cognitive behavioral intervention for symptom management in patients with advanced cancer. *Oncology Nursing Forum*, 32(6), 1190-1198.
- Shi, Q., Ostwald, S. K. & Wang, S. (2010). Improving glycaemic control self-efficacy and glycaemic control behaviour in Chinese patients with type 2 diabetes mellitus: Randomised controlled trial. *Journal of Clinical Nursing*, 19(3-4), 398-404.
- Shirazi, K.K., Wallace, L.M., Niknami, S., Hidarnia, A., Torkaman, G., Gilchrist, M. & Faghihzadeh, S. (2007). A home-based, transtheoretical change model designed strength training intervention to increase exercise to prevent osteoporosis in Iranian women aged 40-65 years: A randomized controlled trial. *Health Education Research*, 22(3), 305-317.

- Shyu, Y.L., Chen, M., Chen, S., Wang, H. & Shao, J. (2008). A family caregiver-oriented discharge planning program for older stroke patients and their family caregivers. *Journal of Clinical Nursing*, 17(18), 2497-2508.
- Shyu, Y. L., Kuo, L., Chen, M. & Chen, S. (2010). A clinical trial of an individualised intervention programme for family caregivers of older stroke victims in Taiwan. *Journal of Clinical Nursing*, 19(11-12), 1675-1685.
- Siebolds, M., Gaedeke, O. & Schwedes, U. (2006). Self-monitoring of blood glucose -- psychological aspects relevant to changes in HbA1c in type 2 diabetic patients treated with diet or diet plus oral antidiabetic medication. *Patient Education and Counseling*, 62(1), 104-110.
- Sigurdardottir, A. K., Benediktsson, R. & Jonsdottir, H. (2009). Instruments to tailor care of people with type 2 diabetes. *Journal of Advanced Nursing*, 65(10), 2118-2130.
- Sigurdardottir, A.K., Jonsdottir, H. & Benediktsson, R. (2007). Outcomes of educational interventions in type 2 diabetes: WEKA data-mining analysis. *Patient Education and Counseling*, 67(1-2), 21-31.
- Skelly, A.H., Carlson, J.R., Leeman, J., Holditch-Davis, D. & Soward, A.C.M. (2005). Symptom-focused management for African-American women with type 2 diabetes: A pilot study. *Applied Nursing Research*, 18(4), 213-220.
- Skelly, A. H., Carlson, J., Leeman, J., Soward, A. & Burns, D. (2009). Controlled trial of nursing interventions to improve health outcomes of older African American women with type 2 diabetes. *Nursing Research*, 58(6), 410-418.
- Skinner, C. S., Pollak, K. I., Farrell, D., Olsen, M. K., Jeffrey, A. S. & Tulsy, J. A. (2009). Use of and reactions to a tailored CD-ROM designed to enhance oncologist-patient communication: The SCOPE trial intervention. *Patient Education and Counseling*, 77(1), 90-96.
- Smith, A. C. (2010). A systematic review of healthcare professional-led education for patients with osteoporosis or those at high risk for the disease. *Orthopaedic Nursing*, 29(2), 119-132.
- Smith, C.E., Dauz, E., Clements, F., Werkowitch, M. & Whitman, R. (2009). Patient education combined in a music and habit-forming intervention for adherence to continuous positive airway (CPAP) prescribed for sleep apnea. *Patient Education and Counseling*, 74(2), 184-190.
- Smith, T. R., Nicholson, R. A. & Banks, J. W. (2010). Migraine education improves quality of life in a primary care setting. *Headache: The Journal of Head & Face Pain*, 50(4), 600-612.
- Soler, R. E., Leeks, K.D., Razi, S., Hopkins, D.P., Griffith, M., Aten, A.,...The Task Force on Community Preventive Services (2010). A systematic review of selected interventions for worksite health promotion: The assessment of health risks with feedback. *American Journal of Preventive Medicine*, 38(2Suppl), S237-S263.
- Song, M. & Kim, H. (2009). Intensive management program to improve glycosylated hemoglobin levels and adherence to diet in patients with type 2 diabetes. *Applied Nursing Research*, 22(1), 42-47.
- Sorlie, T., Busund, R., Sexton, J., Sexton, H. & Sorlie, D. (2007). Video information combined with individualized information sessions: Effects upon emotional well-being following coronary artery bypass surgery -- a randomized trial. *Patient Education and Counseling*, 65(2), 180-188.
- Stadler, G., Oettingen, G. & Gollwitzer, P. M. (2010). Intervention effects of information and self-regulation on eating fruits and vegetables over two years. *Health Psychology*, 29(3), 274-283.

- Steinke, E.E. & Swan, J.H. (2004). Effectiveness of a videotape for sexual counseling after myocardial infarction. *Research in Nursing & Health, 27*(4), 269-280.
- Stelmack, J.A., Rinne, S., Mancil, R.M., Dean, D., Moran, D., Tang, X.C.,...Massof, R. (2008). Successful outcomes from a structured curriculum used in the veterans affairs low vision intervention trial. *Journal of Visual Impairment & Blindness, 102*(10), 636-648.
- Stephens, M.R., Gaskell, A.L., Gent, C., Pellard, S., Day-Thompson, R., Blackshaw, G.R. & Lewis, W.G. (2008). Prospective randomised clinical trial of providing patients with audiotape recordings of their oesophagogastric cancer consultations. *Patient Education and Counseling, 72*(2), 218-222.
- Stiggelbout, A.M., Molewijk, A.C., Otten, W., Van Bockel, J.H., Bruijninx, C.M, Van der Salm, I. & Kievit, J. (2008). The impact of individualized evidence-based decision support on aneurysm patients' decision making, ideals of autonomy, and quality of life. *Medical Decision Making, 28*(5), 751-762.
- Stoltz, P., Skarsater, I. & Willman, A. (2009). "Insufficient evidence of effectiveness" is not "evidence of no effectiveness:" Evaluating computer-based education for patients with severe mental illness. *Worldviews on Evidence-Based Nursing, 6*(4), 190-199.
- Stromberg, A., Dahlstrom, U. & Fridlund B. (2006). Computer-based education for patients with chronic heart failure. A randomised, controlled, multicentre trial of the effects on knowledge, compliance and quality of life. *Patient Education and Counseling, 64*(1-3), 128-135.
- Stuhldreher, N., Reif, K., de Vries, U., Gorres, S. & Petermann, F. (2008). Development and evaluation of a cancer-related fatigue patient education program: Protocol of a randomized controlled trial. *BMC Nursing, 7*, 12.
- Sturt, J. (2008). One-to-one structured education using the diabetes manual: Evidence of effectiveness. *Journal of Diabetes Nursing, 12*(10), 368.
- Sudore, R.L., Landefeld, C.S., Barnes, D.E., Lindquist, K., Williams, B.A., Brody, R. & Schillinger, D. (2007). An advance directive redesigned to meet the literacy level of most adults: A randomized trial. *Patient Education and Counseling, 69*(1-3), 165-195.
- Sudore, R. L. & Schillinger, D. (2009). Interventions to improve care for patients with limited health literacy. *Journal of Clinical Outcomes Management, 16*(1), 20-29.
- Suhonen, R., Valimaki, M. & Leino-Kilpi, H. (2008). A review of outcomes of individualised nursing interventions on adult patients. *Journal of Clinical Nursing, 17*(7), 843-860.
- Sun, H., Wang, J., Wang, S., Wang, Y., Song, Y., Yang, Z. & Wang, L. (2010). Effect of educational and psychological intervention on the quality of life of asthmatic patients. *Respiratory Care, 55*(6), 725-728.
- Sutton, S. & Gilbert, H. (2007). Effectiveness of individually tailored smoking cessation advice letters as an adjunct to telephone counselling and generic self-help materials: randomized controlled trial. *Addiction, 102*(6), 994-1000.
- Szpiro, K.A., Harrison, M.B., Van Den Kerkhof, E.G., & Loughheed, M.D. (2008). Patient education in the emergency department: A systematic review of interventions & outcomes. *Advanced Emergency Nursing Journal, 30*(1), 34-49.
- Tait, A.R., Voepel-Lewis, T., Moscucci, M., Brennan-Martinez, C.M. & Levine, R. (2009). Patient comprehension of an interactive, computer-based information program for cardiac catheterization : A

comparison with standard information. *Archives of Internal Medicine*, 169(20), 1907-1914.

Templeton, H. & Coates, V. (2004). Evaluation of an evidence-based education package for men with prostate cancer on hormonal manipulation therapy. *Patient Education and Counseling*, 55(1), 55-61.

Ten Wolde, G.B., Dijkstra, A., van Empelen, P., van den Hout, W., Neven, A.K. & Zitman, F. (2008). Long-term effectiveness of computer-generated tailored patient education on benzodiazepines: A randomized controlled trial. *Addiction*, 103(4), 662-670.

Tezel, A. & Gozum, S. (2006). Comparison of effects of nursing care to problem solving training on levels of depressive symptoms in post partum women. *Patient Education and Counseling*, 63(1-2), 64-73.

Thomas, P.D. & Miceli, R. (2006). Evaluation of the "Know Your Health" program for type 2 diabetes mellitus and hypertension in a large employer group. *American Journal of Managed Care*, 12, SP33-9.

Tiler, K., Meiser, B., Gould, L., Tucker, K., Dudding, T., Franklin, J.,...Andrews, L. (2005). Knowledge of risk management strategies, and information and risk management preferences of women at increased risk for ovarian cancer. *Psycho-Oncology*, 14(4), 249-261.

Tiller, K., Meiser, B., Gaff, C., Kirk, J., Dudding, T., Phillips, K.,...Tucker, K. (2006). A randomized controlled trial of a decision aid for women at increased risk of ovarian cancer. *Medical Decision Making*, 26(4), 360-372.

Tremblay, A., Sheeran, L. & Aranda, S.K. (2008). Psychoeducational interventions to alleviate hot flashes: A systematic review. *Menopause*, 15(1), 193-202.

Trento, M., Passera, P., Borgo, E., Tomalino, M., Bajardi, M., Cavallo, F. & Porta, M. (2004). A 5-year randomized controlled study of learning, problem solving ability, and quality of life modifications in people with type 2 diabetes managed by group care. *Diabetes Care*, 27(3), 670-675.

Tsai, Y. & Liu, C. (2009). The effectiveness of pelvic floor exercises, digital vaginal palpation and interpersonal support on stress urinary incontinence: An experimental study. *International Journal of Nursing Studies*, 46(9), 1181-1186.

Tsay, S.L. & Hung, L.O. (2004). Empowerment of patients with end-stage renal disease--A randomized controlled trial. *International Journal of Nursing Studies*, 41(1), 59-65.

Tsoh, J. Y., Kohn, M. A. & Gerbert, B. (2010). Promoting smoking cessation in pregnancy with video doctor plus provider cueing: A randomized trial. *Acta Obstetrica et Gynecologica Scandinavica*, 89(4), 515-523.

Tsuyuki, R.T., Fradette, M., Johnson, J.A., Bungard, T.J., Eurich, D.T., Ashton, T.,...Semchuk, W. (2004). A multicenter disease management program for hospitalized patients with heart failure. *Journal of Cardiac Failure*, 10(6), 473-480.

Tu, S.P., Taylor, V., Yasui, Y., Chun, A., Yip, M.P., Acorda, E.,...Bastani, R. (2006). Promoting culturally appropriate colorectal cancer screening through a health educator: A randomized controlled trial. *Cancer*, 107(5), 959-966.

Tullmann, D.F., Haugh, K.H., Dracup, K.A. & Bourguignon, C. (2007). A randomized controlled trial to reduce delay in older adults seeking help for symptoms of acute myocardial infarction. *Research in Nursing and Health*, 30(5), 485-497.

Turpin, G., Downs, M. & Mason, S. (2005). Effectiveness of providing self-help information following acute traumatic injury: Randomised controlled trial. *British Journal of Psychiatry*, 187, 76-82.

Urek, M.C., Tudoric, N., Plavec, D., Urek, R., Koprivic-Milenovic, T. & Stojic, M. (2005). Effect of education programs on asthma control and quality of life in adult asthma patients. *Patient Education and Counseling*, 58(1), 47-54.

Utriyaprasit, K., Moore, S. M. & Chaiseri, P. (2010). Recovery after coronary artery bypass surgery: Effect of an audiotape information programme. *Journal of Advanced Nursing*, 66(8), 1747-1759.

Vale, M.J., Jelinek, M.V. & Best, J.D. (2005). Impact of coaching patients on coronary risk factors: Lessons from the COACH program. *Disease Management and Health Outcomes*, 13(4), 225-244.

Vallance, J.K., Courneya, K.S., Plotnikoff, R.C. & Mackey, J.R. (2008). Analyzing theoretical mechanisms of physical activity behavior change in breast cancer survivors: Results from the activity promotion (ACTION) trial. *Annals of Behavioral Medicine*, 35(2), 150-158.

Vallance, J.K., Courneya, K.S., Plotnikoff, R.C., Yasui, Y. & Mackey, J.R. (2007). Randomized controlled trial of the effects of print materials and step pedometers on physical activity and quality of life in breast cancer survivors. *Journal of Clinical Oncology*, 25(17), 2352-2359.

Van de Velde, S., Heselmans, A., Roex, A., Vandekerckhove, P., Ramaekers, D. & Aertgeerts, B. (2009). Effectiveness of nonresuscitative first aid training in laypersons: A systematic review. *Annals of Emergency Medicine*, 54(3), 447-457.

van den Akker-Scheek, I., Zijlstra, W., Groothoff, J.W., van Horn, J.R., Bulstra, S.K. & Stevens, M. (2007). Groningen orthopaedic exit strategy: Validation of a support program after total hip or knee arthroplasty. *Patient Education & Counseling*, 65(2), 171-179.

van der Meer, V., Bakker, M. J., van den Hout, W.B., Rabe, K. F., Sterk, P. J., Kievit, J.,...Sont, J.K. (2009). Internet-based self-management plus education compared with usual care in asthma: A randomized trial. *Annals of Internal Medicine*, 151(2), 110-120.

van der Meulen, N., Jansen, J., van Dulmen, S., Bensing, J. & van Weert, J. (2008). Interventions to improve recall of medical information in cancer patients: A systematic review of the literature. *Psycho-Oncology*, 17(9), 857-868.

van Eijken, M., Wensing, M., de Konink, M., Vernooy, M., Zielhuis, G., Lagro, T.,...Grol, R. (2004). Health education on self-management and seeking health care in older adults: A randomised trial. *Patient Education and Counseling*, 55(1), 48-54.

Van Hooren, S.A., Valentijn, S.A., Bosma, H., Ponds, R.W., van Bortel, M.P., Levine, B.,...Jolles, J. (2007). Effect of a structured course involving goal management training in older adults: A randomised controlled trial. *Patient Education and Counseling*, 65(2), 205-213.

- Van Rooijen, A. J., Christa, M. V. & Piet, J. B. (2010). A daily physical activity and diet intervention for individuals with type 2 diabetes mellitus: a randomized controlled trial. *South African Journal of Physiotherapy*, 66(2), 9-16.
- van Servellen, G., Nyamathi, A., Carpio, F., Pearce, D., Garcia-Teague, L., Herrera, G. & Lombardi, E. (2005). Effects of a treatment adherence enhancement program on health literacy, patient-provider relationships, and adherence to HAART among low-income HIV-positive Spanish-speaking Latinos. *AIDS Patient Care and STDs*, 19(11), 745-759.
- Van Sluijs, E.M., Van Poppel, M.N., Twisk, J.W., Brug, J. & Van Mechelen, W. (2005). The positive effect on determinants of physical activity of a tailored, general practice-based physical activity intervention. *Health Education Research*, 20(3), 345-356.
- van Sluijs, E.M., van Poppel, M.N., Twisk, J.W., Paw, C.M.J., Calfas, K.J. & Van Mechelen, W. (2005). Effect of a tailored physical activity intervention delivered in general practice settings: Results of a randomized controlled trial. *American Journal of Public Health*, 95(10), 1825-1831.
- van Straten, A., Cuijpers, P., Smit, F., Spermon, M. & Verbeek, I. (2009). Self-help treatment for insomnia through television and book: A randomized trial. *Patient Education and Counseling*, 74(1), 29-34.
- van Weert, E., Hoekstra-Weebers, J.E., May, A.M., Korstjens, I., Ros, W.J. & van der Schans, C.P. (2008). The development of an evidence-based physical self-management rehabilitation programme for cancer survivors. *Patient Education and Counseling*, 71(2), 169-190.
- Vandemheen, K.L., O'Connor, A., Bell, S.C., Freitag, A., Bye, P., Jeanneret, A.,...Aaron, S.D. (2009). Randomized trial of a decision aid for patients with cystic fibrosis considering lung transplantation. *American Journal of Respiratory and Critical Care Medicine*, 180(8), 761-768.
- VanWormer, J.J. & Boucher, J.L. (2004). Professional development. Motivational interviewing and diet modification: A review of the evidence. *Diabetes Educator*, 30(3), 404-416.
- van Zuuren, F.J., Grypdonck, M., Crevits, E., Vande Walle, C. & Defloor T. (2006). The effect of an information brochure on patients undergoing gastrointestinal endoscopy: A randomized controlled study. *Patient Education and Counseling*, 64(1-3), 173-182.
- Vera, M., Perez-Pedrogo, C., Huertas, S.E., Reyes-Rabanillo, M.L., Juarbe, D., Huertas, A.,...Chaplin, W. (2010). Collaborative care for depressed patients with chronic medical conditions: A randomized trial in Puerto Rico. *Psychiatric Services*, 61(2), 144-150.
- Vidanapathirana, J., Abramson, M.J., Forbes, A. & Fairley, C. (2005). Mass media interventions for promoting HIV testing. *Cochrane Database of Systematic Reviews* (3), CD004775.
- Vincent, D. (2009). Culturally tailored education to promote lifestyle change in Mexican Americans with type 2 diabetes. *Journal of the American Academy of Nurse Practitioners*, 21(9), 520-527.
- Virtanen, H., Leino-Kilpi, H. & Salantera, S. (2007). Empowering discourse in patient education. *Patient Education and Counseling*, 66(2), 140-146.

Visser-Meily, A., van Heugten, C., Post, M., Schepers, V. & Lindeman E. (2005). Intervention studies for caregivers of stroke survivors: A critical review. *Patient Education and Counseling*, 56(3), 257-267.

Volk, R.J., Jibaja-Weiss, M.L., Hawley, S.T., Kneuper, S., Spann, S.J., Miles, B.J. & Hyman, D.J. (2008). Entertainment education for prostate cancer screening: A randomized trial among primary care patients with low health literacy. *Patient Education and Counseling*, 73(3), 482-489.

Vos, P.J., Visser, A.P., Garssen, B., Duivenvoorden, H.J. & de Haes, H.C. (2006). Effects of delayed psychosocial interventions versus early psychosocial interventions for women with early stage breast cancer. *Patient Education and Counseling*, 60(2), 212-219.

Wagner, H., Pizzimenti, J.J., Daniel, K., Pandya, N. & Hardigan, P.C. (2008). Eye on diabetes: A multidisciplinary patient education intervention. *Diabetes Educator*, 34(1), 84-89.

Wahab, S., Menon, U. & Szalacha, L. (2008). Motivational interviewing and colorectal cancer screening: A peek from the inside out. *Patient Education and Counseling*, 72(2), 210-217.

Wakefield, B.J., Bylund, C.L., Holman, J.E., Ray, A., Scherubel, M., Kienzle, M.G. & Rosenthal, G.E. (2008). Nurse and patient communication profiles in a home-based telehealth intervention for heart failure management. *Patient Education and Counseling*, 71(2), 285-292.

Waljee, J.F., Rogers, M.A. & Alderman, A.K. (2007). Decision aids and breast cancer: Do they influence choice for surgery and knowledge of treatment options? *Journal of Clinical Oncology*, 25(9), 1067-1073.

Walker, M.S. & Podbilewicz-Schuller, Y. (2005). Video preparation for breast cancer treatment planning: Results of a randomized clinical trial. *Psycho-Oncology*, 14(5), 408-420.

Ward, C.D., Turpin, G., Dewey, M.E., Fleming, S., Hurwitz, B., Ratib, S.,...Lymbery, M. (2004). Education for people with progressive neurological conditions can have negative effects: Evidence from a randomized controlled trial. *Clinical Rehabilitation*, 18(7), 717-725.

Ward, S.E., Wang, K.K., Serlin, R.C., Peterson, S.L. & Murray, M.E. (2009). A randomized trial of a tailored barriers intervention for Cancer Information Service (CIS) callers in pain. *Pain*, 144(1-2), 49-56.

Warsi, A., Wang, P.S., LaValley, M.P., Avorn, J. & Solomon, D.H. (2004). Self-management education programs in chronic disease: A systematic review and methodological critique of the literature. *Archives of Internal Medicine*, 164(15), 1641-1649.

Waters, B.M., Jensen, L. & Fedorak, R.N. (2005). Effects of formal education for patients with inflammatory bowel disease: A randomized control trial. *Canadian Journal of Gastroenterology*, 19(4), 235-244.

Watson, E., Hewitson, P., Brett, J., Bukach, C., Evans, R., Edwards, A.,...Austoker, J. (2006). Informed decision making and prostate specific antigen (PSA) testing for prostate cancer: A randomised controlled trial exploring the impact of a brief patient decision aid on men's knowledge, attitudes and intention to be tested. *Patient Education and Counseling*, 63(3), 367-379.

Wattana, C., Srisuphan, W., Pothiban, L. & Upchurch, S. L. (2007). Effects of a diabetes self-management program on glycemic control, coronary heart disease risk, and quality of life among Thai

patients with type 2 diabetes. *Nursing and Health Sciences*, 9(2), 135-141.

Waxman, R., Woodburn, H., Powell, M., Woodburn, J., Blackburn, S. & Helliwell, P. (2003). FOOTSTEP: A randomized controlled trial investigating the clinical and cost effectiveness of a patient self-management program for basic foot care in the elderly. *Journal of Clinical Epidemiology*, 56(11), 1092-1099.

Weimer, M. (2002). *Learner-centered teaching: Five key changes to practice*. San Francisco, CA: Jossey-Bass.

Welschen, L.M.C., Bloemendal, E., Nijpels, G., Dekker, J.M., Heine, R.J., Stalman, W.A.B., & Bouter, L.M. (2005). Self-monitoring of blood glucose in patients with type 2 diabetes mellitus who are not using insulin. *Cochrane Database of Systematic Reviews*, (2), CD005060.

Wenger, N.S., Roth, C.P., Shekelle, P.G., Young, R.T., Solomon, D.H., Kamberg, C.J.,...Reuben, D.B. (2009). A practice-based intervention to improve primary care for falls, urinary incontinence, and dementia. *Journal of the American Geriatrics Society*, 57(3), 547-555.

Whellan, D.J. (2005). Heart failure disease management: implementation and outcomes. *Cardiology in Review*, 13(5), 231-239.

Whitehead, D. (2006). Health promotion in the practice setting: Findings from a review of clinical issues. *Worldviews on Evidence-Based Nursing*, 3(4), 165-184.

Whitlock, E.P., Polen, M.R., Green, C.A., Orleans, T. & Klein, J. (2004). Clinical guidelines. Behavioral counseling interventions in primary care to reduce risky/harmful alcohol use by adults: A summary of the evidence for the U.S. Preventive Services Task Force. *Annals of Internal Medicine*, 140(7), 557.

Whittemore, R., Melkus, G.D., Sullivan, A. & Grey, M. (2004). A nurse-coaching intervention for women with type 2 diabetes. *Diabetes Educator*, 30(5), 795-804.

Whitworth, M. & Dowswell, T. (2009). Routine pre-pregnancy health promotion for improving pregnancy outcomes. *Cochrane Database of Systematic Reviews*, (4), CD007536.

Williams, A., Lindsell, C., Rue, L. & Blomkalns, A. (2007). Emergency Department education improves patient knowledge of coronary artery disease risk factors but not the accuracy of their own risk perception. *Preventive Medicine*, 44(6), 520-525.

Williams, A., Manias, E. & Walker, R. (2008) Interventions to improve medication adherence in people with multiple chronic conditions: A systematic review. *Journal of Advanced Nursing*, 63(2), 132-143.

Williams, G.C., McGregor, H., Zeldman, A., Freedman, Z.R., Deci, E.L. & Elder, D. (2005). Promoting glycemic control through diabetes self-management: Evaluating a patient activation intervention. *Patient Education and Counseling*, 56(1), 28-34.

Williams, J.W. Jr., Katon, W., Lin, E.H.B., Noel, P.H., Worchel, J., Cornell, J.,...Unutzer, J. (2004). The effectiveness of depression care management on diabetes-related outcomes in older patients. *Annals of Internal Medicine*, 140(12), 1015-1024.

Williams, N.H., Amoakwa, E., Burton, K., Hendry, M., Lewis, R., Jones, J.,...Wilkinson, C. (2010). The hip and knee book: Developing an active management booklet for hip and knee osteoarthritis. *British Journal of General Practice*, 60(571), 64-82.

- Williams, S. A. & Schreier, A. M. (2004). The effect of education in managing side effects in women receiving chemotherapy for treatment of breast cancer. *Oncology Nursing Forum*, 31(1), E16-E23.
- Williams, S.A. & Schreier, A.M. (2005). The role of education in managing fatigue, anxiety, and sleep disorders in women undergoing chemotherapy for breast cancer. *Applied Nursing Research*, 18(3), 138-147.
- Wilson, S. R., Strub, P., Buist, A. S., Knowles, S. B., Lavori, P. W., Lapidus, J. & Vollmer, W.M. (2010). Shared treatment decision making improves adherence and outcomes in poorly controlled asthma. *American Journal of Respiratory and Critical Care Medicine*, 181(6), 566-577.
- Wing, R.R., Rosen, R.C., Fava, J.L., Bahnson, J., Brancati, F., Gendrano Lii, N.,...Wadden, T.A. (2010). Effects of weight loss intervention on erectile function in older men with type 2 diabetes in the Look AHEAD trial. *The Journal of Sexual Medicine*, 7(1 Pt 1), 156-165.
- Winzenberg, T., Oldenburg, B., Frendin, S., De Wit, L., Riley, M. & Jones G. (2006). The effect on behavior and bone mineral density of individualized bone mineral density feedback and educational interventions in premenopausal women: a randomized controlled trial. *BMC Public Health*, 6, 12.
- Wofford, J.L., Smith, E.D. & Miller, D.P. (2005). The multimedia computer for office-based patient education: A systematic review. *Patient Education and Counseling*, 59(2), 148-157.
- Wofford, J.L., Wells, M.D. & Singh, S. (2008). Best strategies for patient education about anticoagulation with warfarin: a systematic review. *BMC Health Sciences Research*, 8, 40.
- Wolf, D.M., Lehman, L., Quinlin, R., Zullo, T. & Hoffman, L. (2008). Effect of patient-centered care on patient satisfaction and quality of care. *Journal of Nursing Care Quality*, 23(4), 316-321.
- Wolf, M.S., Gazmararian, J.A. & Baker, D.W. (2007). Health literacy and health risk behaviors among older adults. *American Journal of Preventive Medicine*, 32(1), 19-24.
- Wolf, M.S., Gazmararian, J.A. & Baker, D.W. (2005) Health literacy and functional health status among older adults. *Archives of Internal Medicine*, 165(17), 1946-1952.
- Woloshin, S., Schwartz, L.M. & Welch, H.G. (2007). The effectiveness of a primer to help people understand risk: Two randomized trials in distinct populations. *Annals of Internal Medicine*, 146(4), 256-264.
- Wongpiriyayothar, A., Pothiban, L., Liehr, P., Senaratana, W. & Sucumvang, K. (2008). Effects of home-based care program on symptom alleviation and well-being among persons with chronic heart failure. *Thai Journal of Nursing Research*, 12(1), 25-39.
- Wright, J., Bibby, J., Eastham, J., Harrison, S., McGeorge, M., Patterson, C.,...Young, J. (2007). Multifaceted implementation of stroke prevention guidelines in primary care: cluster-randomised evaluation of clinical and cost effectiveness. *Quality and Safety in Health Care*, 16(1), 51-59.
- Wright, M.A.H. (2008). *Staff nurses' level of diabetes and diabetes management knowledge after a diabetes lecture-based and computer-based educational intervention*. Alabama: University of Alabama at Birmingham.
- Wyman, J.F., Croghan, C.F., Nachreiner, N.M., Gross, C.R., Stock, H.H., Talley, K. & Monigold, M. (2007). Effectiveness of education and individualized counseling in reducing environmental hazards in the homes of community-dwelling older women. *Journal of the American Geriatrics Society*, 55(10), 1548-

1556.

Yankova, Z. (2008). Patients' knowledge of Patient Controlled Analgesia (PCA) and their experience of postoperative pain relief: A review of the impact of structured preoperative education. *Journal of Advanced Perioperative Care*, 3(3), 91-99.

Yates, P., Aranda, S., Hargraves, M., Mirolo, B., Clavarino, A., McLachlan, S. & Skerman, H. (2005). Randomized controlled trial of an educational intervention for managing fatigue in women receiving adjuvant chemotherapy for early-stage breast cancer. *Journal of Clinical Oncology*, 23(25), 6027-6036.

Yates, P., Edwards, H., Nash, R., Aranda, S., Purdie, D., Najman, J.,...Walsh, A. (2004). A randomized controlled trial of a nurse-administered educational intervention for improving cancer pain management in ambulatory settings. *Patient Education and Counseling*, 53(2), 227-237.

Yates, T., Davies, M., Gorely, T., Bull, F. & Khunti, K. (2009). Effectiveness of a pragmatic education program designed to promote walking activity in individuals with impaired glucose tolerance: A randomized controlled trial. *Diabetes Care*, 32(8), 1404-1410.

Yates, T., Davies, M., Gorely, T., Bull, F. & Khunti, K. (2008). Rationale, design and baseline data from the Pre-diabetes Risk Education and Physical Activity Recommendation and Encouragement (PREPARE) programme study: A randomized controlled trial. *Patient Education and Counseling*, 73(2), 264-271.

Yehle, K.S. & Plake, K.S. (2010). Self-efficacy and educational interventions in heart failure: A review of the literature. *Journal of Cardiovascular Nursing*, 25(3), 175-188.

Yevlahova, D. & Satur, J. (2009). Models for individual oral health promotion and their effectiveness: A systematic review. *Australian Dental Journal*, 54(3), 190-197.

Yildirim, Y. K., Cicek, F. & Uyar, M. (2009). Effects of pain education program on pain intensity, pain treatment satisfaction, and barriers in Turkish cancer patients. *Pain Management Nursing*, 10(4), 220-228.

Yin, H. S., Dreyer, B. P., van Schaick, L., Foltin, G. L., Dinglas, C. & Mendelsohn, A. L. (2008). Randomized controlled trial of a pictogram-based intervention to reduce liquid medication dosing errors and improve adherence among caregivers of young children. *Archives of Pediatrics & Adolescent Medicine*, 162(9), 814-822.

Yoon, K.H. & Kim, H.S. (2008). A short message service by cellular phone in type 2 diabetic patients for 12 months. *Diabetes Research & Clinical Practice*, 79(2), 256-261.

Young, D., Furler, J., Vale, M., Walker, C., Segal, L., Dunning, P.,...Chondros, P. (2007). Patient engagement and coaching for health: The PEACH study--A cluster randomised controlled trial using the telephone to coach people with type 2 diabetes to engage with their GPs to improve diabetes care: A study protocol. *BMC Family Practice*, 8, 20.

Yvonne Chan, Y. F., Nagurka, R., Richardson, L. D., Zaets, S. B., Brimacombe, M. B. & Levine, S. R. (2010). Effectiveness of stroke education in the emergency department waiting room. *Journal of Stroke & Cerebrovascular Diseases*, 19(3), 209-215.

Zanarini, M.C. & Frankenburg, F.R. (2008). A preliminary, randomized trial of psychoeducation for women with borderline personality disorder. *Journal of Personality Disorders*, 22(3), 284-290.

Zapka, J.G., Lemon, S.C., Puleo, E., Estabrook, B., Luckmann, R. & Erban, S. (2004). Patient education for colon cancer screening: A randomized trial of a video mailed before a physical examination. *Annals of Internal Medicine*, 141(9), 683-692.

Zhang, X., Norris, S.L., Chowdhury, F.M., Gregg, E.W. & Zhang, P. (2007). The effects of interventions on health-related quality of life among persons with diabetes: A systematic review. *Medical Care*, 45(9), 820-834.

Zhao, Y. & Wong, F. K. Y. (2009). Effects of a postdischarge transitional care programme for patients with coronary heart disease in China: A randomised controlled trial. *Journal of Clinical Nursing*, 18(7), 2444-2455.

Zikmund-Fisher, B.J., Fagerlin, A. & Ubel, P.A. (2007). Mortality versus survival graphs: Improving temporal consistency in perceptions of treatment effectiveness. *Patient Education and Counseling*, 66(1), 100-107.

Zikmund-Fisher, B.J., Ubel, P.A., Smith, D.M., Derry, H.A., McClure, J.B., Stark, A.,...Fagerlin, A. (2008). Communicating side effect risks in a tamoxifen prophylaxis decision aid: The debiasing influence of pictographs. *Patient Education and Counseling*, 73(2), 209-214.

Zorc, J. J., Chew, A., Allen, J. L. & Shaw, K. (2009). Beliefs and barriers to follow-up after an emergency department asthma visit: A randomized trial. *Pediatrics*, 124(4), 1135-1142.