



Registered Nurses' Association of Ontario Diabetic foot ulcers: Prevention, assessment and management Third Edition October 2024


Indicator selection process

The following is a summary of the RNAO indicator selection process (see Figure 4).

- 1. **Guideline selection:** Indicators are selected for guidelines focused on health system priorities, with an emphasis on filling gaps in measurement while reducing reporting burden.
- 2. Extraction of recommendations: Good practice statements, recommendations, outcomes of the research question and BPG Order SetsTM (if applicable) are reviewed to extract potential measures for indicator development.
- 3. **Indicator selection and development:** Indicators are selected and developed through established methodology, including alignment with external organizations.
- 4. **Practice test and validation:** Proposed indicators are internally validated through face and content validity and externally validated by expert panel members and external reviewers who concurrently reviewed the drafted BPG.
- 5. **Implementation:** Indicators are published in the BPG Evaluation section, and data dictionaries are developed for publication on the Nursing Quality Indicators for Reporting and Evaluation[®] (NQuIRE[®]) website for use by BPSOs.
- 6. **Data quality assessment and evaluation:** Data quality assessment and evaluation, as well as ongoing feedback from BPSOs, ensure purposeful evolution of BPG indicators collected in NQuIRE.



Figure 4: Indicator selection flow diagram







Source: Adapted by the RNAO expert panel from: Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. BMJ [Internet]. 2021;372:n71. Available from: https://doi.org/10.1136/bmj.n71